



Bearing type	Internal Diameter	Outer Diameter	Width	Dynammic Load Rating	Static Load Rating	Limiting Speed		Weight
	d	D	W	Cr	Cor	Grease	Oil	
	(mm)	(mm)	(mm)	(kN)	(kN)	(r/min)	(r/min)	
6001	12	28	8	5.1	2.38	20000	26000	0.022
6002	15	32	9	5.58	2.85	19000	24000	0.03
6003	17	35	10	6	3.25	17000	21000	0.04
6004	20	42	12	9.38	5.02	16000	19000	0.069
6005	25	47	12	10.1	5.85	15000	18000	0.08
6006	30	55	13	13.2	8.25	13000	15000	0.116
6201	12	32	10	6.82	3.05	19000	24000	0.037
6202	15	35	11	7.65	3.72	18000	22000	0.045
6203	17	40	12	9.58	4.78	16000	20000	0.065
6204	20	47	14	12.8	6.65	14000	18000	0.106
6205	25	52	15	14	7.85	13000	15000	0.128
6206	30	62	16	19.5	11.3	11000	13000	0.199
6300	10	35	11	7.65	3.48	18000	24000	0.053
6301	12	37	12	9.72	5.08	17000	22000	0.06
6302	15	42	13	11.5	5.42	16000	20000	0.082
6303	17	47	14	13.5	6.58	15000	18000	0.115
6304	20	52	15	15.8	7.88	13000	16000	0.142
6305	25	62	17	20.6	11.3	11000	13000	0.232
6306	30	72	19	26.7	15	6600	12000	0.346
6403	17	62	17	22.7	10.8	11000	15000	0.27
6404	20	72	19	31	15.2	9500	13000	0.4
6405	25	80	21	36.1	19.4	9100	11000	0.53
6406	30	90	23	43.4	23.9	8100	9700	0.735
16001	12	28	7	5.1	2.4	20000	26000	0.024
16002	15	32	8	5.6	2.8	19000	24000	0.025
16003	17	35	8	6	3.3	18000	22000	0.032
16004	20	42	8	7.9	4.5	16000	19000	0.05
16005	25	47	8	8.85	5.6	15000	18000	0.06
16006	30	55	9	11.2	7.35	13000	15000	0.085
16007	35	62	9	12.2	8.85	11000	13000	0.11
61801	12	21	5	1.9	1	24000	32000	0.006
61802	15	24	5	2.1	1.3	22000	30000	0.007
61803	17	26	5	2.2	1.5	20000	28000	0.008
61804	20	32	7	3.5	2.2	18000	24000	0.018
61805	25	37	7	4.3	2.9	16000	20000	0.022
61806	30	42	7	4.55	3.4	15000	18000	0.026
61807	35	47	7	4.75	3.85	13000	19000	0.03
61901	12	24	6	2.9	1.5	22000	28000	0.011
61902	15	28	7	4.3	2.3	20000	26000	0.017
61903	17	30	7	4.6	2.6	19000	24000	0.018
61904	20	37	9	6.4	3.7	17000	22000	0.036
61905	25	42	9	7	4.55	16000	19000	0.041
61906	30	47	9	7.25	5	14000	17000	0.045
61907	35	55	10	10.9	7.75	12000	14000	0.073

瓦房店金锐轴承制造有限公司

Wafangdian Jinrui Bearing manufacturing Co., Ltd

✉ jerry@jrzc-bearing.com ☎ +86 17849695290

☎ +86 17849695290

🌐 www.jrzc-bearings.com

Bearing type	Internal Diameter	Outer Diameter	Width	Dynammic Load Rating	Static Load Rating	Limiting Speed		Weight
	d	D	W	Cr	Cor	Grease	Oil	Weight
	(mm)	(mm)	(mm)	(kN)	(kN)	(r/min)	(r/min)	(kg)
6020	100	150	24	64.5	56.2	3800	4800	1.18
6021	105	160	26	71.8	63.2	3600	4500	1.52
6220	100	180	34	122	92.8	3400	4300	3.19
6221	105	190	36	133	105	3200	4000	3.78
6320	100	215	47	173	140	2800	3600	7.09
6321	105	225	49	184	153	2600	3200	8.05
6420	100	250	58	223	195	2400	3200	12.9
16020	100	150	16	43.8	44.3	3800	4800	0.74
16021	105	160	18	51.8	50.6	3600	4500	1
16022	110	170	19	57.4	56.7	3400	4300	1.27
16056	280	420	44	-	-	-	-	-
16060	300	460	50	-	-	-	-	-
61021	105	145	20	43.9	44.3	3800	4800	0.81
61820	100	125	13	20.1	22	4300	5300	0.28
61821	105	130	13	20.3	22.7	4000	5000	0.3
61822	110	140	16	28.1	30.7	3800	5000	0.5
61920	100	140	20	42.7	41.9	4000	5000	0.77
61922	110	150	20	43.6	44.4	3600	4500	0.84
16001ZZ	12	28	7	-	-	-	-	-
638/8-2Z	8	16	6	-	-	-	-	0
63800-2RS	10	19	7	-	-	-	-	0.01
6820/P6	100	125	9	-	-	-	-	0.214

Bearing type	Internal Diameter	Outer Diameter	Width	Dynammic Load Rating	Static Load Rating	Limiting Speed		Weight
	d	D	W	Cr	Cor	Grease	Oil	Weight
	(mm)	(mm)	(mm)	(kN)	(kN)	(r/min)	(r/min)	(kg)
6007	35	62	14	15.9	10.3	11000	13000	0.155
6008	40	68	15	17	11.8	9000	11000	0.185
6009	45	75	16	21	14.8	8000	10000	0.23
6010	50	80	16	22	16.2	7000	9000	0.25
6011	55	90	18	30.2	21.8	7000	8500	0.362
6012	60	95	18	31.5	24.2	6300	7500	0.385
6013	65	100	18	32	24.8	6000	7000	0.41
6022	110	170	28	81.8	72.8	3400	4300	1.89
6207	35	72	17	25.7	15.4	9200	11000	0.288
6208	40	80	18	29.5	18	8000	10000	0.368
6209	45	85	19	31.5	20.5	7000	9000	0.416
6210	50	90	20	35	23.2	6700	8500	0.463
6211	55	100	21	43.2	29.2	6000	7500	0.603
6212	60	110	22	47.8	32.8	5600	7000	0.789
6307	35	80	21	33.4	19.3	8500	10000	0.457
6308	40	90	23	40.8	24	7000	8500	0.639
6309	45	100	25	52.8	31.8	6300	7500	0.837
6310	50	110	27	61.8	38	6000	7000	1.082
6311	55	120	29	71.5	44.8	5600	6700	1.367
6312	60	130	31	81.8	51.8	5000	6000	1.71
6407	35	100	25	55	31	7200	8600	0.952
6408	40	110	27	65.5	37.5	6300	8000	1.221
6409	45	120	29	77.5	45.5	5600	7000	1.52

✉ jerry@jrzc-bearing.com ☎ +86 17849695290

☎ +86 17849695290

🌐 www.jrzc-bearings.com

6410	50	130	31	922	55.2	5300	6300	1.855
6411	55	140	33	100	62.5	4800	6000	2.316
6412	60	150	35	109	70	4500	5600	2.811
16008	40	68	9	12.6	9.6	9000	11000	0.125
16009	45	75	10	15.6	12.2	8000	10000	0.155
16010	50	80	10	16.1	13.1	8000	9500	0.166
16011	55	90	11	19.4	16.2	7000	8500	0.207
16012	60	95	11	19.9	17.5	6300	7500	0.224
16013	65	100	11	20.5	18.6	6000	7000	0.241
61808	40	52	7	4.95	4.2	12000	14000	0.033
61809	45	58	7	6.4	5.6	9000	12000	0.03
61810	50	65	7	6.6	6.1	8500	10000	0.043
61811	55	72	9	9.1	8.4	8000	9500	0.07
61812	60	78	10	9.1	8.7	7000	8500	0.093
61813	65	85	10	11.9	11.5	6700	8000	0.13
61908	40	62	12	13.7	9.95	11000	13000	0.112
61909	45	68	12	14.1	10.9	8500	11000	0.123
61910	50	72	12	14.5	11.7	8000	9500	0.122
61911	55	80	13	15.9	13.2	7500	9000	0.17
61912	60	85	13	16.4	14.2	6700	8000	0.181
61913	65	90	13	17.4	16	6300	7500	0.196

Bearing type	Internal Diameter	Outer Diameter	Width	Dynammic Load Rating	Static Load Rating	Limiting Speed		Weight
	d	D	W	Cr	Cor	Grease	Oil	Weight
	(mm)	(mm)	(mm)	(kN)	(kN)	(r/min)	(r/min)	(kg)
6017	85	130	22	50.8	42.8	4500	5600	0.848
6018	90	140	24	58	49.8	4300	5300	1.1
6019	95	145	24	57.8	50	4000	5000	1.15
6217	85	150	28	83.2	63.8	4000	5000	1.803
6218	90	160	30	95.8	71.5	3800	4800	2.17
6219	95	170	32	110	82.8	3600	4500	2.62
6316	80	170	39	123	86.5	3800	4500	3.61
6317	85	180	41	132	96.5	3600	4300	4.284
6318	90	190	43	145	108	3400	4000	4.97
6319	95	200	45	157	122	3200	3800	5.74
6416	80	200	48	163	125	3400	4000	6.752
6417	85	210	52	175	138	3200	3800	7.933
6418	90	225	54	192	158	2800	3600	9.56
16017	85	130	14	34	33.3	4500	5600	0.968
16018	90	140	16	41.5	39.3	4300	5300	0.671
16019	95	145	16	42.7	41.9	4000	5000	0.71
61817	85	110	13	19.2	19.8	5000	6300	0.245
61818	90	115	13	19.5	20.5	4800	6000	0.258
61819	95	120	13	19.8	21.3	4500	5600	0.27
61917	85	120	18	31.9	29.7	4800	6000	0.507
61918	90	125	18	32.8	31.5	4500	5600	0.533
61919	95	130	18	33.7	33.3	4300	5300	0.56

瓦房店金锐轴承制造有限公司

Wafangdian Jinrui Bearing manufacturing Co., Ltd

✉ jerry@jrzc-bearing.com ☎ +86 17849695290

☎ +86 17849695290

🌐 www.jrzc-bearings.com