



Bearing type	Boundary Dimensions	Weight
	(dxBxLxAxH0)	(kg)
UCFLU201	(d×B×S×H×A×J×A2)12×33.3×-×99×-×76.5	0.45
UCWFLU201	(d×B×S×H×A×J×A2)12×27.4×-×99×-×76.5	0.6
UCFLU202	(d×B×S×H×A×J×A2)15×33.3×-×99×-×76.5	0.45
UCWFLU202	(d×B×S×H×A×J×A2)15×27.4×-×99×-×76.5	0.6
UCWFLU203	(d×B×S×H×A×J×A2)17×27.4×-×99×-×76.5	0.45
UCFLU203	(d×B×S×H×A×J×A2)17×33.3×11.5×99×32×76.5	0.6
UCFLU204	(d×B×S×H×A×J×A2)20×31×12.7×113×34×90×1	0.48
UCFLU205	(d×B×S×H×A×J×A2)25×34.1×14.3×125×35×99	0.6
UCFLU206	(d×B×S×H×A×J×A2)30×38.1×15.9×142×38×116	0.9
UCFLU207	(d×B×S×H×A×J×A2)35×42.9×17.5×156×38×130	1.2
UCFLU208	(d×B×S×H×A×J×A2)40×49.2×19×172×43×143.5	1.6
UCFLU209	(d×B×S×H×A×J×A2)45×49.2×19×180×45×148.5	1.9
UCFLU210	(d×B×S×H×A×J×A2)50×51.6×19×190×48×157	2.2
UCFLU211	(d×B×S×H×A×J×A2)55×55.6×22.2×217×51×184	3.1
UCFLU212	(d×B×S×H×A×J×A2)60×65.1×25.4×235×60×202	4
UCFLU213	(d×B×S×H×A×J×A2)65×69.7×25.4×258×50×210	5
UCFLU214	(d×B×S×H×A×J×A2)70×74.6×30.2×265×54×216	5.6
UCFLU215	(d×B×S×H×A×J×A2)75×77.8×33.3×275×56×225	6.2
UCFLU216	(d×B×S×H×A×J×A2)80×82.6×33.3×290×58×233	7.8
UCFLU217	(d×B×S×H×A×J×A2)85×85.7×34.1×305×63×248	9.8
UCFLU218	(d×B×S×H×A×J×A2)90×96×39.7×320×68×265×	12.4
UCFLU305	(d×B×S×H×A×J×A2)25×38×15×150×29×113×17	1.1
UCFLU306	(d×B×S×H×A×J×A2)30×43×17×180×32×134×18	1.5
UCFLU307	(d×B×S×H×A×J×A2)35×48×19×185×36×141×20	1.8
UCFLU308	(d×B×S×H×A×J×A2)40×52×19×200×40×158×23	2.5
UCFLU309	(d×B×S×H×A×J×A2)45×57×22×230×44×177×25	3.4
UCFLU310	(d×B×S×H×A×J×A2)50×61×22×240×48×187×28	4.4
UCFLU311	(d×B×S×H×A×J×A2)55×66×25×250×52×198×30	5.1
UCFLU312	(d×B×S×H×A×J×A2)60×71×26×270×56×212×33	6.1
UCFLU313	(d×B×S×H×A×J×A2)65×75×30×295×58×240×33	7.8
UCFLU314	(d×B×S×H×A×J×A2)70×78×33×315×61×250×36	9.8
UCFLU315	(d×B×S×H×A×J×A2)75×82×32×320×66×260×39	11.3
UCFLU316	(d×B×S×H×A×J×A2)80×86×34×355×68×285×41	14.3
UCFLU317	(d×B×S×H×A×J×A2)85×96×40×370×74×300×44	16
UCFLU318	(d×B×S×H×A×J×A2)90×96×40×385×76×315×44	19.1
UCFLU319	(d×B×S×H×A×J×A2)95×103×41×105×94×330×5	24.6
UCFLU320	(d×B×S×H×A×J×A2)100×108×42×440×94×360×	30.8
UCFLU321	(d×B×S×H×A×J×A2)105×112×-×440×-×360×-	27
UCFLU322	(d×B×S×H×A×J×A2)110×117×-×470×-×390×-	33
UCFLU324	(d×B×S×H×A×J×A2)120×126×-×520×-×430×-	48

瓦房店金锐轴承制造有限公司

Wafangdian Jinrui Bearing manufacturing Co., Ltd

✉ jerry@jrzc-bearing.com ☎ +86 17849695290

☎ +86 17849695290

🌐 www.jrzc-bearings.com

Bearing type	Boundary Dimensions	Weight
	(dxBxLxAxH0)	(kg)
UELFLU313	(d0×B1×S1×H×A×J×A2)65×85.7×32.55×295×58	8.2
UCFLU201-8	12.7×99×86.5×57×33.3	0.45
UCFLU202-9	14.288×99×86.5×57×33.3	0.45
UCFLU202-10	15.875×99×86.5×57×33.3	0.45
UCFLU203-11	17.462×99×86.5×57×33.3	0.45
UCFLU204-12	19.05×113×90×60×33.3	0.5
UCFLU205-14	22.225×130×99×68×35.8	0.6
UCFLU205-15	23.812×130×99×68×35.8	0.6
UCFLU205-16	25.4×130×99×68×35.8	0.6
UCFLU206-18	28.575×148×117×80×40.2	0.9
UCFLU206-19	30.162×148×117×80×40.2	0.9
UCFLU206-20	31.75×148×117×80×40.2	0.9
UCFLU207-20	31.75×161×130×90×44.4	1.2
UCFLU207-21	33.338×161×130×90×44.4	1.2
UCFLU207-22	34.952×161×130×90×44.4	1.2
UCFLU207-23	36.512×161×130×90×44.4	1.2
UCFLU208-24	38.1×175×144×100×51.2	1.6
UCFLU208-25	39.688×175×144×100×51.2	1.6
UCFLU209-26	41.275×188×148×108×52.2	1.9
UCFLU209-27	42.862×188×148×108×52.2	1.9
UCFLU209-28	44.45×188×148×108×52.2	1.9
UCFLU210-30	47.625×197×157×115×54.6	2.2
UCFLU210-31	49.212×197×157×115×54.6	2.2
UCFLU210-32	50.8×197×157×115×54.6	2.2
UCFLU211-32	50.8×224×184×130×58.4	3.1
UCFLU211-34	53.975×224×184×130×58.4	3.1
UCFLU211-35	55.562×224×184×130×58.4	3.1
UCFLU212-36	57.15×250×202×140×68.7	4
UCFLU212-37	58.738×250×202×140×68.7	4
UCFLU212-38	60.325×250×202×140×68.7	4
UCFLU212-39	61.912×250×202×140×68.7	4
UCFLU213-40	63.5×258×210×155×69.7	5
UCFLU213-43	68.262×258×210×155×69.7	5
UCFLU214-44	69.85×265×216×160×75.4	5.6
UCFLU215-44	69.85×275×225×165×78.5	6.2
UCFLU215-47	74.612×275×225×165×78.5	6.2
UCFLU215-48	76.2×275×225×165×78.5	6.2
UCFLU216-52	82.55×290×233×180×83.3	7.8
UCFLU217-52	82.55×305×248×190×87.6	9.8
UCFLU218-56	88.9×320×265×205×96.3	12.4

Bearing type	Boundary Dimensions	Weight
	(dxBxLxAxH0)	(kg)
UCFLU326	(d×B×S×H×A×J×A2)130×135×-×550×-×460	58
UCFLU328	(d×B×S×H×A×J×A2)140×145×-×600×-×500	81
UKFLU205+H2305	(d0×B2×H×L×A×J×A2)20×35×125×70×385×99	0.6
UKFLU206+H2306	(d0×B2×H×L×A×J×A2)25×38×142×83×38×116.5	0.96
UKFLU207+H2307	(d0×B2×H×L×A×J×A2)30×43×156×96×38×130	1.3
UKFLU208+H2308	(d0×B2×H×L×A×J×A2)35×46×172×105×43×143	1.6
UKFLU209+H2309	(d0×B2×H×L×A×J×A2)40×50×180×112×45×148	2
UKFLU210+H2310	(d0×B2×H×L×A×J×A2)45×55×190×117×48×157	2.3
UKFLU211+H2311	(d0×B2×H×L×A×J×A2)50×59×217×134×51×184	3.3
UKFLU212+H2312	(d0×B2×H×L×A×J×A2)55×62×235×142×60×202	4
UKFLU213+H2313	(d0×B2×H×L×A×J×A2)60×62×258×155×50×210	5.1
UKFLU215+H2315	(d0×B2×H×L×A×J×A2)65×69.7×275×165×56×22	6.4
UKFLU216+H2316	(d0×B2×H×L×A×J×A2)70×73×290×182×58×233	8
UKFLU305+H2305	C20×35×150×80×29×113×17	1.1
UKFLU306+H2306	(d0×B2×H×L×A×J×A2)25×38×180×90×32×134	1.5
UKFLU307+H2307	(d0×B2×H×L×A×J×A2)30×43×185×90×32×134	1.8
UKFLU308+H2308	(d0×B2×H×L×A×J×A2)35×46×200×112×40×158	2.5
UKFLU309+H2309	(d0×B2×H×L×A×J×A2)40×50×230×125×44×177	3.5
UKFLU310+H2310	(d0×B2×H×L×A×J×A2)45×55×240×140×48×187	4.4
UKFLU311+H2311	(d0×B2×H×L×A×J×A2)50×59×250×150×52×198	5.1
UKFLU312+H2312	(d0×B2×H×L×A×J×A2)55×62×270×160×56×212	6
UKFLU313+H2313	(d0×B2×H×L×A×J×A2)60×65×295×175×58×240	7.6
UELFLU203	(d0×B1×S1×H×A×J×A2)17×37.3×13.9×99×32×7	0.64
UELFLU204	(d0×B1×S1×H×A×J×A2)20×43.7×17.1×113×34	0.7
UELFLU205	(d0×B1×S1×H×A×J×A2)25×44.4×17.5×125×35	0.8
UELFLU206	(d0×B1×S1×H×A×J×A2)30×48.4×18.3×142×38	1.2
UELFLU207	(d0×B1×S1×H×A×J×A2)35×51.1×18.8×156×38	1.6
UELFLU208	(d0×B1×S1×H×A×J×A2)40×56.3×21.4×172×43	1.9
UELFLU209	(d0×B1×S1×H×A×J×A2)45×56.3×21.4×180×45	2.3
UELFLU210	(d0×B1×S1×H×A×J×A2)50×62.7×24.6×190×48	3.8
UELFLU211	(d0×B1×S1×H×A×J×A2)55×71.4×27.8×217×51	4.8
UELFLU212	(d0×B1×S1×H×A×J×A2)60×77.8×31×235×60×20	6
UELFLU305	(d0×B1×S1×H×A×J×A2)25×46.8×16.7×150×29	1.1
UELFLU306	(d0×B1×S1×H×A×J×A2)30×50×17.5×180×32×13	1.6
UELFLU307	(d0×B1×S1×H×A×J×A2)35×51.6×18.3×185×36	2
UELFLU308	(d0×B1×S1×H×A×J×A2)40×57.1×19.8×200×40	2.6
UELFLU309	(d0×B1×S1×H×A×J×A2)45×58.7×19.8×230×44	3.6
UELFLU310	(d0×B1×S1×H×A×J×A2)50×66.6×24.6×240×48	4.6
UELFLU311	(d0×B1×S1×H×A×J×A2)55×73×27.8×250×52×19	5.3
UELFLU312	(d0×B1×S1×H×A×J×A2)60×79.4×30.95×270×56	6.4

Bearing type	Boundary Dimensions	Weight
	(dxBxLxAxH0)	(kg)
NAFLU201	12×113×90×62×445.5	0.55
NAFLU202	15×113×90×62×445.5	0.55
NAFLU203	17×113×90×62×445.5	0.55
NAFLU204	20×113×90×62×445.5	0.55
NAFLU205	25×125×99×70×45.9	0.7
NAFLU206	30×142×116.5×81×50.1	1.05
NAFLU207	35×156×130×91×53.3	1.45
NAFLU208	40×172×143.5×101×58.9	1.85
NAFLU209	45×180×148.5×108×58.9	2.25
NAFLU210	50×190×157×115×66.1	2.6
NAFLU211	55×217×184×127×74.7	3.7
NAFLU212	60×235×202×138×80.9	4.6
NAFLU213	65×250×210×148×89.6	5.8
NAFLU214	70×258×216×155×89.6	6.3
NAFLU215	75×270×225×165×95.8	7.1
NAFLU216	80×290×233×180×99.9	9
NAFLU201-8	12.7×113×90×62×45.5	0.55
NAFLU202-10	15.875×113×90×62×45.5	0.55
NAFLU202-9	14.288×113×90×62×45.5	0.55
NAFLU203-11	17.462×113×90×62×45.5	0.55
NAFLU204-12	19.05×113×90×62×45.5	0.55
NAFLU205-14	22.225×125×99×70×45.9	0.7
NAFLU205-15	23.812×125×99×70×45.9	0.7
NAFLU205-16	25.4×125×99×70×45.9	0.7
NAFLU206-18	28.575×142×116.5×81×50.1	1.05
NAFLU206-19	30.162×142×116.5×81×50.1	1.05
NAFLU206-20	31.75×142×116.5×81×50.1	1.05
NAFLU207-20	31.75×156×130×91×53.3	1.45
NAFLU207-21	33.338×156×130×91×53.3	1.45
NAFLU207-22	34.952×156×130×91×53.3	1.45
NAFLU207-23	36.512×156×130×91×53.3	1.45
NAFLU208-24	38.1×172×143.5×101×58.9	1.85
NAFLU208-25	39.688×172×143.5×101×58.9	1.85
NAFLU209-26	41.275×180×148.5×108×58.9	2.25
NAFLU209-27	42.862×180×148.5×108×58.9	2.25
NAFLU209-28	44.45×180×148.5×108×58.9	2.25
NAFLU210-30	47.625×190×157×115×66.1	2.6
NAFLU210-31	49.212×190×157×115×66.1	2.6
NAFLU210-32	50.8×190×157×115×66.1	2.6
NAFLU211-32	50.8×217×184×127×74.7	3.7

瓦房店金锐轴承制造有限公司

Wafangdian Jinrui Bearing manufacturing Co., Ltd

✉ jerry@jrzc-bearing.com ☎ +86 17849695290

☎ +86 17849695290

🌐 www.jrzc-bearings.com