

Bearing No.	Dimensions(mm)								Weight (kg)	Cr (kN)	Cor (kN)	Limiting Speed (r/min)
	d	D	B	C	S	G	h	ds				
UC201	12	40	27.4	14	11.5	4.5	4	M5×0.75	0.12	7.6	4.48	4000.00
UC202	15	40	27.4	14	11.5	4.5	4	M5×0.75	0.11	7.36	4.48	4000.00
UC203	17	40	27.4	14	11.5	4.5	4	M5×0.75	0.1	7.36	4.48	4000.00
UC204	20	47	31	17	12.7	4.7	4.5	M5×0.75	0.16	9.88	6.2	4000.00
UC205	25	52	34.1	17	14.3	5.5	4.5	M6×1	0.19	10.78	6.98	3400.00
UC206	30	62	38.1	19	15.9	6	5.1	M6×1	0.31	14.97	10.04	2800.00
UC207	35	72	42.9	20	17.5	6.5	5.8	M8×1	0.48	19.75	13.67	2400.00
UC208	40	80	49.2	21	19	8	6.2	M8×1	0.62	22.71	15.94	2200.00
UC209	45	85	49.2	22	19	8	6.5	M8×1	0.67	24.36	17.71	1900.00
UC210	50	90	51.6	23	19	9	6.5	M10×1	0.78	26.98	19.84	1800.00
UC211	55	100	55.6	25	22.2	9	7.3	M10×1	1.03	33.37	25.11	1600.00
UC212	60	110	65.1	27	25.4	11	7.7	M10×1	1.45	36.74	27.97	1500.00
UC213	65	120	65.1	28	25.4	12	8.3	M10×1	0.71	44.01	34.18	1400.00
UC214	70	125	74.6	30	30.2	12	8.7	M12×1.25	2.06	46.79	37.59	1300.00
UC215	75	130	77.8	30	33.3	12	9.2	M12×1.25	2.22	50.85	41.26	1200.00
UC216	80	140	82.6	33	33.3	14	9.6	M12×1.25	2.8	55.04	45.09	1100.00
UC217	85	150	85.7	36	34.1	14	10.5	M12×1.25	3.48	64.01	53.28	1000.00
UC218	90	160	96	37	39.7	14	11.1	M12×1.25	4.3	73.83	60.76	950.00

瓦房店金锐轴承制造有限公司  
Wafangdian Jinrui Bearing manufacturing Co., Ltd

✉ jerry@jrzc-bearing.com ☎ +86 17849695290

☎ +86 17849695290 🌐 www.jrzc-bearings.com

Bearing No.	Dimensions(mm)								Weight (kg)	Cr (kN)	Cor (kN)	Limiting Speed (r/min)
	d	D	B	C	S	G	h	ds				
UC305	25.0	62.0	38.0	21.0	15.0	6.0	6.10	M6×1	0.35	17.22	11.39	2800.00
UC306	30.0	72.0	43.0	23.0	17.0	6.0	6.70	M8×1	0.56	20.77	14.17	2600.00
UC307	35.0	80.0	48.0	25.0	19.0	8.0	7.40	M8×1	0.71	25.66	17.92	2200.00
UC308	40.0	90.0	52.0	27.0	19.0	10.0	8.20	M10×1	0.96	31.35	22.38	2000.00
UC309	45.0	100.0	57.0	30.0	22.0	10.0	9.00	M10×1	1.28	40.66	30.00	1800.00
UC310	50.0	110.0	61.0	32.0	22.0	12.0	10.00	M12×1.25	1.65	47.58	35.71	1700.00
UC311	55.0	120.0	66.0	34.0	25.0	12.0	10.70	M12×1.25	1.90	55.05	41.91	1400.00
UC312	60.0	130.0	71.0	36.0	26.0	12.0	11.50	M12×1.25	2.60	62.88	48.60	1300.00
UC313	65.0	140.0	75.0	38.0	30.0	12.0	12.20	M12×1.25	3.15	72.21	56.68	1200.00
UC314	70.0	150.0	78.0	40.0	33.0	12.0	13.00	M12×1.25	3.83	80.10	63.48	1100.00
UC315	75.0	160.0	82.0	42.0	33.0	14.0	13.80	M14×1.5	4.59	87.25	71.67	1000.00
UC316	80.0	170.0	86.0	44.0	34.0	14.0	14.50	M16×1.5	5.30	94.57	80.35	1000.00
UC317	85.0	180.0	96.0	46.0	40.0	16.0	15.00	M16×1.5	6.58	102.05	89.52	950.00
UC318	90.0	190.0	96.0	48.0	40.0	16.0	15.90	M16×1.5	7.50	110.81	100.76	900.00
UC319	95.0	200.0	103.0	50.0	41.0	16.0	16.70	M16×1.5	8.70	120.51	113.75	850.00
UC320	100.0	215.0	108.0	54.0	42.0	18.0	18.00	M16×1.5	10.80	133.06	131.18	800.00

瓦房店金锐轴承制造有限公司

Wafangdian Jinrui Bearing manufacturing Co., Ltd

✉ jerry@jrzc-bearing.com ☎ +86 17849695290

☎ +86 17849695290

🌐 www.jrzc-bearings.com

Bearing No.	Dimensions(mm)						Weight (kg)	Cr (kN)	Cor (kN)	Limiting Speed (r/min)
	d	D	B	C	h	s				
UK 205	25	52	21	17	4.50	10.50	0.15	10.78	6.98	3400
UK 206	30	62	25	19	5.10	12.50	0.24	14.97	10.04	2800
UK 207	35	72	27	20	5.80	13.50	0.37	19.75	13.67	2400
UK 208	40	80	29	21	6.20	14.50	0.48	22.71	15.94	2200
UK 209	45	85	30	22	6.50	15.00	0.53	24.36	17.71	1900
UK 210	50	90	31	23	6.50	15.50	0.59	26.98	19.84	1800
UK 211	55	100	33	25	7.30	16.50	0.77	33.37	25.11	1600
UK 212	60	110	36	27	7.70	18.00	1.03	36.74	27.97	1500
UK 213	65	120	36	28	8.30	18.00	1.36	44.01	34.18	1400
UK 215	75	130	41	30	9.20	20.50	1.53	50.85	41.26	1200
UK 216	80	140	44	33	9.60	22.00	1.96	55.04	45.09	1100
UK 217	85	150	44	36	10.50	22.00	2.42	64.01	53.28	1000
UK 218	90	160	48	37	11.10	24.00	3.00	73.83	60.76	950
UK316	80	170	55	44	14.50	27.50	4.37	94.57	80.35	1000
UK318	90	190	60	48	15.90	30.00	6.02	110.81	100.78	900
UK320	100	215	68	54	18.00	34.00	8.50	133.06	131.18	800

瓦房店金锐轴承制造有限公司

*Wafangdian Jinrui Bearing manufacturing Co., Ltd*

✉ jerry@jrzc-bearing.com ☎ +86 17849695290

☎ +86 17849695290

🌐 www.jrzc-bearings.com

Bearing No.	Dimensions(mm)											Weight (kg)	Cr (kN)	Cor (kN)	Limiting Speed (r/min)
	d	D	B	B1	C	S	D1	B2	G	h	ds				
UEL205	25	52	35	44	17	18	38	14	5	5	M6×1	0.28	11	7	3400
UEL206	30	62	37	48	19	18	45	16	6	5	M8×1	0.40	15	10	2800
UEL207	35	72	38	22	20	19	56	18	7	6	M8×1	0.61	20	14	2400
UEL208	40	80	43	56	21	21	60	18	7	6	M8×1	0.72	23	16	2200
UEL209	45	85	43	56	22	21	64	18	7	7	M8×1	0.81	25	18	1900
UEL210	50	90	49	63	24	25	70	18	7	7	M10×1	0.98	27	20	1800
UEL211	55	100	56	71	25	28	76	21	7	7	M10×1	1.30	33	25	1600
UEL212	60	110	62	78	27	31	84	22	8	8	M10×1	1.78	37	28	1500
UEL213	65	120	69	86	28	34	86	24	9	8	M12×1.2	2.48	44	34	1400
UEL214	70	125	69	86	29	34	90	24	9	9	M12×1.2	2.50	47	38	1300
UEL215	75	130	77	92	30	37	102	24	9	9	M12×1.2	2.86	51	41	1200
UEL216	80	140	70	92	33	33	110	30	11	10	M12×1.2	3.30	55	45	1100
UEL218	90	160	80	100	37	40	115	30	12	11	M12×1.2	4.80	74	61	950
UEL306	30	72	37	50	23	18	49	18	7	7	M8×1	0.69	21	14	2600
UEL308	40	90	42	57	27	21	64	21	8	8	M10×1	1.08	31	22	2000
UEL310	50	110	49	67	32	22	76	22	9	10	M12×1.2	1.86	48	36	1700
UEL311	55	120	56	73	34	22	82	22	9	11	M12×1.2	2.34	55	42	1400

瓦房店金锐轴承制造有限公司

Wafangdian Jinrui Bearing manufacturing Co., Ltd

✉ jerry@jrzc-bearing.com ☎ +86 17849695290

☎ +86 17849695290

🌐 www.jrzc-bearings.com