

**JRZC®**  
**金锐轴承**



**瓦房店金锐轴承制造有限公司**  
WAFANGDIAN JINRUI BEARING MANUFACTURING CO. LTD

TABLE OF CONTENTS 目录

结构示意图	UCFCF200·····	22
A:Material	UCCFC200·····	23
B:Tolerance	UCT200·····	24
机加工公差	UCT300·····	25
Pillow Blocks 带座外球面轴承	UCTX00·····	26
UCP200·····	UCCT200·····	27
UCP300·····	Plummer Blocks 剖分式轴承座	
UCPX00·····	SN500(SSN500)·····	28
UCPE200·····	SN600(SSN600)·····	29
UCSB200·····	SN200·····	30
UCIP200·····	SN300·····	31
UCPA200·····	SNU500(SNL、SNH、SNG、SNA)·····	32
UCPG200·····	·····	32
UCPW200·····	SNG500·····	33
UCTB200·····	S3000K·····	34
UCPH200·····	SD3000·····	35
UCF200·····	SD3100·····	36
UCF300·····	SDL3100·····	37
UCFS300·····	SD200·····	38
HCFS200·····	SD300·····	38
UCFL200·····	SD200E·····	39
UCFL300·····	SD300E·····	39
UCFT200·····	SD500·····	40
UCCFL200·····	SD600·····	40
UCFC200·····	SN3000·····	41
UCFCX00·····	SN3100·····	41
UCFCSX00·····	SN1500·····	42
UCFCS200·····	SN1200·····	43


722500·····	44	SB200·····	68
SAF500·····	46	SER200·····	69
SAF600·····	48	Adapter Sleeves 紧定套	
FCM500·····	50	H200·····	70
THM500·····	52	H300·····	70
滑动轴承座		H2300·····	71
H2000·····	53	H3100·····	72
H4000·····	53	H3000·····	72
ZHC2·····	54	H3200·····	73
ZHC4·····	55	Withdrawal Sleeves 推卸套	
HX000·····	55	AH200·····	74
XHC2·····	56	AH300·····	74
HZ000·····	57	AH2300·····	75
Q/ZB86·····	58	AH3200·····	75
XHC4·····	59	AH3100·····	76
BALL BEARING INSERTS 外球面球轴承		AH3000·····	76
UC200·····	60	OH3100·····	77
UC300·····	61	OH3000·····	77
UCX00·····	62	OH2300·····	77
HC200·····	63	AOH2300·····	78
UK200+H·····	64	AOH3100·····	78
UK300+H·····	65	AOH3000·····	79
UKX00+H·····	66	AOH3200·····	79
SA200·····	67		

Technical Requirement 技术要求


1、Tolerance in Common Use 公差配合·····	80
2、Technicar requirement of Take-up Housine 滑块座技术要求·····	80
3、Technical requirement of Flange Housing 法兰座技术要求·····	81
4、Technical requirement of Pillow Block Housing 立式座技术要求·····	82
5、Technical requirement of Ring like Housing 环形座技术要求·····	82
6、Technical requirement of Punching Housine 冲压座技术要求·····	83
7、Seal type of Plummer Block 密封形式·····	84

### SNG/SNU/SNH/SNL 结构示意图

Inter-Exchangeable with SNL, SNU, SNA, SNH Housing



Cross center lines for easy alignment in assembly



Eight location selections for drainage

A: Material

1. Housing

材料 <i>Material</i>	中国标准 <i>GB</i>	抗拉强度 <i>Tensile Strength</i> kgf/mm <sup>2</sup>	抗弯强度 <i>Yield Strength</i> kgf/mm <sup>2</sup>	延伸率 <i>Elongation</i> %	国际标准 <i>ISO Code</i>	US标准 <i>U.S. Code</i>
Cast Iron	HT200	20	—	—	Grade 200 (FC 200)	ASTM A4 Class NO. 3C
Ductile Iron	QT450	45	30	10 Over	Grade 450-10 (FCD 450)	ASTM A53 Class 65-45-
Carbon Cast Steel	35#	46	23	19 Over	Grade 230-450 (SC 460)	ASTM A2 Class 65-35

2. Accessories 附件

Name 品名	Part No. 代号	Materials 材质
Hexagon Bolt (六角螺栓)	M / UNC	Mid Steel AISI 1010 / 8.8 (中碳钢8.8级)
Felt Strip (羊毛毡)	FS	80% wool 20% Rayon Density 0.25 g/cm <sup>3</sup> (80%羊毛, 20%纤维 密度0.25)
ZF Seal (ZF密封)	ZF	NBR (橡胶)
Locating Ring (定位环)	SR	Aluminum / Steel (铝/钢)
TA V-Ring Seal Its (TA-V密封)	TSNA-A	NBR + Mild Steel Plate (橡胶-碳钢)
Labyrinth Seal (迷宫密封)	TS,TSU / LER	Cast Iron / Aluminum (铸铁/铝)
Double Lip Seal (双唇密封)	TSNG	TPU (橡胶)
Taconite Carrier (TAC密封)	TAC,TST,LS / TER	Cast Iron / Aluminum (铸铁/铝)
SC Oil Seal (SC油封)	O.S.M.	NBR (橡胶)
End Cover (盲盖)	TSA / ASNA	Cast Iron (铸铁)
End Plug (盲盖)	EPR	NBR & Mild Steel Plate (钢骨架橡胶)
Eye Bolt (吊环螺栓)	W / M	Mild Steel AISI 1010 (中碳钢)

B: Tolerance 公差

	Length 长度	Tolerance 公差
<b>Casting Tolerance</b> 铸件公差范围	1 mm ~ 100 mm	± 1.5 mm
	100 mm ~ 250 mm	± 2.0 mm
	250 mm ~ 630 mm	± 2.5 mm
	630 mm ~ 1200 mm	± 3.5 mm
	1200 mm ~ 4000 mm	± 4.5 mm

**Machine Tolerance 机加工公差**

**1. Housing Bore (D)**

unit: um  
单位: um


BoreDia.	G7	H7	H8	J7	K7
50mm~80mm	+40 +10	+30 -0	+46 -0	+18 -12	+9 -20
80mm~120mm	+42 +12	+35 -0	+54 -0	+22 -13	+10 -25
120mm~180mm	+54 +14	+40 -0	+63 -0	+26 -14	+12 -28
180mm~250mm	+61 +15	+46 -0	+72 -0	+30 -16	+13 -33
250mm~315mm	+69 +17	+52 -0	+81 -0	+36 -16	+16 -36
315mm~400mm	+75 +18	+57 -0	+89 -0	+39 -18	+17 -40
400mm~500mm	+83 +20	+63 -0	+97 -0	+43 -20	+18 -45
500mm~630mm	+92 +23	+69 -0	+104 -0	+46 -23	+0 -70


**2. Except Housing Bore (D)**

unit: um  
单位: um

Dimension	js11	H12	H13	h13	h13
13mm~30mm	±65	+210 -0	+330 -0	+0 -210	+0 -330
30mm~50mm	±80	+250 -0	+390 -0	+0 -250	+0 -390
50mm~80mm	±95	+300 -0	+460 -0	+0 -300	+0 -460
80mm~120mm	±110	+350 -0	+540 -0	+0 -350	+0 -540
120mm~180mm	±125	400 -0	+630 -0	+0 -400	+0 -630
180mm~250mm	±145	+460 -0	+720 -0	+0 -460	+0 -720
250mm~315mm	±160	+520 -0	+810 -0	+0 -520	+0 -810
315mm~400mm	±180	+570 -0	+890 -0	+0 -570	+0 -890

**3. Recommended Fits of Bearing Housing Tolerance 推荐公差**






UCP200 SERIES  
UCP200 系列


S-UCP200 SERIES S-UCP200 系列  
SM-UCP200 SERIES SM-UCP200 系列

带座轴承型号 Bearing Unit NO.	轴 径 Shaft Diad		基本尺寸 Dimension (mm)											螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)	
	(in)	(mm)	h	a	e	b	S2	S1	g	w	t	z	Bi	n	(mm)				(in)
UCP201-8 202-9 202-10 203-11 UCP201 202 203	1/2 9/16 5/8 11/16	12 15 17	30.2	127	95	38	19	13	14	62	2	51	31	12.7	M10	3/8	UC201-8 202-9 202-10 203-11 UC201 202 203	P203	0.33
UCP204-12 UCP204	3/4	20	33.3	127	95	38	19	13	14	65	2	51	31	12.7	M10	3/8	UC204-12 UC204	P204	0.46
UCP205-13 205-14 205-15 205-16 UCP206	13/16 7/8 15/16 1	25	36.5	140	105	38	19	13	14	65	2	57	34.1	14.3	M10	3/8	UC205-13 205-14 205-15 205-16 UC206	P205	0.60
UCP206-17 206-18 206-19 206-20 UCP206	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	165	121	48	21	17	17	83	2	62	38.1	15.9	M14	1/2	UC206-17 206-18 206-19 206-20 UC207	P206	0.97
UCP207-20 207-21 207-22 207-23 UCP207	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	167	127	48	21	17	18	93	3	72	42.9	17.5	M14	1/2	UC207-20 207-21 207-22 207-23 UC207	P207	1.00
UCP208-24 208-25 UCP208	1-1/2 1-9/16	40	49.2	184	137	54	21	17	18	98	3	82	49.2	19.0	M14	1/2	UC208-24 208-25 UC208	P208	1.30
UCP209-26 209-27 209-28 UCP209	1-5/8 1-11/16 1-3/4	45	54	190	146	54	21	17	20	106	3	82	49.2	19.0	M14	1/2	UC209-26 209-27 209-28 UC209	P209	1.40
UCP210-29 210-30 210-31 210-32 UCP210	1-13/16 1-7/8 1-15/16 2	50	57.2	206	159	60	25	20	21	114	3	87	51.6	19.0	M16	5/8	UC210-29 210-30 210-31 210-32 UC210	P210	1.83
UCP211-32 211-33 211-34 211-35 UCP211	2 2-1/16 2-1/8 2-3/16	55	63.5	219	171	60	25	20	23	126	4	92	55.6	22.2	M16	5/8	UC211-32 211-33 211-34 211-35 UC211	P211	2.4
UCP212-36 212-37 212-38 212-39 UCP212	2-1/4 2-5/16 2-3/8 2-7/16	60	69.8	241	184	70	25	20	25	138	4	102	65.1	25.4	M16	5/8	UC212-36 212-37 212-38 212-39 UC212	P212	2.8
UCP213-40 213-41 UCP213	2-1/2 2-9/16	65	76.2	265	203	70	29	25	27	151	4	107	65.1	25.4	M20	3/4	UC213-40 213-41 UC213	P213	3.5
UCP214-42 214-43 214-44 UCP214	2-5/8 2-11/16 2-3/4	70	79.4	266	210	72	31	25	27	157			74.6	30.2	M20	3/4	UC214-42 214-43 214-44 UC214	P214	4.45
UCP215-45 215-46 215-47 215-48 UCP215	2-13/16 2-7/8 2-15/16 3	75	82.6	275	217	74	31	25	28	163			77.8	33.3	M20	3/4	UC215-45 215-46 215-47 215-48 UC215	P215	4.9
UCP216-50 UCP216	3-1/8	80	88.9	292	232	78	31	25	30	175			82.6	33.3	M20	3/4	UC216-50 UC216	P216	5.8
UCP217-52 UCP217	3-1/4	85	95.2	310	247	83	31	25	32	187			85.7	34.1	M20	3/4	UC217-52 UC217	P217	6.9
UCP218-56 UCP218	3-1/4	90	101.6	327	262	88	33	27	33	200			96.0	39.7	M22	7/8	UC218-56 UC218	P218	8.10

UCP300 SERIES  
UCP300 系列




带座轴承型号 BaengUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension (mm)										螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	S2	S1	g	w	Bi	n	(mm)	(in)			
UCP305-14 305-15 305-16 UCP305	7/8 15/18 1	25	45	175	132	45	20	17	15	85	38	15	1/2	M14	UCP305-14 305-15 305-16 UCP305	P305	0.90
UCP306-18 306-19 UCP306	1-1/8 1-3/16	30	50	180	140	50	20	17	18	95	43	17	1/2	M14	UCP305-14 305-15 UCP305	P306	1.10
UCP307-20 307-21 307-22 307-23 UCP307	1-1/4 1-5/16 1-3/8 1-7/16	35	56	210	160	56	25	17	20	106	48	19	1/2	M14	UCP307-20 307-21 307-22 307-23 UCP307	P307	1.95
UCP308-24 308-25 UCP308	1-1/2 1-9/16	40	60	220	170	60	27	17	22	116	52	19	1/2	M14	UCP308-24 308-25 UCP308	P308	2.20
UCP309-26 309-27 309-28 UCP309	1-5/8 1-11/16 1-3/4	45	67	245	190	67	30	20	24	129	57	22	5/8	M14	UCP309-26 309-27 309-28 UCP309	P309	3.30
UCP310-30 310-31 UCP310	1-7/8 1-15/16	50	75	275	21	275	35	20	27	143	61	22	5/8	M16	UCP310-30 310-31 UCP310	P310	4.80
UCP311-32 311-34 311-35 UCP311	2 2-3/8 2-3/16	55	80	310	236	80	38	20	30	154	66	25	5/8	M16	UCP311-32 311-34 311-35 UCP311	P311	5.30
UCP312-36 312-38 312-39 UCP312	2-1/4 2-3/8 2-7/16	60	85	330	250	85	38	25	32	165	71	26	3/4	M20	UCP312-36 312-38 312-39 UC312	P312	6.30
UCP313-40 UCP313	2-1/2	65	90	340	260	90	38	25	33	176	75	30	3/4	M20	UC313-40 UC313	P313	8.00
UCP314-44 UCP314	2-3/4	70	95	360	280	90	40	27	35	187	78	33	7/8	M22	UC314-44 UC314	P314	8.30
UCP315-48 UCP315	3	75	100	380	290	100	40	27	35	198	82	32	7/8	M22	UC315-48 UC315	P315	9.50
UCP316-50 UCP316	3-1/8	80	106	400	300	110	40	27	40	210	86	34	7/8	M22	UC316-50 UC316	P316	12.50
UCP317-52 UCP317	3-1/4	85	112	420	320	110	45	33	40	220	96	40	1	M27	UC317-52 UC317	P317	14.50
UCP318-56 UCP318	3-1/2	90	118	430	330	110	45	33	45	235	96	40	1	M27	UC318-56 UC318	P318	20.40
UCP319-60 UCP319	3-3/4	95	125	470	360	120	50	36	45	250	103	41	1-1/8	M30	UC319-60 UC319	P319	22.30
UCP320-64 UCP320	4	100	140	490	380	120	50	36	50	275	108	42	1-1/8	M30	UC320-64 UC320	P320	25.00
UCP321		105	140	490	380	120	50	36	50	280	112	44		M33	UC321	P321	24.00
UCP322		110	150	520	400	140	55	40	55	300	117	46		M33	UC322	P322	27.50
UCP324		120	160	570	450	140	55	40	65	320	126	51		M33	UC324	P324	32.30
UCP326		130	180	600	480	140	55	40	75	355	135	54		M33	UC326	P326	41.00
UCP328		140	200	620	500	140	55	40	75	390	145	59		M33	UC328	P328	50.00




UCPX00 SERIES  
UCPX00 系列

带座轴承型号 BaengUnit NO.	轴径 Shaft Diad		基本尺寸 Dimension (mm)										螺栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	S2	S1	g	w	Bi	n	(mm)	(in)			
UCPX05-16 UCPX05	1	25	44.4	159	119	51	25	17	18	85	38.1	15.9	1/2	M14	UCX05-16 UCX05	PX05	1.02
UCPX06-19 X06-20 UCPX06	1-3/16 1-3/4	30	47.6	175	127	57	25	17	20	94	42.9	17.5	1/2	M14	UCX06-19 X06-20 UCX05	PX06	1.33
UCPX07-22 X07-23 UCPX07	1-3/8 1-7/16	35	54	203	144	57	30	17	22	105	49.2	19	1/2	M14	UCX07-22 X07-23 UCX07	PX07	1.71
UCPX08-24 UCPX08	1-1/2	40	58.7	222	156	67	32	20	26	113	49.2	19	5/8	M16	UCX08-24 UCX08	PX08	2.09
UCPX09-26 X09-27 X09-28 UCPX09	1-5/8 1-11/16 1-3/4	45	58.7	222	156	67	33	20	26	116	51.6	19	5/8	M16	UCX09-26 X09-27 X09-28 UCX09	PX09	2.3
UCPX10-31 X10-32 UCPX10	1-15/16 2	50	63.5	241	171	73	36	20	27	126	55.6	22.2	5/8	M16	UCX10-31 X10-32 UCX10	PX10	2.85
UCPX11-35 UCPX11	2-3/4	55	69.8	260	184	79	36	25	30	139	65.1	25.4	3/4	M20	UCX11-35 UCX11	PX11	4.04
UCPX12-38 X12-39 UCPX12	2-3/8 2-7/16	60	76.2	286	203	83	41	25	32	151	65.1	25.4	3/4	M20	UCX12-38 X12-39 UCX12	PX12	4.85
UCPX13-40 UCPX13	2-1/2	65	76.2	286	203	83	41	25	32	154	74.6	30.2	3/4	M20	UCX13-40 UCX13	PX13	5
UCPX14-44 UCPX14	2-3/4	70	88.9	330	229	89	51	27	35	172	77.8	33.3	7/8	M22	UCX14-44 UCX14	PX14	7.12
UCPX15-47 X15-48 UCPX15	2-15/16 3	75	88.9	330	229	89	51	27	35	177	82.6	33.3	7/8	M22	UCX15-47 X15-48 UCX15	PX15	6.65
UCPX16-50 UCPX16	3-1/8	80	101.6	381	283	102	59	27	42	197	85.7	34.1	7/8	M22	UCX16-50 UCX16	PX16	9.5
UCPX17-52 UCPX17	3-1/4	85	101.6	381	283	102	59	27	42	202	96	39.7	7/8	M22	UCX17-52 UCX17	PX17	10.64
UCPX18-56 UCPX18	3-1/2	90	101.1	381	283	111	60	27	45	206	104	42.9	7/8	M22	UCX18-56 UCX18	PX18	11.5
UCPX20-63 X20-63 UCPX20	3-15/16 4	95	127	432	337	121	64	33	52	250	117.5	49.2	1-1/8	M30	UCX20-63 X20-63 UCX20	PX20	19.76

UCPE200 SERIES  
UCPE200 系列




带座轴承型号 BaengUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension (mm)										螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	S2	S1	g	w	Bi	n	(mm)	(in)			
UCPE201-8 202-9 202-10 203-11 UCPE201 202 203	1/2 9/16 5/8 11/16	12 15 17	30.2	124	95	31	15	11	14	57.1	26	10	M8	5/16	UCW201-8 202-9 202-10 203-11 UCW201 202 203	PE203	0.45
UCPE204-12 UCPE204	3/4	20	33.3	127	95	38	16	13	15	65	31	12.7	M10	3/8	UC204-12 UC204	PE204	0.65
UCPE205-13 205-14 205-15 205-16 UCPE205	13/16 7/8 15/16 1	25	36.6	140	105	38	16	13	16	70	34	14.3	M10	3/8	UC205-13 205-14 205-15 205-16 UC205	PE205	0.75
UCPE206-17 206-18 206-19 206-20 UCPE206	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	165	121	48	21	17	18	83	38.1	15.9	M14	1/2	UC206-17 206-18 206-19 206-20 UC206	PE206	1.15
UCPE207-20 207-21 207-22 207-23 UCPE207	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	167	127	48	21	17	19	94	42.09	17.5	M14	1/2	UC207-20 207-21 207-22 207-23 UC207	PE207	1.30
UCPE208-24 208-25 UCPE208	1-1/2 1-9/16	40	49.2	184	137	54	25	17	19	100	49.2	19.0	M14	1/2	UC208-24 208-25 UC208	PE208	1.50
UCPE209-26 209-27 209-28 UCPE209	1-5/8 1-11/16 1-3/4	45	54	190	146	54	25	17	20	108	49.2	19.0	M14	1/2	UC209-26 209-27 209-28 UC209	PE209	1.75
UCPE210-29 210-30 210-31 210-32 UCPE210	1-12/16 1-7/8 1-15/16 2	50	57.2	206	159	60	25	20	22	114	51.6	19.0	M16	1/2	UC210-29 210-30 210-31 210-32 UC210	PE210	2.35
UCPE211-32 211-33 211-34 211-35 UCPE211	2 2-1/16 2-1/8 2-3/16	55	63.5	219	171	60	25	20	22	126	55.6	22.2	M16	1/2	UC211-32 211-33 211-34 211-35 UC211	PE211	2.60
UCPE212-36 212-37 212-38 212-39 UCPE212	2-1/4 2-5/16 2-3/8 2-7/16	60	69.8	241	184	70	25	20	25	138	65.1	25.4	M16	5/8	UC212-36 212-37 212-38 212-39 UC212	PE212	4.00
UCPE213-40 213-41 UCPE213	2-1/2 2-9/16	65	76.2	265	203	70	29	25	27	150	65.1	25.4	M20	3/4	UC213-40 213-41 UC213	PE213	4.77
UCPE214-42 214-43 214-44 UCPE214	2-5/8 2-11/16 2-3/4	70	79.4	266	210	72	31	25	27	156	74.6	30.2	M20	3/4	UC214-42 214-43 214-44 UC214	PE214	5.30
UCPE215-45 215-46 215-47 215-48 UCPE215	2-13/16 2-7/8 2-15/16 3	75	82.6	275	217	74	31	25	28	163	77.8	33.3	M20	3/4	UC215-45 215-46 215-47 215-48 UC215	PE215	6.00



UCSB200 SERIES  
UCSB200 系列


带座轴承型号 BaengUnit NO.	轴径 Shaft Diad		基本尺寸 Dimension (mm)										螺栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	c	g	w	s	Bi	n	(mm)	(in)			
UCSB205-13 205-14 205-15 205-16 UCSB205	13/16 7/8 15/16 1	25	31.7	92	70	38	25	58	66.7	11	34.1	14.3	M10	3/8	UC205-13 205-14 205-15 205-16 UC205	SB205	0.65
UCSB206-17 206-18 206-19 206-20 UCSB206	1-1/16 1-1/8 1-3/16 1-1/4	30	38.1	108	83	44	30	68	78.10	11	38.1	15.9	M10	3/8	UC206-17 206-18 206-19 206-20 UC206	SB206	0.72
UCSB207-20 207-21 207-22 207-23 UCSB207	1-1/4 1-5/16 1-3/8 1-7/16	35	44.4	133	102	48	33	76	94.4	14	42.9	17.5	M12	7/16	UC207-17 207-18 207-19 207-20 UC207	SB207	0.75
UCSB208-24 208-25 UCSB208	1-1/2 1-9/16	40	47.6	140	108	54	39	81	99.63	14	49.2	19.0	M12	7/16	UC208-24 208-25 UC208	SB208	1.75
UCSB209-26 209-27 209-28 UCSB209	1-5/8 1-11/16 1-3/4	45	50.8	146	111	54	39	86	104.8	14	49.2	19.0	M12	7/16	UC209-26 209-27 209-28 UC209	SB209	2.20
UCSB210-29 210-30 210-31 210-32 UCSB210	1-13/16 1-7/8 1-15/16 2	50	54	152	118	60	41	90	109.97	14	51.6	19.0	M12	7/16	UC210-29 210-30 210-31 210-32 UC210	SB210	2.40
UCSB211-32 211-33 211-34 211-35 UCSB211	2 2-1/16 2-1/8 2-3/16	55	58.7	172	137	60	41	98	121.74	18	55.6	22.2	M16	5/8	UC211-32 211-33 211-34 211-35 UC211	SB211	3.30
UCSB212-36 212-37 212-38 212-39 UCSB212	2 2-1/16 2-1/8 2-3/16	60	69.9	197	162	65	48	111	146	17	65.1	25.4	M16	5/8	UC212-36 212-37 212-38 212-39 UC212	SB212	5.00
UCSB213-40 213-41 UCSB213	2-1/2 2-9/16	65	69.9	197	162	65	48	111	146	17	65.1	25.4	M16	5/8	UC213-40 213-41 UC213	SB213	4.50
UCSB214-42 214-43 214-44 UCSB214	2-5/8 2-11/16 2-3/4	70	76.2	206	172	73	60	117	155	17	74.6	30.2	M16	5/8	UC214-42 214-43 214-44 UC214	SB214	6.00
UCSB215-45 215-46 215-47 215-48 UCSB215	2-13/16 2-7/8 2-15/16 3	75	76.2	206	172	73	60	117	155	17	77.8	33.3	M16	5/8	UC215-45 215-46 215-47 215-48 UC215	SB215	5.74
UCSB216-50 UCSB216	3-1/8	80	82.6	238	191	86	64	127	168	21	82.6	33.3	M20	3/4	UC216-50 UC216	SB216	7.76
UCSB217-52 UCSB217	3-1/4	85	88.9	254	203	89	64	136	181	21	85.7	34.1	M20	3/4	UC217-52 UC217	SB217	9.64
UCSB218-56 UCSB218	3-1/2	90	98.4	273	222	92	67	152	200	25	96	39.7	M24		UC218-56 UC218	SB218	11.83
UCSB218-63 218-64 UCSB218	3-15/16 4	100	108	298	241	108	70	178	221	26	117.5	49.2	M24		UCX20-63 X20-64 UCX20	SB219	17.4



UCIP200 SERIES  
UCIP200 系列

UCIP300 SERIES  
UCIP300 系列



带座轴承型号 Bearing Unit NO.	轴径 Shaft Diad (mm)	基本尺寸 Dimension (mm)									轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
		h	a	e	b	s	g	w	Bi	n			
UCIP208	40	60	200	150	60	19	25	115	49.2	19	UC208	IP208	2.97
UCIP209	45	70	210	160	60	19	25	128	49.2	19	UC209	IP209	3.12
UCIP210	50	70	220	170	60	19	28	132	51.6	19	UC210	IP210	3.62
UCIP211	55	80	230	180	60	19	28	148	55.6	22.2	UC211	IP211	4.43
UCIP212	60	80	260	200	70	22	30	155	65.1	25.4	UC212	IP212	4.38
UCIP213	65	90	280	200	70	22	30	172	65.1	25.4	UC213	IP213	5.7
UCIP313	65	110	310	250	70	22	30	208	75	30	UC313	IP313	9.08
UCIP314	70	110	330	270	75	25	35	215	78	33	UC314	IP314	11
UCIP315	75	120	340	280	75	25	35	230	82	32	UC315	IP315	12.02
UCIP316	80	120	350	290	85	25	40	235	86	34	UC316	IP316	15.55
UCIP317	85	130	370	310	85	25	40	255	96	40	UC317	IP317	16.4
UCIP318	90	130	400	330	85	29	45	260	96	40	UC318	IP318	18.1
UCIP319	95	150	410	340	85	29	45	285	103	41	UC319	IP319	20.95
UCIP320	100	150	430	360	85	29	45	295	108	42	UC320	IP320	23.12
UCIP322	110	170	490	410	100	32	50	335	117	46	UC322	IP322	35.9
UCIP324	120	170	510	430	100	32	50	345	126	51	UC324	IP324	38.1
UCIP326	130	200	550	470	110	32	50	390	135	54	UC326	IP326	49.9
UCIP328	140	200	590	500	110	35	55	400	145	59	UC328	IP328	54.6



UCPA200 SERIES


UCPA200 系列

带座轴承型号 BaengUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)										螺 钉 Bolt Used (mm)	轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	c	g	w	s	Bi	n				
UCPA201-8 202-9 202-10 203-11 204-12 UCPA201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	30.2	76	52	38	M10	15	8	62	31	12.7	M10 x 1.5	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	PA204	0.42
UCPA205-13 205-14 205-15 205-16 UCPA205	13/16 7/8 15/16 1	25	36.5	84	56	38	M10	15	10	72	34.1	14.3	M10 x 1.5	UC205-13 205-14 205-15 205-16 UC205	PA205	0.61
UCPA206-17 206-18 206-19 206-20 UCPA206	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	94	66	48	M14	18	10	84	38.1	15.9	M14 x 2	UC206-17 206-18 206-19 206-20 UC206	PA206	0.93
UCPA207-20 207-21 207-22 207-23 UCPA207	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	110	80	48	M14	20	12	95	42.9	17.5	M14 x 2	UC207-17 207-18 207-19 207-20 UC207	PA207	1.21
UCPA208-24 208-25 UCPA208	1-1/2 1-9/16	40	49.2	116	84	54	M14	20	12	100	49.2	19.0	M14 x 2	UC208-24 208-25 UC208	PA208	1.47
UCPA209-26 209-27 209-28 UCPA209	1-5/8 1-11/16 1-3/4	45	54.2	120	90	54	M14	25	12	108	49.2	19.0	M14 x 2	UC209-26 209-27 209-28 UC209	PA209	1.5
UCPA210-29 210-30 210-31 210-32 UCPA210	1-13/16 1-7/8 1-15/16 2	50	57.2	130	94	60	M16	25	14	116	51.6	19.0	M16 x 2	UC210-29 210-30 210-31 210-32 UC210	PA210	2.0
UCPA211-32 211-33 211-34 211-35 UCPA211	2 2-1/16 2-1/8 2-3/16	55	63.5	140	104	66	M16	25	14	125	55.6	22.2	M16 x 2	UC211-32 211-33 211-34 211-35 UC211	PA211	2.5
UCPA212-36 212-37 212-38 212-39 UCPA212	2 2-1/16 2-1/8 2-3/16	60	69.9	150	114	68	M16	25	15	138	65.1	25.4	M16 x 2	UC212-36 212-37 212-38 212-39 UC212	PA212	2.7
UCPA213-40 213-41 UCPA213	2-1/2 2-9/16	65	76.2	160	124	70	M16	25.5	150	65.1	25.4	25.4	M16 x 2	UC213-40 213-41 UC213	PA213	4.37



UCPG200 SERIES  
UCPG200 系列


带座轴承型号 BaengUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension (mm)										螺 钉 Bolt Used (mm)	轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	t	r	g	w	Bi	n				
UCPG201-8 202-9 202-10 203-11 UCPG201 202 203	1/2 9/16 5/8 11/16	12 15 17	30.2	55	38	30	M6	12	14	57	26	10	M6 × 1	UC201-8 202-9 202-10 203-11 UC201 202 203	PG203	0.42
UCPG201-8 202-9 202-10 203-11 204-12 UCPG201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	33.3	70	49	38	M8	15	14	64	31	12.7	M8 × 1.25	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	PG204	0.5
UCPG205-13 205-14 205-15 205-16 UCPG205	13/16 7/8 15/16 1	25	36.5	75	50	38	M10	15	15	70	34.1	14.3	M10 × 1.5	UC205-13 205-14 205-15 205-16 UC205	PG205	0.5
UCPG206-17 206-18 206-19 206-20 UCPG206	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	85	60	48	M10	18	17	83	38.1	15.9	M10 × 1.5	UC206-17 206-18 206-19 206-20 UC206	PG206	0.75
UCPG207-20 207-21 207-22 207-23 UCPG207	1-1/4 1-5/16 1-3/8 1-7/16	35	47.6	100	68	48	M12	18	7	93	42.9	17.5	M12 × 1.75	UC207-20 207-21 207-22 207-23 UC207	PG207	1.3
UCPG208-24 208-25 UCPG208	1-1/2 1-9/16	40	49.2	110	78	54	M12	18	20	98	49.2	19.0	M12 × 1.75	UC208-24 208-25 UC208	PG208	1.2
UCPG209-26 209-27 209-28 UCPG209	1-5/8 1-11/16 1-3/4	45	53.9	120	85	54	M12	22	20	106	49.2	19.0	M12 × 1.75	UC209-26 209-27 209-28 UC209	PG209	1.6
UCPG210-29 210-30 210-31 210-32 UCPG210	1-13/16 1-7/8 1-15/16 2	50	57.2	135	95	60	M16	25	21	114	51.6	19.0	M16 × 2	UC210-29 210-30 210-31 210-32 UC210	PG210	2.2
UCPG211-32 211-33 211-34 211-35 UCPG211	2 2-1/16 2-1/8 2-3/16	55	63.5	140	100	60	M16	25	25	126	55.6	22.2	M16 × 2	UC211-32 211-33 211-34 211-35 UC211	PG211	2.7
UCPG212-36 212-37 212-38 212-39 UCPG212	2-1/4 2-5/16 2-3/8 2-7/16	60	69.8	150	105	70	M16	25	25	138	65.1	25.4	M16 × 2	UC212-32 212-33 212-34 212-35 UC212	PG212	3.15



UCPW200 SERIES UCPW200 系列  
UCTB200 SERIES UCTB200 系列


带座轴承型号 BaengUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)										螺 栓 Bolt Used (mm)	轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	t	r	g	w	Bi	n				
UCPW201-8 202-9 202-10 203-11 204-12 UCPW201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	33.3	65	50.8	32	M8	13	13	65	31	12.7	M81.25	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	PW204	0.38
UCPW205-13 205-14 205-15 205-16 UCPW205	13/16 7/8 15/16 1	25	36.5	70	50.8	36	M10	13	13	70	34	14.3	M10 x 1.5	UC205-13 205-14 205-15 205-16 UC205	PW205	0.40
UCPW206-17 206-18 206-19 206-20 UCPW206	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	98	76.2	38	M10	16	15	82	38.1	15.9	M10 x 1.5	UC206-17 206-18 206-19 206-20 UC206	PW206	0.85
UCPW207-20 207-21 207-22 207-23 UCPW207	1-1/4 1-5/16 1-3/8 1-7/8	35	47.6	103	82.6	45	M10	19	15	93	42.9	17.5	M10 x 1.5	UC207-20 207-21 207-22 207-23 UC207	PW207	0.90
UCPW208-24 208-25 UCPW208	1-1/2 1-9/16	40	49.2	116	88.9	47	M12	19	15	99	49.2	19.0	M12 x 1.75	UC208-24 208-25 UC208	PW208	1.25
UCPW209-26 209-27 209-28 UCPW209	1-5/8 1-11/16 1-3/4	45	53.9	120	95.3	48	M12	19	18	107	49.2	19.0	M12 x 1.75	UC209-26 209-27 209-28 UC209	PW209	1.52
UCPW210-29 210-30 210-31 210-32 UCPW210	1-13/16 1-7/8 1-15/16 2	50	57.2	135	101.6	54	M16	22	18	115	51.6	19.0	M16 x 2	UC210-29 210-30 210-31 210-32 UC210	PW210	1.90

带座轴承型号 BaengUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)										螺 栓 Bolt Used (mm)	轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	t	r	g	w	Bi	n				
UCTB201-8 202-9 202-10 203-11 204-12 UCTB201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	33.3	73	50.8	38	3/8	13	11	65	31	12.7	3/8-16	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	TB204	0.42
UCTB205-13 205-14 205-15 205-16 UCTB205	13/16 7/8 15/16 1	25	36.5	76	50.8	38	3/8	13	12	71	34.1	14.3	3/8-16	UC205-13 205-14 205-15 205-16 UC205		0.40
UCTB206-17 206-18 206-19 206-20 UCTB206	1-1/16 1-1/8 1-3/16 1-1/4	30	42.9	102	76.2	38	7/16	16	12	86	38.1	15.9	7/16-14	UC206-17 206-18 206-19 206-20 UC206		0.85
UCTB207-20 207-21 207-22 207-23 UCTB207	1-1/4 1-5/16 1-3/8 1-7/8	35	47.6	108	82.5	48	1/2	20	13	95	42.9	17.5	1/2-13	UC207-20 207-21 207-22 207-23 UC207		0.90
UCTB208-24 208-25 UCTB208	1-1/2 1-9/16	40	49.2	117	88.9	48	1/2	20	13	100	49.2	19.0	1/2-13	UC208-24 208-25 UC208		
UCTB209-26 209-27 209-28 UCTB209	1-5/8 1-11/16 1-3/4	45	54	127	95.3	51	1/2	20	14	108	49.2	19.0	1/2-13	UC209-26 209-27 209-28 UC209		
UCTB210-29 210-30 210-31 210-32 UCTB210	1-13/16 1-7/8 1-15/16 2	50	57.5	140	101.6	51	5/8	23	14	118	51.6	19.0	5/8-11	UC210-29 210-30 210-31 210-32 UC210		



UCPA200 SERIES  
UCPA200 系列


带座轴承型号 BaengUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension (mm)										螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	h	a	e	b	S2	S1	g	w	Bi	n	(mm)	(in)			
UCPH201-8 202-9 202-10 203-11 204-12 UCPH201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	70	127	95	40	19	13	15	101	31	12.7	M10	3/8	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	PH204	0.75
UCPH205-13 205-14 205-15 205-16 UCPH205	13/16 7/8 15/16 1	25	80	140	105	50	19	13	16	114	34	14.3	M10	3/8	UC205-13 205-14 205-15 205-16 UC205	PH205	1.0
UCPH206-17 206-18 206-19 206-20 UCPH206	1-1/16 1-1/8 1-3/16 1-1/4	30	90	165	121	50	21	17	18	130	38.1	15.9	M14	1/2	UC206-17 206-18 206-19 206-20 UC206	PH206	1.42
UCPH207-20 207-21 207-22 207-23 UCPH207	1-1/4 1-5/16 1-3/8 1-7/16	35	95	167	127	60	21	17	19	140	42.9	17.5	M14	1/2	UC207-20 207-21 207-22 207-23 UC207	PH207	1.55
UCPH208-24 208-25 UCPH208	1-1/2 1-9/16	40	100	184	137	70	25	17	19	149	49.2	19.0	M14	1/2	UC208-24 208-25 UC208	PH208	2.15
UCPH209-26 209-27 209-28 UCPH209	1-5/8 1-11/16 1-3/4	45	105	190	146	70	25	17	20	157	49.2	19.0	M14	1/2	UC209-26 209-27 209-28 UC209	PH209	2.31
UCPH210-29 210-30 210-31 210-32 UCPH210	1-13/16 1-7/8 1-15/16 2	50	110	206	159	70	25	20	22	165	51.6	19.0	M16	5/8	UC210-29 210-30 210-31 210-32 UC210	PH210	2.80
UCPH211-32 211-33 211-34 211-35 UCPH211	2 2-1/16 2-1/8 2-3/16	55	120	219	171	75	22	19	22	181	55.6	22.2	M16	5/8	UC211-32 211-33 211-34 211-35 UC211	PH211	4.4
UCPH212-36 212-37 212-38 212-39 UCPH212	2-1/4 2-5/16 2-3/8 2-7/16	60	130	235	184	85	23	19	25	197	65.1	25.4	M16	5/8	UC212-36 212-37 212-38 212-39 UC212	PH212	4.8
UCPH213-40 213-41 UCPH213	2-1/2 2-9/16	65	140	262	203	95	28	23	27	212	65.1	25.4	M20	3/4	UC213-40 213-41 UC213	PH213	5.69
UCPH214-42 214-43 214-44 UCPH214	2-5/8 2-11/16 2-3/4	70	150	268	210	105	28	23	28	225	74.6	30.2	M20	3/4	UC214-42 214-43 214-44 UC214	PH214	6.2
UCPH215-45 215-46 215-47 215-48 UCPH215	2-13/16 2-7/8 2-15/16 3	75	160	275	217	115	28	23	29	238	77.8	33.3	M20	3/4	UC215-45 215-46 215-47 215-48 UC215	PH215	7.4
UCPH216-50 UCPH216	3-1/8	80	170	290	232	125	28	23	30	253	82.6	33.3	M20	3/4	UC216-50 UC216	PH216	8.0



UCF200 SERIES  
UCF200 系列


SM-UCF200 SERIES SM-UCF200 系列  
S-UCF200 SERIES S-UCF200 系列

带座轴承型号 BaemgUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)										螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)	
	(in)	(mm)	a	e	i	g	l	s	t	z1	z	Bi	n	(mm)				(in)
UCF201-8 202-9 202-10 203-11 UCF201 202 203	1/2 9/16 5/8 11/16	12 15 17	76	54	15	11	25.5	11.5			31	26	10	M10	3/8	UCW201-8 202-9 202-10 203-11 UCW201 202 203	F203	0.5
UCF201-8 202-9 202-10 203-11 204-12 UCF201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	86	64	15	12	25.5	12	2	40.5	33.3	31	12.7	M10	3/8	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	F204	0.6
UCF205-13 205-14 205-15 205-16 UCF205	13/16 7/8 15/16 1	25	95	70	16	14	27	12	2	44.5	35.8	34.1	14.3	M10	3/8	UC205-13 205-14 205-15 205-16 UC205	F205	0.86
UCF206-17 206-18 206-19 206-20 UCF206	1-1/16 1-1/8 1-3/16 1-1/4	30	108	83	18	14	31	12	2	49	40.2	38.1	15.9	M10	3/8	UC206-17 206-18 206-19 206-20 UC206	F206	1.1
UCF207-20 207-21 207-22 207-23 UCF207	1-1/4 1-5/16 1-3/8 1-7/16	35	117	92	19	16	34	14	3	55	44.4	42.9	17.5	M12	7/16	UC207-20 207-21 207-22 207-23 UC207	F207	1.6
UCF208-24 208-25 UCF208	1-1/2 1-9/16	40	130	102	21	16	36	16	3	62	51.2	49.2	19	M14	1/2	UC208-24 208-25 UC208	F208	19
UCF209-26 209-27 209-28 UCF209	1-5/8 1-11/16 1-3/4	45	137	105	22	18	38	16	3	63	52.2	49.2	19	M14	1/2	UC209-26 209-27 209-28 UC209	F209	2.4
UCF210-29 210-30 210-31 210-32 UCF210	1-13/16 1-7/8 1-15/16 2	50	143	111	22	18	40	16	3	66.5	54.6	51.6	19	M14	1/2	UC210-29 210-30 210-31 210-32 UC210	F210	2.6
UCF211-32 211-33 211-34 211-35 UCF211	2 2-1/16 2-1/8 2-3/16	55	162	130	25	20	43	19	4	71	58.4	55.6	22.2	M16	5/8	UC211-32 211-33 211-34 211-35 UC211	F211	3.5
UCF212-36 212-37 212-38 212-39 UCF212	2-1/4 2-5/16 2-3/8 2-7/16	60	175	143	29	20	48	19	4	80	68.7	65.1	25.4	M16	5/8	UC212-36 212-37 212-38 212-39 UC212	F212	4.2
UCF213-40 213-41 UCF213	2-1/2 2-9/16	65	187	149	30	20	50	19	4	83.5	69.7	65.1	25.4	M16	5/8	UC213-40 213-41 UC213	F213	5.3
UCF214-42 214-43 214-44 UCF214	2-5/8 2-11/16 2-3/4	70	193	152	31	24	54	19		75.4	74.6	30.2	M16	5/8	UC214-42 214-43 214-44 UC214	F214	5.5	
UCF215-45 215-46 215-47 215-48 UCF215	2-13/16 2-7/8 2-15/16 3	75	200	159	34	24	56	19		78.5	77.8	33.3	M16	5/8	UC215-45 215-46 215-47 215-48 UC215	F215	6.2	
UCF216-50 UCF216	3-1/8	80	208	165	34	24	58	23		83.3	82.6	33.3	M20	5/8	UC216-50 UC216	F216	7.7	
UCF217-52 UCF217	3-1/4	85	220	175	36	26	63	23		87.6	85.7	34.1	M20	3/4	UC217-52 UC217	F217	9	
UCF218-56 UCF218	3-1/2	90	235	187	40	26	68	23		96.3	96.0	39.7	M20	3/4	UC218-56 UC218	F218	11.3	




UCF300 SERIES  
UCF300 系列

带座轴承型号 BaerngUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)									螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	e	i	g	l	s	z	Bi	n	(mm)	(in)			
UCF305-14 305-15 305-16 UCF305	7/8 15/16 1	25	110	80	16	13	29	16	39	38	15	M14	1/2	UC305-14 305-15 305-16 UC305	F305	0.90
UCF306-18 306-19 UCF306	1-1/8 1-3/16	30	125	95	18	15	32	16	44	43	17	M14	1/2	UC306-18 306-19 UC306	F306	1.28
UCF307-20 307-21 307-22 307-23 UCF307	1-1/4 1-5/16 1-3/8 1-7/16	35	135	100	20	16	36	19	49	48	19	M16	5/8	UC307-20 307-21 307-22 307-23 UC307	F307	1.57
UCF308-24 308-25 UCF308	1-1/2 1-9/16	40	150	112	23	17	40	19	56	52	19	M16	5/8	UC308-24 308-25 UC308	F308	2.00
UCF309-26 309-27 309-28 UCF309	1-5/8 1-11/16 1-3/4	45	160	125	25	18	44	19	60	57	22	M16	5/8	UC309-26 309-27 309-28 UC309	F309	2.60
UCF310-30 310-31 UCF310	1-7/8 1-15/16	50	175	132	28	19	48	23	67	61	22	M20	3/4	UC310-30 310-31 UC310	F310	2.68
UCF311-32 311-34 311-35 UCF311	2 2-1/8 2-3/16	55	185	140	30	20	52	23	71	66	25	M20	3/4	UC311-32 311-34 311-35 UC311	F311	3.30
UCF312-36 312-38 312-39 UCF312	2-1/4 2-3/8 2-7/16	60	195	150	33	22	56	23	78	71	26	M20	3/4	UC312-36 312-38 312-39 UC312	F312	4.1
UCF313-40 UCF313	2-1/2	65	208	166	33	22	58	23	78	75	30	M20	3/4	UC313-40 UC313	F313	4.9
UCF314-44 UCF314	2-3/4	70	226	178	36	25	61	25	81	78	33	M22	7/8	UC314-44 UC314	F314	5.6
UCF315-48 UCF315	3	75	236	184	39	25	66	25	89	82	32	M22	7/8	UC315-48 UC315	F315	7.00
UCF316-50 UCF316	3-1/8	80	250	196	38	27	68	31	90	86	34	M27	1	UC316-50 UC316	F316	9.0
UCF317-52 UCF317	3-1/4	85	260	204	44	27	74	31	100	96	40	M27	1	UC317-52 UC317	F317	10.5
UCF318-56 UCF318	3-1/2	90	280	216	44	30	76	35	100	96	40	M30	1-1/8	UC318-56 UC318	F318	12.8
UCF319-60 UCF319	3-3/4	95	290	228	59	30	94	35	121	103	41	M30	1-1/8	UC319-60 UC319	F319	13.80
UCF320-64 UCF320	4	100	310	242	59	32	94	38	125	108	42	M33	1-1/4	UC320-64 UC320	F320	15.2
UCF321		105	310	242	59	32	94	38	127	112	44	M33	1-1/4	UC321	F321	15.00
UCF322		110	340	266	60	35	96	41	131	117	46	M36		UC322	F322	21.80
UCF324		120	370	290	65	40	110	41	140	126	51	M36		UC324	F324	25.20
UCF326		130	410	320	65	45	115	41	146	135	54	M36		UC326	F326	37.00
UCF328		140	450	350	75	55	125	41	161	145	59	M36		UC328	F328	57.80




UCFS300 SERIES  
UCFS300 系列

带座轴承型号 BaengUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)											螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	e	i	s	j	k	g	f	z	Bi	n	(in)	(mm)			
UCFS305-14 305-15 305-16 UCFS305	7/8 15/16 1	25	110	80	9	16	7	13	22	80	32	38	15	M14	1/2	UC305-14 305-15 305-16 UC305	FS305	0.82
UCFS306-18 306-19 UCFS306	1-1/8 1-3/16	30	125	95	10	16	8	15	24	90	36	43	17	M14	1/2	UC306-18 306-19 UC306	FS306	1.15
UCFS307-20 307-21 307-22 307-23 UCFS307	1-1/4 1-5/16 1-3/8 1-7/16	35	135	100	11	19	9	16	27	100	40	48	19	M16	5/8	UC307-20 307-21 307-22 307-23 UC307	FS307	1.45
UCFS308-24 308-25 UCFS308	1-1/2 1-9/16	40	150	112	13	19	10	17	30	115	46	52	19	M16	5/8	UC308-24 308-25 UC308	FS308	2.00
UCFS309-26 309-27 309-28 UCFS309	1-5/8 1-11/16 1-3/4	45	160	125	14	19	11	18	33	125	49	57	22	M16	5/8	UC309-26 309-27 309-28 UC309	FS309	3.15
UCFS310-30 310-31 UCFS310	1-7/8 1-15/16	50	175	132	16	23	12	19	36	140	55	61	22	M20	3/4	UC310-30 310-31 UC310	FS310	3.60
UCFS311-32 311-34 311-35 UCFS311	2 2-1/8 2-3/16	55	185	140	17	23	13	20	39	150	58	66	25	M20	3/4	UC311-32 311-33 311-35 UC311	FS311	3.60
UCFS312-36 312-38 312-39 UCFS312	2-1/4 2-3/8 2-3/16	60	195	150	19	23	14	22	42	160	64	71	26	M20	3/4	UC312-36 312-38 312-39 UC312	FS312	4.20
UCFS313-40 UCFS313	2-1/2	65	208	166	15	23	18	22	40	175	60	75	30	M20	3/4	UC313-40 UC313	FS313	6.00
UCFS314-44 UCFS314	2-3/4	70	226	178	18	25	18	25	43	185	63	78	33	M22	7/8	UC314-44 UC314	FS314	6.30
UCFS315-48 UCFS315	3	75	236	184	21	25	18	25	48	200	71	82	32	M22	7/8	UC315-48 UC315	FS315	7.40
UCFS316-50 UCFS316	3-1/8	80	250	196	18	31	20	27	48	210	70	86	34	M27	1	UC316-50 UC316	FS316	8.50
UCFS317-52 UCFS317	3-1/4	85	260	204	24	31	20	27	54	220	80	96	40	M27	1	UC317-52 UC317	FS317	9.20
UCFS318-56 UCFS318	3-1/2	90	280	216	24	35	20	30	56	240	80	96	40	M30	1-1/8	UC318-56 UC318	FS318	12.50
UCFS319-60 UCFS319	3-3/4	95	290	228	39	35	20	30	74	250	101	103	41	M30	1-1/8	UC319-60 UC319	FS319	14.50
UCFS320-64 UCFS320	4	100	310	242	39	38	20	32	74	260	105	108	42	M33	1-1/4	UC320-64 UC320	FS320	17.00
UCFS321		105	310	242	39	38	20	32	74	260	107	112	44	M33	1-1/4	UC321	FS321	14.00
UCFS322		110	340	266	35	41	25	35	71	300	106	117	46	M36		UC322	FS322	21.50
UCFS324		120	370	290	35	41	30	40	80	330	110	126	51	M36		UC324	FS324	30.00
UCFS326		130	410	320	35	41	30	45	85	360	116	135	54	M36		UC326	FS326	41.50
UCFS328		140	450	350	45	41	30	55	95	400	131	145	59	M36		UC328	FS328	61.50



HCFS200 SERIES  
HCFS200 系列


带座轴承型号 Bearing Unit NO.	轴 径 Shaft Diad		基本尺寸 Dimension (mm)									螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	e	i	g	l	s	n	z	(in)	(mm)				
HCFS201-8 202-9 202-10 203-11 204-12 HCFS201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	86	63.5	19	15	29.5	11.5	17.1	45.5	m10	3/8	HC201-8 202-9 202-10 203-11 204-12 HC201 202 203 204	FS203 FS204	0.49 0.58	
HCFS205-13 205-14 205-15 205-16 HCFS205	13/16 7/8 15/16 1	25	93	70	19	15	30	115	17.5	45.9	M10	3/8	HC205-13 205-14 205-15 205-16 HC205	FS205	0.61	
HCFS206-17 206-18 206-19 206-20 HCFS206	1-1/16 1-1/8 1-3/16 1-1/4	30	106	82.5	20	16	32.5	13	18.3	50.1	M12	7/16	HC206-17 206-18 206-19 206-20 HC206	FS206	0.8	
HCFS207-20 207-21 207-22 207-23 HCFS207	1-1/4 1-5/16 1-3/8 1-7/16	35	116	92	21	17	35	13	18.8	53.3	M12	7/16	HC207-20 207-21 207-22 207-23 HC207	FS207	1	
HCFS208-24 208-25 HCFS208	1-1/2 1-9/16	40	129	101.5	24	17	39	14	21.4	58.9	M12	7/16	HC208-24 208-25 HC208	FS208	0.91	
HCFS209-26 209-27 209-28 HCFS209	1-5/8 1-11/16 1-3/4	45	135	105	24	18	40	16	21.4	58.9	M14	1/2	HC209-26 209-27 209-28 HC209	FS209	1.54	
HCFS210-29 210-30 210-31 210-32 HCFS210	1-13/16 1-7/8 1-15/16 2	50	143	111	28	20	45	16	24.6	66.1	M14	1/2	HC210-29 210-30 210-31 210-32 HC210	FS210	1.78	
HCFS211-32 211-33 211-34 211-35 HCFS211	2 2-1/16 2-1/8 2-3/16	55	162	130	31	21	49	17	27.8	74.6	M14	1/2	HC211-32 211-33 211-34 211-35 HC211	FS211	2.5	
HCFS212-36 212-37 212-38 212-39 HCFS212	2-1/4 2-5/16 2-3/8 2-7/16	60	175	143	34	22	53.5	17	31	80.8	M14	1/2	HC212-36 212-37 212-38 212-39 HC212	FS212	2.8	
HCFS213-40 213-41 HCFS213	2-1/2 2-9/16	65	184	149	38	22	58	18	34.1	89.6	M16	5/8	HC213-40 213-41 HC213	FS213	3.58	
HCFS214-42 214-43 214-44 HCFS214	2-1/2 2-11/16 2-3/4	70	188	152	38	23	60	18	34.1	89.6	M16	5/8	HC214-42 214-43 214-44 HC214	FS214	4.09	
HCFS215-45 215-46 215-47 215-48 HCFS215-49	2-13/16 2-7/8 2-15/16 3	75	200	152.4	41	24	62	20	37.3	95.8	M16	5/8	HC215-45 215-46 215-47 215-48 HC215	FS215	4.81	



UCFL200 SERIES  
UCFL200 系列


S-UCFL200 SERIES S-UCFL200 系列  
SM-UCFL200 SERIES SM-UCFL200 系列

带座轴承型号 BaemgUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)												螺 柱 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	e	i	g	l	s	b	t	z <sub>1</sub>	z	Bi	n	(in)	(mm)			
UCFL201-8 202-9 202-10 203-11 UCFL201 202 203	1/2 9/16 5/8 11/16	12 15 17	99	76.5	15	13	25.5	11.5	57			31	26	10	M10	3/8	UCW201-8 202-9 202-10 203-11 UCW201 202 203	FL203	0.25
UCFL201-8 202-9 202-10 203-11 204-12 UCFL201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	113	90	15	12	25.5	12	60	2	40.5	33.3	31	12.7	M10	3/8	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	FL204	0.28
UCFL205-13 205-14 205-15 205-16 UCFL205	13/16 7/8 15/16 1	25	130	99	16	14	27	16	68	2	44.5	35.7	34.1	14.3	M14	1/2	UC205-13 205-14 205-15 205-16 UC205	FL205	0.4
UCFL206-17 206-18 206-19 206-20 UCFL206	1-1/16 1-1/8 1-3/16 1-1/4	30	148	117	18	14	31	16	80	2	49	40.2	38.1	15.9	M14	1/2	UC206-17 206-18 206-19 206-20 UC206	FL206	0.54
UCFL207-20 207-21 207-22 207-23 UCFL207	1-1/4 1-5/16 1-3/8 1-7/16	35	161	130	19	16	34	16	90	3	55	44.4	42.9	17.5	M14	1/2	UC207-20 207-21 207-22 207-23 UC207	FL207	0.65
UCFL208-24 208-25 UCFL208	1-1/2 1-9/16	40	175	144	21	16	36	16	100	3	62	51.2	49.2	19	M14	1/2	UC208-24 208-25 UC208	FL208	0.8
UCFL209-26 209-27 209-28 UCFL209	1-5/8 1-11/16 1-3/4	45	188	148	22	18	38	19	108	3	63	52.2	49.2	19	M16	5/8	UC209-26 209-27 209-28 UC209	FL209	1.15
UCFL210-26 210-27 210-28 210-28 UCFL210	1-13/16 1-7/8 1-15/16 2	50	197	157	22	18	40	19	115	3	66.5	54.6	51.6	19	M16	5/8	UC210-29 210-30 210-31 210-32 UC210	FL210	1.25
UCFL211-29 211-30 211-31 211-32 UCFL211	2 2-1/16 2-1/8 2-3/16	55	224	184	25	20	43	19	130	4	71	58.4	55.6	22.2	M16	5/8	UC211-32 211-33 211-34 211-35 UC211	FL211	1.85
UCFL212-36 212-37 212-38 212-39 UCFL212	2-1/4 2-5/16 2-3/8 2-7/16	60	250	202	29	20	48	23	140	4	80	68.7	65.1	25.4	M20	3/4	UC212-36 212-37 212-38 212-39 UC212	FL212	2.10
UCFL213-40 213-41 UCFL213	2-1/2 2-9/16	65	258	210	30	24	50	23	155	4	83.5	69.7	65.1	25.4	M20	3/4	UC213-40 213-41 UC213	FL213	2.8
UCFL214-42 214-43 214-44 UCFL214	2-5/8 2-11/16 2-3/4	70	265	216	31	24	54	23	160			75.4	74.6	30.2	M20	3/4	UC214-42 214-43 214-44 UC214	FL214	3.2
UCFL215-45 215-46 215-47 215-48 UCFL215	2-13/16 2-7/8 2-15/16 3	75	275	225	34	24	56	23	165			78.5	77.8	33.3	M20	3/4	UC215-45 215-46 215-47 215-48 UC215	FL215	2.8
UCFL216-45 UCFL216	3-1/8	80	290	233	34	24	58	25	180			83.3	82.6	33.3	M22	7/8	UC216-50 UC216	FL216	3.53
UCFL217-45 UCFL217	3-1/4	85	305	248	36	26	63	25	190			87.6	85.7	34.1	M22	7/8	UC217-52 UC217	FL217	5.5
UCFL218-45 UCFL218	3-1/2	90	320	265	40	26	68	25	205			96.3	96	39.7	M22	7/8	UC218-56 UC218	FL218	6.0




UCFL300 SERIES  
UCFL300 系列

带座轴承型号 Bearing Unit NO.	轴 径 Shaft Diam		基本尺寸 Dimension (mm)										螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	e	i	g	l	s	b	z	Bi	n	(in)	(mm)			
UCFL305-14 305-15 305-16 UCFL305	7/8 15-16 1	25	150	113	16	13	29	19	80	39	38	15	M16	5/8	UC305-14 305-15 305-16 UC305	FL305	0.7
UCFL306-18 306-19 UCFL306	1-1/8 1-3/16	30	180	134	18	15	32	23	90	44	43	17	M20	3/4	UC306-18 306-19 UC306	FL306	1.1
UCFL307-20 307-21 307-22 307-23 UCFL307	1-1/4 1-5/16 1-3/8 1-7/16	35	185	141	20	16	36	23	100	49	48	19	M20	3/4	UC307-20 307-21 307-22 307-23 UC307	FL307	1.2
UCFL308-24 308-25 UCFL308	1-1/2 1-9/16	40	200	158	23	17	40	23	112	56	52	19	M20	3/4	UC308-24 308-25 UC308	FL308	1.5
UCFL309-26 309-27 309-28 UCFL309	1-5/8 1-11/16 1-3/4	45	230	177	25	18	44	25	125	60	57	22	M22	7/8	UC309-26 309-27 309-28 UC309	FL309	2.2
UCFL310-30 310-31 UCFL310	1-7/8 1-15/16	50	240	187	28	19	48	25	140	67	61	22	M22	7/8	310-30 310-31 UC310	FL310	2.7
UCFL311-32 311-34 311-35 UCFL311	2 2-1/8 2-3/16	55	250	198	30	20	52	25	150	71	66	25	M22	7/8	UC311-32 311-34 311-35 UC311	FL311	3.15
UCFL312-36 312-38 312-39 UCFL312	2-1/4 2-3/8 2-7/16	60	270	212	33	22	56	31	160	78	71	26	M27	1	UC312-36 312-38 312-39 UC312	FL312	3.30
UCFL313-40 UCFL313	2-1/2	65	295	240	33	25	58	31	175	78	75	30	M27	1	UC313-40 UC313	FL313	5.00
UCFL314-44 UCFL314	2-3/4	70	315	250	36	28	61	35	185	81	78	33	M30	1-1/8	UC314-44 UC314	FL314	6.10
UCFL315-48 UCFL315	3	75	320	260	39	30	66	35	195	89	82	32	M30	1-1/8	UC315-48 UC315	FL315	6.50
UCFL316-50 UCFL316	3-1/8	80	355	285	38	32	68	38	210	90	86	34	M33	1-1/4	UC316-50 UC316	FL316	8.50
UCFL317-52 UCFL317	3-1/4	85	370	300	44	32	74	38	220	100	96	40	M33	1-1/4	UC317-52 UC317	FL317	10.50
UCFL318-56 UCFL318	3-1/2	90	385	315	44	36	75	38	235	100	96	40	M3	1-1/4	UC318-56 UC318	FL318	12.50
UCFL319-60 UCFL319	3-3/4	95	405	330	59	40	94	41	250	121	103	41	M36		UC319-60 UC319	FL319	16.00
UCFL320-64 UCFL320	4	100	440	360	59	40	94	44	270	125	108	42	M39		UC320-64 UC320	FL320	17.30
UCFL321		105	440	360	59	40	94	44	270	127	112	44	M39		UC321	FL321	15.00
UCFL322		110	470	390	60	42	96	44	300	131	117	46	M39		UC322	FL322	20.20
UCFL324		120	520	430	65	48	110	47	330	140	126	51	M42		UC324	FL324	29.50
UCFL326		130	550	460	65	50	115	47	360	146	135	54	M42		UC326	FL326	38.00
UCFL328		140	600	500	75	60	125	51	400	161	145	59	M45		UC328	FL328	54.00




UCFT200 SERIES UCFT200 系列

带座轴承型号 Bearing Unit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)										螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	e	i	g	l	s	b	z	Bi	n	(in)	(mm)			
UCFT201-8 202-9 202-10 203-11 UCFT201 202 203	1/2 9/16 5/8 11/16	12 15 17	112	76.2	17.1	11	25	10.5	60	33.1	26	10	5/16	M8	UCW201-8 202-9 202-10 203-11 UCW201 202 203	FT203	0.28
UCFT204-12 UCFT204	3/4	20	112	89.7	14.3	11	25	10.5	60	32.6	31	12.7	5/16	M8	UC204-12 UC204	FL204	0.28
UCFT205-13 205-14 205-15 205-16 UCFT205	13/16 7/8 15/16 1	25	124	98.8	15.9	13	27	12.6	70	35.6	34.1	14.3	3/8	M10	UC205-13 205-14 205-15 205-16 UC205	FL205	0.47
UCFT206-17 206-18 206-19 206-20 UCFT206	1-1/16 1-1/8 1-3/16 1-1/4	30	141	116.7	17.9	13	30	12.5	83	40.1	38.1	15.9	3/8	M10	UC206-17 206-18 206-19 206-20 UC206	FL206	0.55
UCFT207-20 207-21 207-22 207-23 UCFT207	1-1/4 1-5/16 1-3/8 1-7/16	35	156	130.2	19.1	14	34	14	95	44.5	42.9	17.5	7/16	M12	UC207-20 207-21 207-22 207-23 UC207	FL207	0.85
UCFT208-24 208-25 UCFT208	1-5/16 1-3/8 1-7/16	40	171	143.7	21	14	38	14	105	51.2	49.2	19	7/16	M12	UC208-24 208-25 UC208	FL208	0.9
UCFT209-26 209-27 209-28 UCFT209	1-5/8 1-11/16 1-3/4	45	179	148.4	21.8	14	40	16	111	52	49.2	19	1/2	M14	UC209-26 209-27 209-28 UC209	FL209	1.05
UCFT210-29 210-30 210-31 210-32 UCFT210	1-13/16 1-7/8 1-15/16 2	50	189	157.2	22.2	14	40	16	116	54.8	51.6	19	1/2	M14	UC210-29 210-30 210-31 210-32 UC210	FL210	1.5
UCFT211-32 211-33 211-34 211-35 UCFT211	2 2-1/16 2-1/8 2-3/16	55	216	184.2	25.4	21	44	18	133	58.8	55.6	22.2	5/8	M16	UC211-32 211-33 211-34 211-35 UC211	FL211	1.65



**UCCFL200 SERIES**  
UCCFL200 系列


带座轴承型号 BaemgUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)										螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	e	i	g	l	s	b	z	Bi	n	(in)	(mm)			
UCCFL201-8 202-9 202-10 203-11 204-12 UCCFL201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	113	90	15	12	66	30	12	46	31	12.7	M10	3/8	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	OFL201 OFL202 OFL203 OFL204	0.64
UCCFL205-13 205-14 205-15 205-16 UCCFL205	13/16 7/8 15/16 1	25	130	99	16	14	73	34	16	61	34	14.3	M14	1/2	UC205-13 205-14 205-15 205-16 UC205	OFL205	0.81
UCCFL206-17 206-18 206-19 206-20 UCCFL206	1-1/16 1-1/8 1-3/16 1-1/4	30	148	117	18	14	84	40	16	55	38.1	15.9	M14	1/2	UC206-17 206-18 206-19 206-20 UC206	OFL206	1.19
UCCFL207-20 207-21 207-22 207-23 UCCFL207	1-1/4 1-5/16 1-3/8 1-7/16	35	161	130	19	16	94	45	16	59	42.9	17.5	M14	1/2	UC207-20 207-21 207-22 207-23 UC207	OFL207	1.41
UCCFL208-24 208-25 UCCFL208	1-1/2 1-9/16	40	175	144	21	16	104	50	16	66	49.2	19	M14	1/2	UC208-24 208-25 UC208	OFL208	1.67
UCCFL209-26 209-27 209-28 UCCFL209	1-5/8 1-11/16 1-3/4	45	188	148	22	18	113	54	19	67	49.2	19	M16	5/8	UC209-26 209-27 209-28 UC209	OFL209	2.02
UCCFL210-29 210-30 210-31 210-32 UCCFL210	1-13/16 1-7/8 1-15/16 2	50	197	157	22	18	120	58	19	71	51.6	19	M16	5/8	UC210-29 210-30 210-31 210-32 UC210	OFL210	2.41
UCCFL211-32 211-33 211-34 211-35 UCCFL211	2 2-1/16 2-1/8 2-3/16	55	224	184	25	20	134	65	19	75	55.6	22.2	M16	5/8	UC211-32 211-33 211-34 211-35 UC211	OFL211	3.26
UCCFL212-36 212-37 212-38 212-39 UCCFL212	2-1/4 2-5/16 2-3/8 2-7/16	60	250	202	29	20	144	70	23	86	65.1	25.4	M20	3/4	UC212-36 212-37 212-38 212-39 UC212	OFL212	3.93
UCCFL213-40 213-41 UCCFL213	2-1/2 2-9/16	65	258	210	30	24	157	78	23	89	65.1	25.4	M20	3/4	UC213-40 213-41 UC213	OFL213	4.97
UCCFL214-42 214-43 214-44 UCCFL214	2-5/8 2-11/16 2-3/4	70	265	216	31	24	163	80	23	98	74.6	30.2	M20	3/4	UC214-42 214-43 214-44 UC214	OFL214	5.32
UCCFL215-45 215-46 215-47 215-48 UCCFL215	2-13/16 2-7/8 2-15/16 3	75	275	225	34	24	168	83	23	102	77.8	33.3	M20	3/4	UC215-45 215-46 215-47 215-48 UC215	OFL215	5.56
UCCFL216-50 UCCFL216	3-1/8	80	290	233	34	24	188	90	25	107	82.6	33.3	M22	7/8	UC216-50 UC216	OFL216	7.34
UCCFL217-52 UCCFL217	3-1/4	85	305	248	36	26	198	95	25	111	85.7	34.1	M22	7/8	UC217-52 UC217	OFL217	8.38
UCCFL218-56 UCCFL218	3-1/2	90	320	265	40	25	211	103	25	122	96	39.7	M22	7/8	UC218-56 UC218	OFL218	10.6



UCFC200 SERIES  
UCFC200 系列


SM-UCFC200 SERIES SM-UCFC200 系列  
S-UCFC200 SERIES S-UCFC200 系列

带座轴承型号 BaemgUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)														螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型 号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	p	e	i	s	j	k	g	f	t	z <sub>1</sub>	z	Bi	n	(in)	(mm)			
UCFC201-8 202-9 202-10 203-11 204-12 UCFC201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	100	78	55.1	10	12	5	7	20.5	62	2	35.5	28.3	31	12.7	M10	3/8	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	FC204	0.55
UCFC205-13 205-14 205-15 205-16 UCFC205	13/16 7/8 15/16 1	25	115	90	53.6	10	12	6	7	21	70	2	38.5	29.7	34.1	14.3	M10	3/8	UC205-13 205-14 205-15 205-16 UC205	FC205	0.8
UCFC206-17 206-18 206-19 206-20 UCFC206	1-1/16 1-1/8 1-3/16 1-1/4	30	125	100	70.7	10	12	8	8	23	80	2	41	32.2	38.1	15.9	M10	3/8	UC206-17 206-18 206-19 206-20 UC206	FC206	1
UCFC207-20 207-21 207-22 207-23 UCFC207	1-1/4 1-5/16 1-3/8 1-7/16	35	135	110	77.8	11	14	8	9	26	90	3	47	36.4	42.9	17.5	M12	7/16	UC207-20 207-21 207-22 207-23 UC207	FC207	1.2
UCFC208-24 208-25 UCFC208	1-1/2 1-9/16	40	145	120	84.8	11	14	10	9	26	100	3	52	41.2	49.2	19	M12	7/16	UC208-24 208-25 UC208	FC208	1.45
UCFC209-26 209-27 209-28 UCFC209	1-5/8 1-11/16 1-3/4	45	160	132	93.3	10	16	12	14	26	105	3	51	40.2	49.2	19	M14	1/2	UC209-26 209-27 209-28 UC209	FC209	2.1
UCFC210-29 210-30 210-31 210-32 UCFC210	1-13/16 1-7/8 1-15/16 2	50	165	138	97.6	10	16	12	14	28	110	4	53.5	42.6	51.6	19	M14	1/2	UC210-29 210-30 210-31 210-32 UC210	FC210	2.1
UCFC211-32 211-33 211-34 211-35 UCFC211	2 2-1/16 2-1/8 2-3/16	55	185	150	106.1	13	19	12	15	31	125	4	59	46.4	55.6	22.2	M16	5/8	UC211-32 211-33 211-34 211-35 UC211	FC211	3.1
UCFC212-36 212-37 212-38 212-39 UCFC212	2-1/4 2-5/16 2-3/8 2-7/16	60	195	160	113.1	17	19	12	15	36	135	4	68	56.7	65.1	25.4	M16	5/8	UC212-36 212-37 212-38 212-39 UC212	FC212	3.2
UCFC213-40 213-41 UCFC213	2-1/2 2-9/16	65	205	170	120.2	16	19	14	15	36	145	4	69.5	55.7	65.1	25.4	M16	5/8	UC213-40 213-41 UC213	FC213	3.75
UCFC214-42 214-43 214-44 UCFC214	2-5/8 2-11/16 2-3/4	70	215	177	125.1	17	19	14	18	40	150		61.4	74.6	30.2	M16	5/8	UC214-42 214-43 214-44 UC214	FC214	4.75	
UCFC215-45 215-46 215-47 215-48 UCFC215	2-13/16 2-7/8 2-5/16 3	75	220	184	130.1	18	19	16	18	40	160		62.5	77.8	33.3	M16	5/8	UC215-45 215-46 215-47 215-48 UC215	FC215	5	
UCFC216-50 UCFC216	3-1/8	80	240	200	141.4	18	23	16	18	42	170		67.3	82.6	33.3	M20	3/4	UC216-50 UC216	FC216	6.1	
UCFC216-52 UCFC216	3-1/4	85	250	208	147.1	18	23	18	20	45	180		69.6	85.7	34.1	M20	3/4	UC217-52 UC217	FC217	7.1	
UCFC216-56 UCFC216	3-1/2	90	265	220	155.5	22	23	18	20	50	190		78.3	96	39.7	M20	3/4	UC218-56 UC218	FC218	8	




UCFCX00 SERIES  
UCFCX00 系列

带座轴承型号 Bearing Unit NO.	轴径 Shaft Diam		基本尺寸 Dimension (mm)													螺栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	p	e	i	s	j	k	g	f	z	Bi	n	(in)	(mm)				
UCFCX05-16 UCFCX05	1	25	111	92	65	10	9.5	6	9.5	24	76	32.2	38.1	15.9	5/16	M8	UCX05-16 UCX05	FCX05	1.1	
UCFCX06-19 X06-20 UCFCX06	1-3/16 1-1/4	30	127	105	74.2	8	12	9.5	9.5	22.5	85	33.4	42.9	17.5	3/8	M10	UCX06-19 X06-20 UCX06	FCX06	1.4	
UCFCX07-22 X07-23 CUFCX07	1-3/8 1-7/16	35	133	111	78.5	9	12	11	11	26	92	39.2	49.2	19	3/8	M10	UCX07-22 X07-23 UCX07	FCX07	1.8	
UCFCX08-24 UCFCX08	1-1/2	40	133	111	78.5	9	12	11	11	26	92	39.2	49.2	19	3/8	M10	UCX08-24 UCX08	FCX08	1.8	
UCFCX09-26 X09-27 X09-28 CUFCX09	1-5/8 1-11/16 1-3/4	45	155	130	91.9	8	14	12	11	25	108	40.6	51.6	19	7/16	M12	UCX09-26 X09-27 X09-28 UCX09	FCX09	2.5	
UCFCX10-31 X10-32 CUFCX10	1-15/16 2	50	162	136	96.2	7	14	16	11	25	118	40.4	55.6	22.2	7/16	M12	UCX10-31 X10-32 UCX10	FCX10	3	
UCFCX11-35 X11-36 CUFCX11	2-3/16 2-1/4	55	180	152	108	4	16	22	13	26	127	43.7	65.1	25.4	1/2	M14	UCX11-35 X11-36 UCX11	FCX11	4.1	
UCFCX12-38 X12-39 CUFCX12	2-3/8 2-7/16	60	194	165	117	11	16	20	14	33	140	50.7	75.1	25.4	1/2	M14	UCX12-38 X12-39 UCX12	FCX12	4.7	
UCFCX13-40 CUFCX13	2-1/2	65	194	165	117	11	16	20	14	33	140	55.4	74.6	30.2	1/2	M14	UCX13-40 UCX13	FCX13	5	
UCFCX14-44 CUFCX14	2-3/4	70	222	190	134	14	19	20	14	36	164	58.5	77.8	33.3	5/8	M16	UCX14-44 UCX14	FCX14	7.4	
UCFCX15-47 X15-48 CUFCX15	2-15/16 3	75	222	190	134	12	19	22	16	35	164	61.3	82.6	33.3	5/8	M16	UCX15-47 X15-48 UCX15	FCX15	7.5	
UCFCX16-50 CUFCX16	3-1/4	80	260	219	155	10	23	25	19	36	186	61.6	85.7	34.1	3/4	M20	UCX16-50 UCX16	FCX16	11.7	
UCFCX17-55 CUFCX17	3-7/16	85	260	219	155	10	23	25	19	36	186	61.6	96	39.7	3/4	M20	UCX17-55 UCX17	FCX17	11.3	
UCFCX18		90	260	219	155	12	23	28	19	43	186	73.1	104	42.9	3/4	M20	UCX18	FCX18	11.4	
UCFCX20		100	276	238	168	22	23	28	22	66	206	90.3	118	49.2	3/4	M20	UCX20	FCX20	16.1	




UCFCSX00 SERIES  
UCFCSX00 系列

带座轴承型号 BaerngUnit NO.	轴径 Shaft Diad		基本尺寸 Dimension(mm)													螺栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	p	e	i	s	j	k	g	f	z	Bi	n	(in)	(mm)				
UCFCSX05-16 UCFCSX05	1	25	111	92	65	10	9.5	6.4	9.5	24	76.2	32.2	38.1	15.9	5/16	M8	UCX05-16 UCX05	FCSX05	1.02	
UCFCSX06-19 X06-20 UCFCSX06	1-3/16 1-1/4	30	127	105	74.2	8	12	9.5	9.5	22	85.7	33.4	42.9	17.5	3/8	M10	UCX06-19 X06-20 UCX06	FCSX06	1.46	
UCFCSX07-22 X07-23 UCFCSX07	1-3/8 1-7/16	35	133	111	78.5	9	12	11.1	11	26	92	39.2	49.2	19	3/8	M10	UCX07-22 X07-23 UCX07	FCSX07	1.94	
UCFCSX08-24 UCFCSX08	1-1/2	40	133	111	78.5	9	12	11.1	11	26	92	39.2	49.2	19	3/8	M10	UCX08-24 UCX08	FCSX08	2.4	
UCFCSX09-26 X09-27 X09-28 UCFCSX09	1-5/8 1-11/16 1-3/4	45	155.6	130	92	8	14	11.9	11	25	108	40.6	51.6	19	7/16	M12	UCX09-26 X09-27 X09-28 UCX09	FCSX09	2.8	
UCFCSX10-31 X10-32 UCFCSX10	1-15/16 2	50	162	136.5	96.2	7	14	15.9	11	25	114.3	40.4	55.6	22.2	7/16	M12	UCX10-31 X10-32 UCX10	FCSX10	3.06	
UCFCSX11-35 X11-36 UCFCSX11	2-3/16 2-1/4	55	181	152.4	107.5	4	16	22.2	12.7	26	127	43.7	65.1	25.4	1/2	M14	UCX11-35 X11-36 UCX11	FCSX11	4.3	
UCFCSX12-38 X12-39 UCFCSX12	2-3/8 2-7/16	60	194	165	116.7	11	16	19.8	14.3	33	139.7	50.7	65.1	25.4	1/2	M14	UCX12-38 X12-39 UCX12	FCSX12	5.6	
UCFCSX13-40 UCFCSX13	2-1/2	65	194	165	116.7	11	16	19.8	14.3	33	139.7	55.4	74.6	30.2	1/2	M14	UCX13-40 UCX13	FCSX13	5.8	
UCFCSX14-44 UCFCSX14	2-3/4	70	222	190.5	134.3	14	19	19.8	14.3	36	162	58.5	77.8	33.3	5/8	M16	UCX14-44 UCX14	FCSX14	7.7	
UCFCSX15-47 X15-48 UCFCSX15	2-15/16 3	75	222	190.5	134.3	12	19	22	15.9	35	162	61.3	82.6	33.3	5/8	M16	UCX15-47 X15-48 UCX15	FCSX15	8.3	
UCFCSX16-50 UCFCSX16	3-1/4	80	260	219	154.8	10	23	25.4	19	36	187.3	61.6	85.7	34.1	3/4	M20	UCX16-50 UCX16	FCSX16	10.6	
UCFCSX17-55 UCFCSX17	3-7/16	85	260	219	154.8	10	23	25.4	19	36	187.3	66.3	96	39.7	3/4	M20	UCX17-55 UCX17	FCSX17	11.2	
UCFCSX18		90	260	219	154.8	12	23	27.8	19	43	187.3	73.1	104	42.9	3/4	M20	UCX18	FCSX18	11.9	
UCFCSX20		100	276	238	168.3	22	23	27.8	22.2	66	206.4	90.3	117.5	49.2	3/4	M20	UCX20	FCSX20	18.4	




UCFCS200 SERIES UCFCS200 系列  
UCFCF200 SERIES UCFCF200 系列

带座轴承型号 BaemgUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)													螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	p	e	i	s	j	k	g	f	z	Bi	n	(in)	(mm)				
UCFCS206-17 206-18 206-19 206-20 UCFCS206	1-1/16 1-1/8 1-3/16 1-1/4	30	111	92	65	10	9.5	6.4	9.5	24	76.2	31.7	38.1	15.9	M8	5/16	UC206-17 206-18 206-19 206-20 UC206	FCS206	1.04	
UCFCS207-20 207-21 207-22 207-23 UCFCS207	1-1/4 1-5/16 1-3/8 1-7/16	35	127	105	74.3	8	12	9.5	9.5	22	85.7	32.9	42.9	17.5	M10	3/8	UC207-20 207-21 207-22 207-23 UC207	FCS207	1.43	
UCFCS208-24 208-25 UCFCS208	1-1/2 1-9/16	40	134	111	78.5	9	12	11	11	26	92	38.6	49.2	19	M10	3/8	UC208-24 208-25 UC208	FCS208	1.68	
UCFCS209-26 209-27 209-28 UCFCS209	1-5/8 1-11/16 1-3/4	45	155	130	92	5.5	14	12	12	22	108	35.2	49.2	19	M12	7/16	UC209-26 209-27 209-28 UC209	FCS209	1.73	
UCFCS210-29 210-30 210-31 210-32 UCFCS210	1-13/16 1-7/8 1-15/16 2	50	155	130	92	8	14	12	11	25	108	40	51.6	19	M12	7/16	UC210-29 210-30 210-31 210-32 UC210	FCS210	2.36	
UCFCS211-32 211-33 211-34 211-35 UCFCS211	2 2-1/16 2-1/8 2-15/16	55	162	137	96.9	7	14	16	11	25	114.3	39.8	55.6	22.2	M12	7/16	UC211-32 211-33 211-34 211-35 UC211	FCS211	2.72	
UCFCS212-36 212-37 212-38 212-39 UCFCS212	2-1/4 2-5/16 2-3/8 2-7/16	60	180	152	107.5	4	16	22	13	26	127	43	65.1	25.4	M14	1/2	UC212-36 212-37 212-38 212-39 UC212	FCS212	3.74	
UCFCS213-40 213-41 UCFCS213	2-1/2 2-9/16	65	193	165	116.7	11	16	20	15	33	139.7	49.9	65.1	25.4	M14	1/2	UC213-40 213-41 UC213	FCS213	4.34	
带座轴承型号 BaemgUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)													螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	p	e	i	s	j	k	g	f	z	Bi	n	(in)	(mm)				
UCFCF205-13 205-14 205-15 205-16 UCFCF205	13/16 7/8 15/16 1	25	111	92	65.1	11	10.3	6.4	9.5	22	76.2	30.8	4.1	14.3	M8	5/16	UC205-13 205-14 205-15 205-16 UC205	FCF205	0.99	
UCFCF206-17 206-18 206-19 206-20 UCFCF206	1-1/16 1-1/8 1-3/16 1-1/4	30	127	105	74.2	7.5	12	11	9.5	20	85.7	29.7	38.1	15.9	M10	3/8	UC206-17 206-18 206-19 206-20 UC206	FCF206	1.36	
UCFCF207-20 207-21 207-22 207-23 UCFCF207	1-1/4 1-5/16 1-3/8 1-7/16	35	133	111	78.5	7.1	12	12	13	22	92	32.5	42.9	17.5	M10	3/8	UC207-20 207-21 207-22 207-23 UC207	FCF207	1.76	
UCFCF208-24 208-25 UCFCF208	1-1/2 1-9/16	40	133	111	78.5	9.5	12	12	13	26	92	39.7	49.2	19	M10	3/8	UC208-24 208-25 UC208	FCF208	1.93	
UCFCF209-26 209-27 209-28 UCFCF209	1-5/8 1-11/16 1-3/4	45	156	130	92	5.6	13.5	12	11.5	22	108	37.6	49.2	19	M12	7/16	UC209-26 209-27 209-28 UC209	FCF209	2.38	
UCFCF210-29 210-30 210-31 210-32 UCFCF210	1-13/16 1-7/8 1-15/16 2	50	162	136.5	96.5	8.7	13.5	16	13	27	114.3	41.3	51.6	19	M12	7/16	UC210-29 210-30 210-31 210-32 UC210	FCF210	2.93	
UCFCF211-32 211-33 211-34 211-35 UCFCF211	2 2-1/16 2-1/8 2-3/16	55	181	152.4	108	5.6	15	22.2	13	22.2	127	39	55.6	22.2	M12	7/16	UC211-32 211-33 211-34 211-35 UC211	FCF211	3.67	



**UCCFC200 SERIES**  
UCCFC200 系列


带座轴承型号 BaemgUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension (mm)													螺 栓 Bolt Used		轴承型号 Bearing NO.	轴承座型 号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	a	p	e	i	s	j	k	g	f	z	Bi	n	(in)	(mm)				
UCCFC201-8 202-9 202-10 203-11 204-12	1/2 9/16 5/8 11/16 3/4		100	78	55.1	10	12	5	7	20.5	62	41	31	12.7	M10	3/8	UC201-8 202-9 202-10 203-11 204-12	CFC201 CFC202 CFC203 CFC204	1.04	
UCCFC201 202 203 204		12 15 17 20															UC201 202 203 204			
UCCFC205-13 205-14 205-15 205-16	13/16 7/8 15/16 1		115	90	63.6	10	12	6	7	21	70	45	34	14.3	M10	3/8	UC205-13 205-14 205-15 205-16	CFC205	1.31	
UCCFC205 205-16		25															UC205			
UCCFC206-17 206-18 206-19 206-20	1-1/16 1-1/8 1-3/16 1-1/4		125	100	70.7	10	12	8	8	23	80	47	38.1	15.9	M10	3/8	UC206-17 206-18 206-19 206-20	CFC206	1.69	
UCCFC206 206-20		30															UC206			
UCCFC207-20 207-21 207-22 207-23	1-1/4 1-5/8 1-3/8 1-7/16		135	110	77.8	11	14	8	9	26	90	51	42.9	17.5	M12	7/16	UC207-20 207-21 207-22 207-23	CFC207	1.73	
UCCFC207 207-23		35															UC207			
UCCFC208-24 208-25	1-1/2 1-9/16		145	120	84.8	11	14	10	9	26	100	56	49.5	19	M12	7/16	UC208-24 208-25	CFC210	1.91	
UCCFC208 208-25		40															UC208			
UCCFC209-26 209-27 209-28	1-5/8 1-11/16 1-3/4		160	132	93.3	10	16	12	14	26	105	55	49.2	19	M12	7/16	UC209-26 209-27 209-28	CFC209	2.17	
UCCFC209 209-28		45															UC209			
UCCFC210-29 210-30 210-31 210-32	1-13/16 1-7/8 1-15/16 2		165	138	97.6	10	16	12	14	28	110	59	51.6	19	M14	1/2	UC210-29 210-30 210-31 210-32	CFC210	3.02	
UCCFC210 210-32		50															UC210			
UCCFC211-32 211-33 211-34 211-35	2 2-1/16 2-1/8 2-3/16		185	150	106.1	13	19	12	15	31	125	63	55.6	22.2	M16	5/8	UC211-32 211-33 211-34 211-35	CFC211	3.41	
UCCFC211 211-35		55															UC211			
UCCFC212-36 212-37 212-38 212-39	2-1/4 2-5/16 2-3/8 2-7/16		195	160	113.1	17	19	12	15	36	135	74	65.1	25.4	M16	5/8	UC212-36 212-37 212-38 212-39	CFC212	3.96	
UCCFC212 212-39		60															UC212			
UCCFC213-40 213-41	2-1/2 2-9/16		205	170	120.2	16	19	14	15	36	145	75	65.1	25.4	M16	5/8	UC213-40 213-41	CFC213	4.53	
UCCFC213 213-41		65															UC213			
UCCFC214-42 214-43 214-44	2-5/8 2-11/16 2-3/4		215	177	125.1	17	19	14	18	40	150	84	74.6	30.2	M16	5/8	UC214-42 214-43 214-44	CFC214	6.12	
UCCFC214 214-44		70															UC214			
UCCFC215-45 215-46 215-47 215-48	2-13/16 2-7/8 2-15/16 3		220	184	130.1	18	19	16	18	40	160	86	77.8	33.3	M16	5/8	UC215-45 215-46 215-47 215-48	CFC215	6.55	
UCCFC215 215-48		75															UC215			
			240	200	141.4	18	23	16	18	42	170	91	82.6	33.3	M20	3/4	UC216-50 UC216	CFC216	8.44	
			250	208	147.1	18	23	18	20	45	180	93	85.7	34.1	M20	3/4	UC217-52 UC217	CFC217	9.38	
			265	220	155.5	22	23	18	20	50	190	104	96	39.7	M20	3/4	UC218-56 UC218	CFC218	11.5	



UCT200 SERIES  
UCT200 系列


SM-UCT200 SERIES SM-UCT200 系列  
S-UCT200 SERIES S-UCT200 系列

带座轴承型号 BaengUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)																	轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	o	g	p	q	s	b	k	e	a	w	j	l	h	t	z	Bi	n			
UCT201-8 202-9 202-10 203-11	1/2 9/16 5/8 11/16	12 15 17 20	16	10	51	32	19	51	12	76	89	94	32	21	61	2	51	31	12.7	UC201-13 202-14 202-15 203-16	T204	0.56
UCT205-13 205-14 205-15 205-16 UCT205	13/16 7/8 15/16 1 25		16	10	51	32	19	51	12	76	89	97	32	24	62	2	57	34.1	14.3	UC205-13 205-14 205-15 205-16 UC205	T205	0.63
UCT206-17 206-18 206-19 206-20 UCT206	1-1/16 1-1/8 1-3/16 1-1/4 30		16	10	56	37	22	57	12	89	102	113	37	28	70	2	62	38.1	15.9	UC206-17 206-18 206-19 206-20 UC206	T206	0.95
UCT207-20 207-21 207-22 207-23 UCT207	1-1/4 1-5/8 1-3/8 1-7/16 35		16	13	64	37	22	64	12	89	102	129	37	30	78	3	72	42.9	17.5	UC207-20 207-21 207-22 207-23 UC207	T207	1.09
UCT208-24 208-25 UCT208	1-1/2 1-9/16 40		19	16	83	49	29	83	16	102	114	144	49	33	88	3	82	49.2	19	UC208-24 208-25 UC208	T210	1.72
UCT209-26 209-27 209-28 UCT209	1-5/8 1-11/16 1-3/4 45		19	16	83	49	29	83	16	102	117	144	49	35	87	3	82	49.2	19	UC209-26 209-27 209-28 UC209	T209	1.75
UCT210-29 210-30 210-31 210-32 UCT210	1-13/16 1-7/8 1-15/16 2 50		19	16	83	49	29	86	16	102	117	149	49	37	90	3	87	51.6	19	UC210-29 210-30 210-31 210-32 UC210	T210	1.75
UCT211-32 211-33 211-34 211-35 UCT211	2 2-1/16 2-1/8 2-3/16 55		25	19	102	64	35	95	22	130	146	171	64	38	106	4	92	55.6	22.2	UC211-32 211-33 211-34 211-35 UC211	T211	2.8
UCT212-36 212-37 212-38 212-39 UCT212	2-1/4 2-5/16 2-3/8 2-7/16 60		32	19	102	64	35	102	22	130	146	194	64	42	119	4	102	65.1	25.4	UC212-36 212-37 212-38 212-39 UC212	T212	3.4
UCT213-40 213-41 UCT213	2-1/2 2-9/16 65		32	21	111	70	41	121	26	151	167	224	70	44	137	4	107	65.1	25.4	UC213-40 213-41 UC213	T213	5
UCT214-42 214-43 214-44 UCT214	2-5/8 2-11/16 2-3/4 70		32	21	111	70	41	121	26	151	167	224	70	46	137			74.6	30.2	UC214-42 214-43 214-44 UC214	T214	4.7
UCT215-45 215-46 215-47 215-48 UCT215	2-13/16 2-7/8 2-15/16 3 75		32	21	111	70	41	121	26	151	167	232	70	48	140			77.8	33.3	UC215-45 215-46 215-47 215-48 UC215	T215	5.1
UCT216-45 UCT216	3-1/8 80		32	21	111	70	41	121	26	165	184	235	70	51	140			82.6	33.3	UC216-50 UC216	T216	5.5
UCT217-45 UCT217	3-1/4 85		38	29	124	73	48	157	30	173	198	260	73	54	162			85.7	34.1	UC217-52 UC217	T217	7.4
UCT218-45 UCT218	3-1/2 90		40	30	130	80	48	140	30	190	215	275	80	55	170			96	39.7	UC218-56 UC218	T218	10.2



UCT300 SERIES  
UCT300 系列


带座轴承型号 BaemgUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)																轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	o	g	p	q	s	b	k	e	a	w	j	i	h	Bi	n				
UCT305-14 305-15 305-16 UCT305	7/8 15/16 1	25	16	12	62	36	26	65	12	80	89	122	36	26	76	38	15	UC305-14 305-15 305-16 UC305	T305	1.05	
UCT306-18 306-19 UCT306	1-1/8 1-3/16	30	18	14	70	41	28	74	16	90	100	137	41	28	85	43	17	UC306-18 306-19 UC306	T306	1.24	
UCT307-20 307-21 307-22 307-23 UCT307	1-1/4 1-5/16 1-3/8 1-7/10	35	20	15	75	45	30	80	16	100	111	150	45	32	94	48	19	UC307-20 307-21 307-22 307-23 UC307	T307	1.69	
UCT308-24 308-25 UCT308	1-1/2 1-9/16	40	22	17	83	50	32	89	18	112	124	162	50	34	100	52	19	UC308-24 308-25 UC308	T308	2.04	
UCT309-26 309-27 309-28 UCT309	1-5/8 1-11/16 1-3/4	45	24	18	90	55	34	97	18	125	138	178	55	38	110	57	22	UC309-26 309-27 309-28 UC309	T309	2.72	
UCT310-30 310-31 UCT310	1-7/8 1-15/16	50	27	20	98	61	37	106	20	140	151	191	61	40	117	61	22	UC310-30 310-31 UC310	T310	3.35	
UCT311-32 311-34 311-35 UCT311	2 2-1/8 2-3/16	55	29	21	105	66	39	115	22	150	163	207	66	44	127	66	25	UC311-32 311-34 311-35 UC311	T311	4.33	
UCT312-36 312-38 312-39 UCT312	2-1/4 2-3/8 2-7/16	60	31	23	113	71	41	123	22	160	178	220	71	46	135	71	26	UC312-36 312-38 312-39 UC312	T312	5	
UCT313-40 UCT313	2-1/2	65	32	25	116	71	43	134	26	170	190	238	80	50	146	78	30	UC313-40 UC313	T313	6	
UCT314-44 UCT314	2-3/4	70	36	25	130	85	46	140	26	180	202	252	90	52	155	78	33	UC314-44 UC314	T314	7.05	
UCT315-48 UCT315	3	75	36	25	132	85	46	150	26	192	216	262	90	55	160	82	32	UC315-48 UC315	T315	9.28	
UCT316-50 UCT316	3-1/8	80	42	28	150	98	53	160	30	204	230	282	102	60	174	86	34	UC316-50 UC316	T316	10.03	
UCT317-52 UCT317	3-1/4	85	42	30	152	98	53	170	32	214	240	298	102	64	183	96	40	UC317-52 UC317	T317	13.3	
UCT318-56 UCT318	3-1/2	90	46	30	160	160	57	175	32	228	255	312	110	66	192	96	40	UC318-56 UC318	T318	14.1	
UCT319-60 UCT319	3-3/4	95	46	31	165	106	57	180	35	240	270	322	110	72	197	103	41	UC319-60 UC319	T319	16.3	
UCT320-64 UCT320	4	100	48	32	175	115	59	200	35	260	290	345	120	75	210	108	42	UC320-64 UC320	T320	21.2	
UCT321		105	48	32	175	115	59	200	35	260	290	345	120	75	210	112	44	UC321	T321	19.8	
UCT322		110	52	38	185	125	65	215	38	285	320	385	130	80	235	117	46	UC322	T322	25.7	
UCT324		120	60	42	210	140	70	230	45	320	355	432	140	90	267	126	51	UC324	T324	36.5	
UCT326		130	65	45	220	150	75	240	50	350	385	465	150	100	285	135	54	UC326	T326	46	
UCT328		140	70	50	230	160	80	255	50	380	415	515	155	100	315	145	59	UC328	T328	55.5	



UCTX00 SERIES

UCTX00 系列


带座轴承型号 BaerngUnit NO.	轴 径 Shaft Diad		基本尺寸 Dimension (mm)														轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)	
	(in)	(mm)	o	g	p	q	s	b	k	e	a	w	j	i	h	Bi				n
UCTX05-14 X05-15 X05-16 UCTX05	7/8 15/16 1	25	16	10	56	37	22	57	12	89	102	113	37	28	70	38.1	15.9	UCX05-14 X05-15 X05-16 UCX05	TX05	1.01
UCTX06-18 X06-19 X06-20 UCTX06	1-1/8 1-3/16 1-1/4	30	16	13	64	37	22	64	12	89	102	129	37	30	78	42.9	17.5	UCX06-18 X06-19 X06-20 UCX06	TX06	1.12
UCTX07-20 X07-22 X07-23 UCTX07	1-1/4 1-3/8 1-7/16	35	19	15	83	49	29	83	16	102	114	144	49	36	88	48.2	19	UCX07-20 X07-22 X07-23 UCX07	TX07	1.78
UCTX08-24 UCTX08	1-1/2	40	19	15	83	49	29	83	16	102	117	144	49	36	87	49.2	19	UCX08-24 UCX08	TX08	1.67
UCTX09-26 X09-27 X09-28 UCTX09	1-5/8 1-11/16 1-3/4	45	19	16	83	49	29	86	16	102	117	149	49	38	90	51.6	19	UCX09-26 X09-27 X09-28 UCX09	TX09	1.8
UCTX10-30 X10-31 X10-32 UCTX10	1-7/8 1-15/16 2	50	25	19	102	64	35	95	22	130	146	171	64	42	106	55.6	22.2	UCX10-30 X10-31 X10-32 UCX10	TX10	2.95
UCTX11-34 X11-35 UCTX11	2-3/16 2-1/4	55	32	19	102	64	35	102	22	130	146	194	64	42	119	65.1	25.4	UCX11-34 X11-35 UCX11	TX11	3.3
UCTX12-38 X12-39 UCTX12	2-3/8 2-7-16	60	32	21	111	70	41	121	26	151	167	224	70	48	137	65.1	25.4	UCX12-38 X12-39 UCX12	TX12	5.33
UCTX13-40 UCTX13	2-1/2	65	32	21	111	70	41	121	26	151	167	224	70	48	137	74.6	30.2	UCX13-40 UCX13	TX13	5.15
UCTX14-43 X14-44 UCTX14	2-11/16 2-3/4	70	32	21	111	70	41	121	26	151	167	224	70	48	140	77.8	33.3	UCX14-43 X14-44 UCX14	TX14	5.23
UCTX15-47 X15-48 UCTX15	2-15/16 3	75	32	21	111	70	41	121	28	165	184	235	70	48	140	82.6	33.3	UCX15-47 X15-48 UCX15	TX15	5.29
UCTX16-50 UCTX16	3-1/8	80	38	28	124	73	48	157	28	173	198	260	73	54	162	85.7	34.1	UCX16-50 UCX16	TX16	7.21
UCTX17-52 X17-55 UCTX17	3-1/4 37/16	85	38	28	124	73	48	157	28	173	198	260	73	54	162	96	39.7	UCX17-52 X17-55 UCX17	TX17	7.18



UCCT200 SERIES  
UCCT200 系列

带座轴承型号 Bearing Unit NO.	轴 径 Shaft Diad		基本尺寸 Dimension(mm)																轴承型号 Bearing NO.	轴承座型号 Housing NO.	座重量 Housing Wt (kg)
	(in)	(mm)	o	g	p	q	s	b	k	e	a	w	j	i	h	z	Bi	n			
UCCT201-8 202-9 202-10 203-11 204-12 UCCT201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	16	10	51	32	19	51	12	76	89	96	32	21	61	62	31	12.7	UC201-8 202-9 202-10 203-11 204-12 UC201 202 203 204	CT204	1.04
UCCT205-13 205-14 205-15 205-16 UCCT205	13/16 7/8 15/16 1	25	16	10	51	32	19	51	12	76	89	100	32	24	62	70	34.1	14.3	UC205-13 205-14 205-15 205-16 UC205	CT205	1.31
UCCT206-17 206-18 206-19 206-20 UCCT206	1-1/16 1-1/8 1-3/16 1-1/4	30	16	10	56	37	22	57	12	89	102	113	37	28	70	74	38.1	15.9	UC206-17 206-18 206-19 206-20 UC206	CT206	1.69
UCCT207-20 207-21 207-22 207-23 UCCT207	1-1/4 1-5/16 1-3/8 1-7/16	35	16	13	64	37	22	64	12	89	102	129	37	30	78	80	42.9	17.5	UC207-20 207-21 207-22 207-23 UC207	CT207	2.11
UCCT208-24 208-25 UCCT208	1-1/2 1-9/16	40	19	16	83	49	29	83	16	102	114	144	49	33	88	90	49.2	19	UC208-24 208-25 UC208	CT208	2.77
UCCT209-26 209-27 209-28 UCCT209	1-5/8 1-11/16 1-3/4	45	19	16	83	49	29	83	16	102	117	145	49	35	87	90	49.2	19	UC209-26 209-27 209-28 UC209	CT209	2.92
UCCT210-29 210-30 210-31 210-32 UCCT210	1-13/16 1-7/8 1-15/16 2	50	19	16	83	49	29	86	16	102	117	151	49	37	90	98	51.6	19	UC210-29 210-30 210-31 210-32 UC210	CT210	3.31
UCCT211-32 211-33 211-34 211-35 UCCT211	2 2-1/16 2-1/8 2-3/16	55	25	19	102	64	35	95	22	130	146	174	64	38	106	100	55.6	22.2	UC211-32 211-33 211-34 211-35 UC211	CT211	4.56
UCCT212-36 212-37 212-38 212-39 UCCT212	2-1/4 2-5/16 2-3/8 2-7/16	60	32	19	102	64	35	102	22	130	146	194	64	42	119	114	65.1	25.4	UC212-36 212-37 212-38 212-39 UC212	CT212	5.53
UCCT213-40 213-41 UCCT213	2-1/2 2-9/16	65	32	21	111	70	41	121	26	151	167	224	70	44	137	118	65.1	25.4	UC213-40 213-41 UC213	CT213	7.47
UCCT214-42 214-43 214-44 UCCT214	2-5/8 2-11/16 2-3/4	70	32	21	111	70	41	121	26	151	167	224	70	46	137	134	74.6	30.2	UC214-42 214-43 214-44 UC214	CT214	7.72
UCCT215-45 215-46 215-47 215-48 UCCT215	2-13/16 2-7/8 2-15/16 3	75	32	21	111	70	41	121	26	151	167	232	70	48	140	136	77.8	33.3	UC215-45 215-46 215-47 215-48 UC215	CT215	7.95
UCCT216-50 UCCT216	3-1/8	80	32	21	111	70	41	121	26	165	184	236	70	51	140	146	82.6	33.3	UC216-50 UC216	CT216	9.54
UCCT217-52 UCCT217	3-1/4	85	38	29	124	73	48	157	30	173	198	264	73	54	162	150	85.7	34.1	UC217-52 UC217	CT217	11.98


**SN500 SERIES SN500 系列**  
**SSN500 SERIES SSN500 系列**






带座轴承型号 Bearing Unit NO.	轴径 Shaft Dia d		基本尺寸 Dimension (mm)																		座壳重量 Housing Wt (Kg)	轴承型号 Housing NO.	紧定套 Adapter Sleeve	定位环 Locating Ring		轴承型号 Housing		
	(mm)	(in)	L <sub>12</sub>	a	b	c	r <sub>12</sub>	m <sub>12</sub>	L	L <sub>1</sub>	W	n	m	s	u	v	x	r <sub>12</sub>	H <sub>12</sub>	f <sub>1</sub>				规格 Number	数量 QTY			
SN205	20	3/4	52	165	46	22	25	40	67	70	75	25	130	M12	15	20	22	21.5	31	3	4.2	1.4	1205K	H205	HE205	SR22×5	2	SN505
SN206	25	1	62	185	52	22	30	50	77	80	90	25	150	M12	15	20	22	26.5	38	4	5.4	2.15	1206K	H206	HE206	SR22×7	2	SN506
SN207	30	1-1/8	72	185	52	22	33	50	82	85	95	25	150	M12	15	20	24	31.5	43	4	5.4	2.35	1207K	H207	HE207	SR22×8	1	SN507
SN508	35	1-1/4	80	205	60	25	33	60	95	90	110	30	170	M12	15	20	26	36.5	48	4	5.4	3.2	1208K	H208	HE208	SR20×7.5	2	SN508
SN509	40	1-1/2	86	205	60	25	31	60	85	90	112	30	170	M12	15	20	28	41.5	53	4	5.4	4.0	1209K	H209	HE209	SR25×8	2	SN509
SN510	45	1-3/4	90	205	60	25	33	60	90	95	115	30	170	M12	15	20	28	46.5	58	4	5.4	3.75	1210K	H210	HE210	SR20×6.5	2	SN510
SN511	50	1-1/8	100	255	70	28	33	70	95	100	130	35	210	M16	18	23	30	51.5	67	5	6.9	5.3	1211K	H211	HE211	SR100×8	2	SN511
SN512	55	2-1/8	110	255	70	30	38	70	105	110	135	35	210	M16	18	23	32	56.5	72	5	6.9	6.3	1212K	H212	HE212	SR110×8	2	SN512
SN513	60	2-1/4	120	275	80	30	43	80	110	115	150	40	230	M16	18	23	36	62	77	5	6.8	6.8	1213K	H213	HE213	SR120×10	2	SN513
SN515	65	2-1/2	130	280	80	30	41	80	115	120	155	40	230	M16	18	23	38	67	82	5	6.8	7.4	1215K	H215	HE215	SR130×10	2	SN515
SN516	70	2-3/4	140	315	90	32	43	95	120	125	175	50	260	M20	22	27	40	72	89	6	8.1	11.4	1216K	H216	HE216	SR140×8.5	2	SN516
SN517	75	3	150	320	90	32	46	95	125	130	185	50	280	M20	22	27	42	77	94	6	8.1	11.1	1217K	H217	HE217	SR150×10	2	SN517
SN518	80	3-1/4	160	345	100	35	53	100	145	145	195	50	290	M20	22	27	50	82	99	6	8.1	17	1218K	H218	HE218	SR160×16.2	2	SN518
SN519	85		170	345	100	35	53	112	140	145	210	50	290	M20	22	27	52	87	104	6	8.1	15.5	1219K	H219	HE219	SR160×11.2	2	SN519
SN520	90	3-1/2	180	380	110	40	70.3	112	160	165	218	60	320	M24	26	32	54	92	111	7	9.3	23	1220K	H220	HE220	SR170×10.5	2	SN520
SN522	100	4	200	410	120	45	80	125	175	180	240	70	360	M24	26	32	60	102	125	8	10.8	29	1222K	H222	HE222	SR200×13.5	2	SN522
SN524	110	4-1/4	215	410	120	45	86	140	185	190	270	70	360	M24	26	32	64	113	135	8	10.7	33.6	1224K	H224	HE224	SR215×14	2	SN524
SN526	115	4-1/2	230	445	130	50	90	150	190	194.5	290	70	380	M24	28	36	64	118	140	8	10.7	41	1226K	H226	HE226	SR230×10	2	SN526
SN528	125	5	250	500	150	50	98	150	205	210	305	80	420	M30	33	42	70	128	154	9	12.2	49	1228K	H228	HE228	SR250×15	2	SN528
SN530	135	5-1/4	270	530	180	60	106	160	220	225	325	90	450	M30	33	42	76	138	164	9	12.2	62	1230K	H230	HE230	SR270×10	2	SN530
SN532	140	5-1/2	290	550	180	60	114	170	235	240	345	90	470	M30	33	42	80	143	173	10	13.7	68.8	1232K	H232	HE232	SR290×17	2	SN532
SSN532																						87	2323K	H232C	HE232C	SR290×10	2	SSN532



**SN200 SERIES**  
SN200 系列




带座轴承型号 Bearing Unit NO.	轴径 Shaft Dia(d)		基本尺寸 Dimension(mm)																座重 Housing wt (kg)	轴承型号 Housing NO.	定位环 Locating Ring		轴承型号 Hou	
	d	d1	D	H8	a	b	c	H <sub>2</sub>	h <sub>2</sub>	L	W	m	u	v	H <sub>1</sub>	H <sub>2</sub>	l <sub>2</sub>	d <sub>2</sub>			H <sub>12</sub>	d <sub>3</sub>		规格 Number
SN205	25	30	52	165	46	22	25	25	40	67	75	130	15	20	4	5.4	31.5	43	1.4	1250	SR52×9	2	2	SN205
SN206	30	36	62	185	52	22	30	30	50	77	90	150	15	20	4	5.4	36.5	48	1.9	1206	SR62×7	1	1	SN206
SN207	35	45	72	185	52	22	33	33	50	82	95	150	15	20	4	5.4	48.5	58	2.0	1208	SR72×8	1	1	SN207
SN208	40	50	80	205	60	25	33	33	60	85	110	170	15	20	5	6.9	51.5	67	3.0	2208	SR80×10	2	2	SN208
SN209	45	55	85	205	60	25	31	31	60	85	112	170	15	20	5	6.9	56.5	72	3.2	2210	SR85×8	1	1	SN209
SN210	50	60	90	205	60	25	33	33	60	90	115	170	15	20	5	6.8	62	77	3.4	1210	SR90×6.5	1	1	SN210
SN211	55	65	100	255	70	28	33	33	70	95	130	210	18	23	5	6.8	67	82	4.5	1211	SR100×6	1	1	SN211
SN212	60	70	110	255	70	30	38	38	70	105	135	210	18	23	6	8.1	72	89	5.0	1212	SR103×8	1	1	SN212
SN213	65	75	120	275	80	30	43	43	80	110	150	230	18	23	6	8.1	77	94	5.4	1213	SR120×10	1	1	SN213
SN214	70	80	125	275	80	30	44	44	80	115	155	230	18	23	6	8.1	82	99	6.1	1214	SR125×12	1	1	SN214
SN215	75	85	130	280	80	30	41	41	80	115	155	230	18	23	6	8.1	87	104	7.4	1215	SR130×8	1	1	SN215
SN216	80	90	140	315	90	32	43	43	95	120	175	260	27	27	7	9.3	92	111	9.5	1216	SR140×8.5	1	1	SN216
SN217	85	95	150	320	90	32	46	46	95	125	185	260	22	27	7	9.3	97	116	10.0	1217	SR150×9	1	1	SN217
SN218	90	100	160	345	100	35	62.4	62.4	100	145	195	290	22	27	8	10.8	102	125	12.8	1218	SR160×16.2	2	2	SN218
SN219	95	10	170	345	100	35	53	53	112	140	210	290	22	27	8	10.7	113	135	17.8	1219	SR170×10.5	1	1	SN219
SN220	100	115	180	380	110	40	70.3	70.3	112	160	218	320	26	32	8	10.7	118	140	19.0	1220	SR180×12.1	2	2	SN220
SN222	110	125	200	410	120	45	80	80	125	175	240	350	26	32	9	12.2	128	154	23	1222	SR200×21	2	2	SN222
SN224	120	135	215	410	120	45	86	86	140	185	270	350	26	32	9	12.2	138	164	25	2224	SR215×14	1	1	SN224
SN226	130	145	230	445	130	50	90	90	150	190	290	380	28	36	10	13.7	148	178	28	2226	SR230×13	1	1	SN226
SN228	140	155	250	500	150	50	98	98	150	205	305	420	33	42	10	13.7	158	188	36	2228	SR250×15	1	1	SN228
SN230	150	165	270	530	160	60	106	106	160	220	325	450	33	42	10	13.7	168	198	45.5	2320	SR270×16.5	1	1	SN230
SN232	160	175	290	550	160	60	114	114	170	235	345	470	33	42	10	13.7	178	208	56.5	2322	SR290×17	1	1	SN232




**SN300 SERIES**  
**SN300 系列**

带剖分座型号 BaerngUnit NO.	轴径 Shaft Dia d	基本尺寸 Dimension (mm)																	重量 Housing Wt (kg)	轴承型号 Housing NO.	定位环 Locating Ring		轴承型号 Housing No.	
		d1	D	H8	a	b	c	e	H12	h	h12	L	W	m	u	v	d2	H12			f1	H12		f2
SN305	25	30	62	185	52	22	34	50	80	90	150	15	20	31.5	43	4	5.4	1.6	1305	1306	1307	SR62 x 9.5	2	SN205
SN306	30	35	72	185	52	22	37	50	82	95	160	15	20	36.5	48	4	5.4	1.9	1306	1306	2306	SR72 x 9	2	SN206
SN307	35	45	80	205	60	25	41	60	90	110	170	15	20	46.5	58	4	5.4	2.6	1307	2307	2307	SR80 x 10	2	SN207
SN308	40	50	90	205	60	25	43	60	95	115	170	15	20	51.5	67	5	6.9	3.2	1308	2308	2308	SR80 x 10	2	SN208
SN309	45	55	100	255	70	28	46	70	105	130	210	18	23	56.5	72	5	6.9	4.5	1309	2309	2309	SR100 x 10.5	2	SN209
SN310	50	60	110	255	70	30	50	70	115	135	210	18	23	62	77	5	6.8	5.0	1310	2310	2310	SR110 x 11.5	2	SN210
SN311	55	65	120	275	80	30	53	80	120	150	230	18	23	67	82	5	6.8	6.6	1311	2311	2311	SR120 x 12	2	SN211
SN312	60	70	130	280	80	30	56	80	125	155	230	18	23	72	89	6	8.1	7.0	1312	2312	2312	SR130 x 12.5	2	SN212
SN313	65	75	140	315	90	32	58	95	130	175	260	22	27	77	94	6	8.1	8.8	1313	2313	2313	SR130 x 12.5	2	SN213
SN314	70	80	150	320	90	32	61	95	130	185	260	22	27	82	99	6	8.1	10.3	1314	2314	2314	SR140 x 10	2	SN214
SN315	75	85	160	345	100	35	65	100	140	195	290	22	27	87	104	6	8.1	11.4	1315	2315	2315	SR150 x 10	2	SN215
SN316	80	90	170	345	100	35	68	112	145	212	290	22	27	92	111	7	9.3	13.0	1316	2316	2316	SR170 x 14.5	2	SN216
SN317	85	95	180	380	110	40	70	112	155	218	320	26	32	97	116	7	9.3	16.0	1317	2317	2317	SR160 x 14.5	2	SN217
SN318	90	100	190	400	110	33	74	112	160	230	320	26	35	102	125	8	10.8	22.8	1318	2318	2318	SR160 x 15.5	2	SN218
SN319	95	110	200	420	120	36	77	125	170	245	350	26	35	113	135	8	10.7	27.8	1319	2319	2319	SR200 x 16	2	SN219
SN320	100	115	215	420	120	38	83	140	175	280	350	28	35	118	140	8	10.7	34.0	1320	2320	2320	SR215 x 18	2	SN220
SN322	110	125	240	460	130	40	90	150	190	300	390	33	42	128	154	9	12.2	45.0	1322	2322	2322	SR240 x 20	2	SN222
SN324	120	135	260	540	160	50	96	160	205	325	450	33	42	138	164	9	12.2	62.0	1324	2324	2324	SR260 x 10	2	SN224
SN326	130	150	280	560	160	50	103	170	215	350	470	33	42	153	183	10	13.7	68.8	1326	2326	2326	SR280 x 10	2	SN226
SN328	140	160	300	630	170	55	112	180	235	375	520	35	45	163	193	10	13.7	98.0	1328	2328	2328	SR300 x 10	2	SN228
SN330	150	170	320	680	180	55	118	190	245	385	560	35	45	173	203	10	13.7	116.0	1330	2330	2330	SR320 x 10	2	SN230
SN332	160	180	340	710	190	60	124	200	255	415	580	42	52	183	213	10	13.7	135.0	1332	2332	2332	SR340 x 10	2	SN232

**SNU500 SERIES**  
SNU500 系列




带剖分轴承型号 Bearing Unit NO.	轴径 Shaft Dield		基本尺寸 Dimension (mm)																座壳重量 Housing wt (kg)	轴壳型号 Housing NO.	定位环 Locating Ring		轴承座型号 Housing No.		
	d (mm)	H12	a	e	b	u	v	c	w	L	d1	H12	d2	H12	n	J	F	d			H12	Da		H8	S
SNU505	20	40	165	130	46	13	20	19	71	67	31.5	38.5	7.5	5	25	52	M10	1.9	H205K	H205	SR52 × 5	2	SNU505		
SNU506-605	25	50	185	150	52	13	22	22	87	77	36.5	44.5	7.5	5	32	62	M10	2.2	H206K	H206	SR52 × 5	2	SNU506-605		
SNU507-606	30	50	195	150	52	13	20	22	92	82	46.5	54.5	7.5	5	34	72	M10	2.4	H207K	H207	SR72 × 8.5	2	SNU507-606		
SNU508-607	35	60	205	170	60	15	20	25	106	95	51.5	59.5	7.5	5	39	80	M12	3.2	H208K	H208	SR60 × 10.5	2	SNU508-607		
SNU509	40	60	205	170	60	15	20	25	109	95	56.5	64.5	8.5	5	30	85	M12	3.5	H209K	H209	SR55 × 5	1	SNU509		
SNU510-608	45	60	205	170	60	15	20	25	112	90	62	70.5	8.5	5	41	90	M12	3.85	H210K	H210	SR90 × 10.5	2	SNU510-608		
SNU511-609	50	70	255	210	70	18	23	28	127	95	67	75.5	8.5	5	44	100	M16	5.2	H211K	H211	SR100 × 11.5	2	SNU511-609		
SNU512-610	55	70	255	210	70	18	23	30	133	105	72	80.5	8.5	5	48	110	M16	6.7	H212K	H212	SR110 × 9.5	2	SNU512-610		
SNU513-611	60	80	275	230	80	18	24	30	149	110	77	85.5	8.5	5	51	120	M16	7.9	H213K	H213	SR120 × 14	2	SNU513-611		
SNU515-612	65	80	280	230	80	18	26	30	154	115	87	95.5	40	8.5	5	56	130	M16	7.7	H215K	H215	SR130 × 15.5	2	SNU515-612	
SNU516-613	70	95	315	260	90	22	29	32	175	120	92.5	101	40	10.5	5	58	140	M20	11.0	H216K	H216	SR140 × 16	2	SNU516-613	
SNU517	75	95	320	260	90	22	30	32	181	125	97.5	106	50	10.5	5	61	150	M20	12.7	H217K	H217	SR150 × 16.5	2	SNU517	
SNU518-615	80	100	345	290	100	22	27	35	192	140	102.5	111	50	10.5	5	65	160	M20	14.8	H218K	H218	SR160 × 17.5	2	SNU518-615	
SNU519-616	85	112	345	290	100	22	27	35	209	145	131	141	50	11.5	5	68	170	M20	15.5	H219K	H219	SR170 × 18	2	SNU519-616	
SNU520-617	90	112	380	320	110	26	32	40	215	160	137.5	147.5	60	11.5	6	70	180	M24	18.4	H220K	H220	SR180 × 12.5	1	SNU520-617	
SNU522-619	100	125	410	350	120	26	32	45	239	175	147.5	157.5	70	11.5	6	80	200	M24	24.8	H222K	H222	SR200 × 10.2	1	SNU522-619	
SNU524-620	110	140	410	350	120	26	32	45	271	185	157.5	167.5	70	11.5	6	86	215	M24	32.2	H224K	H224	SR215 × 14	1	SNU524-619	
SNU526	115	150	445	380	130	28	35	50	290	190	167.5	177.5	70	13	6	90	230	M24	39.8	H226K	H226	SR230 × 13	1	SNU526	
SNU528	125	150	500	420	150	35	42	50	302	205	177.5	187.5	80	13	6	98	250	M30	48.8	H228K	H228	SR250 × 15	1	SNU528	
SNU530	135	160	530	450	160	35	42	60	323	220	192.5	202.5	90	13.5	6	105	270	M30	56.5	H230K	H230	SR270 × 16.5	1	SNU530	
SNU532	140	170	550	470	160	35	42	60	344	235	202.5	212.5	90	13.5	6	114	290	M30	63.5	H232K	H232	SR290 × 17	1	SNU532	




**SNG500 SERIES**  
**SNG500 系列**

带座轴承型号 Bearing Unit NO.	轴径 Shaft Dia d (mm)	基本尺寸 Dimension (mm)																	重量 Housing Wt. (kg)	轴承型号 Housing NO.	定位环 Locating Ring		轴承型号 Housing No.
		H <sub>1</sub> h <sub>12</sub>	a	e	b	u	v	c	W	L	d <sub>1</sub> H <sub>12</sub>	d <sub>2</sub> H <sub>12</sub>	n	J	F	g H <sub>12</sub>	Da H <sub>B</sub>	S			Number	数量 QTY	
SNG507-606	30	50	185	150	52	13	20	22	92	82	46.5	54.5		7.5	5	34	72	M10		H207 22207K	SR72 x 8.5	2	SNG507-606
SNG508-607	35	60	205	170	60	15	20	25	106	85	51.5	59.5		7.5	5	39	80	M12		H307 22208K	SR80 x 10.5	2	SNG508-607
SNG509	40	80	205	170	60	15	20	25	109	85	56.5	64.5		8.5	5	30	85	M12		H308 22209K	SR85 x 8	2	SNG509
SNG510-608	45	80	205	170	60	15	20	25	112	90	62	70.5		8.5	5	41	90	M12		H309 22209K	SR85 x 7	1	SNG510-608
SNG511-609	50	70	255	210	70	18	23	28	127	95	67	75.5	35	8.5	5	44	100	M16	M12	H310 22210K	SR90 x 10.5	2	SNG511-609
SNG512-610	55	70	255	210	70	18	23	30	133	105	72	80.5	35	8.5	5	48	110	M16	M12	H311 22211K	SR100 x 11.5	2	SNG512-610
SNG513-611	60	80	275	230	80	18	24	30	148	110	77	85.5	35	8.5	5	51	120	M16	M12	H312 22212K	SR110 x 13	2	SNG513-611
SNG515-612	65	80	280	230	80	18	26	30	154	115	87	95.5	40	8.5	5	56	130	M16	M12	H313 22213K	SR120 x 14	2	SNG515-612
SNG516-613	70	95	315	260	90	22	29	32	175	120	92.5	101	40	10.5	5	58	140	M20	M12	H314 22214K	SR130 x 15.5	2	SNG516-613
SNG517	75	95	320	260	90	22	30	32	181	125	97.5	106	50	10.5	5	61	150	M20	M12	H315 22215K	SR140 x 16	2	SNG517
SNG518-615	80	100	345	290	100	22	27	35	192	140	102.5	111	50	10.5	5	65	160	M20	M16	H316 22216K	SR150 x 16.5	2	SNG518-615
SNG519-616	85	112	345	290	100	22	27	35	209	145	131	141	50	11.5	6	68	170	M20	M16	H317 22217K	SR160 x 17.5	2	SNG519-616
SNG520-617	90	112	360	320	110	26	32	40	215	160	137.5	147.5	60	11.5	6	70	180	M24	M16	H318 22218K	SR170 x 18.5	1	SNG520-617
SNG522-619	100	125	410	350	120	26	32	45	239	175	147.5	157.5	70	11.5	6	80	200	M24	M16	H319 22219K	SR180 x 12.5	2	SNG522-619
SNG524-620	110	140	410	350	120	26	32	45	271	185	157.5	167.5	70	11.5	6	86	215	M24	M16	H320 22220K	SR190 x 12.5	1	SNG524-619
SNG526	115	150	445	380	130	28	35	50	290	190	167.5	177.5	70	13	6	90	230	M24	M20	H321 22221K	SR200 x 21	2	SNG526
SNG528	125	150	500	420	150	35	42	50	302	205	177.5	187.5	80	13	6	98	250	M30	M24	H322 22222K	SR210 x 14	2	SNG528
SNG530	135	180	530	450	160	35	42	60	323	220	192.5	202.5	90	13.5	6	106	270	M30	M24	H323 22223K	SR215 x 10	2	SNG530
SNG532	140	170	550	470	160	35	42	60	344	235	202.5	212.5	90	13.5	6	114	290	M30	M24	H324 22224K	SR230 x 13	2	SNG532

**S3000 SERIES**  
S3000 系列




带座轴承型号 Bearing Unit NO.	轴径 Shaft Dia (mm)	基本尺寸 Dimension (mm)																座壳重量 Housing wt (kg)	轴承座型号 Housing NO.	紧定套 Adapter Sleeve	定位环 Locating Ring	
		H	h12	W	L	a	b	c	m	g	H12	f1	f2	d2	H12	d3	H12				v	u
S3024K	110	112	215	150	390	110	40	320	56	8	8	10.7	113	135	30	36	M24	16.5	23024K	H3024	FR180/10	1
S3026	115	125	239	160	420	120	45	350	62	8	8	10.7	118	140	30	36	M24	19.3	23026K	H3026	FR200/10	1
S3028	125	140	259	170	420	120	45	350	63	9	9	12.2	128	154	30	36	M24	24.6	23028K	H3028	FR210/10	1
S3030	135	150	278	175	460	130	45	380	66	9	9	12.2	138	164	30	36	M24	29	23030K	H3030	FR225/10	1
S3032	140	150	288	190	470	130	50	390	70	10	10	13.7	143	173	30	36	M24	37	23032K	H3032	FR240/10	1
S3034	150	160	320	200	540	160	55	450	77	10	10	13.7	153	183	36	36	M30	45	23034K	H3034	FR260/10	1
S3036	160	170	340	210	560	160	55	470	84	10	10	13.7	163	193	36	36	M30	65	23036K	H3036	FR280/10	1
S3038	170	170	353	210	560	160	55	470	85	10	10	13.7	173	203	36	48	M30	67	23038K	H3038	FR290/10	1
S3040	180	180	373	235	615	170	60	515	92	10	10	13.7	183	213	36	48	M30	72	23040K	H3040	FR310/10	1
S3044	200	200	408	255	690	190	70	580	100	11	11	15.5	203	240	42	48	M36	98	23044K	H3044	FR340/10	1
S3048	220	210	433	265	720	200	75	610	102	11	11	15.5	223	260	42	50	M36	110	23048K	H3048	FR360/10	1
S3052	240	240	485	285	820	220	80	680	114	12	12	17.3	243	286	52	50	M45	148	23052K	H3052	FR400/10	1
S3056	260	250	505	295	860	230	80	720	116	12	12	17.3	263	306	52	70	M45	165	23056K	H3056	FR420/10	1




**SD3000 SERIES**  
**SD3000 系列**

带座轴承型号 Bearing Unit NO.	轴径 Shaft Dia d1 (mm)	基本尺寸 Dimension (mm)																			座重量 Housing Wt (kg)	轴承型号 Bearing NO.	固定套 Adapter Sleeve	定位环 Locating Ring		轴承座型号 Housing No.
		D	H8	a	b	c	g	H12	h	h12	L	W	m	n	u	v	s	d2	d3	f1				f2	规格 Number	
SD3034	150	260	540	200	50	77	160	230	320	450	110	36	52	M30	153	183	10	13.8	10	13.8	62	H3034	SR260 x 10	1	SD3034	
SD3036	160	280	560	220	50	84	170	250	340	470	120	36	52	M30	163	193	10	13.8	10	13.8	78	H3036	SR280 x 10	1	SD3036	
SD3038	170	290	560	220	50	85	170	250	345	470	120	36	52	M30	173	203	10	13.8	10	13.8	82	H3038	SR290 x 10	1	SD3038	
SD3040	180	310	620	230	60	92	180	270	360	510	140	36	52	M30	183	213	10	13.8	10	13.8	92	H3040	SR310 x 10	1	SD3040	
SD3044	200	340	700	260	65	100	200	290	400	570	160	36	55	M30	203	240	11	15.7	125	23044K	H3044	SR340 x 10	1	SD3044		
SD3048	220	360	740	270	65	102	210	300	420	610	170	36	55	M30	223	260	11	15.7	140	23048K	H3048	SR360 x 10	1	SD3048		
SD3052	240	400	820	300	70	114	240	330	475	680	190	43	62	M36	243	286	12	17.4	200	23052K	H3052	SR400 x 10	1	SD3052		
SD3056	260	420	860	320	85	116	250	350	500	710	200	43	62	M36	263	306	12	17.4	230	23056K	H3056	SR420 x 10	1	SD3056		
SD3060	280	460	920	330	85	128	280	360	550	770	210	43	62	M36	283	332	13	19.1	290	23060K	H3060	SR440 x 10	1	SD3060		
SD3064	300	480	940	340	85	131	280	370	560	790	210	43	62	M36	303	352	13	19.1	300	23064K	H3064	SR480 x 10	1	SD3064		
SD3068	320	520	1020	370	100	143	310	400	615	860	230	50	70	M42	323	372	13	19.1	400	23068K	H3068	SR520 x 10	1	SD3068		
SD3072	340	540	1060	390	100	144	325	410	640	890	250	50	70	M42	343	392	13	19.1	450	23072K	H3072	SR540 x 10	1	SD3072		
SD3076	360	560	1080	390	100	145	340	410	665	900	260	50	70	M42	363	412	13	19.1	470	23076K	H3076	SR560 x 10	1	SD3076		

**SD3100 SERIES**  
**SD3100 系列**




带座轴承型号 Bearing Unit NO.	轴径 Shaft Dia $\phi$ (mm)	基本尺寸 Dimension (mm)																			座重量 Housing wt (kg)	轴承型号 Bearing NO.	固定套 Adapter Sleeve	定位环		轴承型号 Housing No.
		D	H8	a	b	c	$\phi$ H12	h	h12	L	L21	W	m	n	u	v	J	X	Z	S				规格 Number	数量 QTY	
SD3134	150	280	510	180	70	108	170	230	308	335	430	100	30	36	14	65	120	M24	M24	SR280 x 10	2	SD3134				
SD3136	160	300	530	190	75	116	180	240	318	355	450	110	30	36	15	68	130	M24	M24	SR300 x 10	2	SD3136				
SD3138	170	320	560	210	80	124	190	260	336	375	480	120	30	38	10	80	140	M24	M24	SR320 x 10	2	SD3138				
SD3140	180	340	610	230	85	132	210	280	356	410	510	130	35	40	10	82	150	M30	M30	SR340 x 10	2	SD3140				
SD3144	200	370	640	240	90	140	220	290	368	435	540	140	35	40	12	90	155	M30	M30	SR370 x 10	2	SD3144				
SD3148	220	400	700	260	95	148	240	310	388	475	600	150	35	40	12	100	160	M30	M30	SR400 x 10	2	SD3148				
SD3152	240	440	770	280	100	164	260	320	400	515	650	160	40	48	13	105	170	M36	M36	SR440 x 10	2	SD3152				
SD3156	260	460	790	180	105	166	280	320	400	550	670	160	42	50	16	105	170	M36	M36	SR460 x 10	2	SD3156				
SD3160	280	500	830	310	110	180	300	350	426	590	710	190	42	60	22	110	190	M36	M36	SR500 x 10	2	SD3160				
SD3164	300	540	880	330	115	196	320	370	448	630	750	200	42	60	23	120	200	M36	M36	SR540 x 10	2	SD3164				
SD3168	320	580	965	380	120	210	340	390	488	670	840	240	49	59	25	135	220	M45	M45	SR580 x 10	2	SD3168				
SD3172	340	600	1040	390	130	212	360	390	498	720	890	255	49	59	22	145	225	M45	M45	SR600 x 10	2	SD3172				
SD3176	360	620	1120	400	135	214	380	405	520	750	980	255	60	72	22	145	240	M55	M55	SR620 x 10	2	SD3176				
SD3180	380	650	1245	420	140	220	400	405	552	790	1050	270	65	78	22	150	260	M60	M60	SR650 x 10	2	SD3180				



**SNL3100 SERIES**  
**SNL3100 系列**

Housing NO.	Shaft Dia $d_1$ (mm)	基本尺寸 Dimension (mm)															Housing wt (kg)	Bearing NO.	Adapter Sleeve	Locating Ring			
		D	a	b	c	g	h	L	W	m	n	u	v	J	X	Z				S	Number	QTY	
SNL3134	150	280	50	180	70	108	170	230	333	450	100	28	34	14	65	120	M24	70	23134K	H3134	HE3134	SR280 x 10	2
SNL3136	160	300	530	190	75	116	180	240	353	450	110	28	34	15	68	130	M24	79	23136K	H3136	HE3136	SR300 x 10	2
SNL3138	170	320	560	210	80	124	190	260	375	480	120	28	34	10	80	140	M24	100	23138K	H3138	HE3138	SR320 x 10	2
SNL3140	180	340	610	230	85	132	210	280	411	510	130	35	42	10	82	150	M30	130	23140K	H3140	HE3140	SR340 x 10	2
SNL3144	200	370	640	240	90	140	220	290	434	540	140	35	42	12	90	155	M30	146	23144K	H3144		SR370 x 10	2
SNL3148	220	400	700	260	95	148	240	310	474	600	150	35	42	12	100	160	M30	190	23148K	H3148		SR400 x 10	2
SNL3152	240	440	770	280	100	164	260	320	516	650	160	42	50	13	105	170	M36	230	23152K	H3152		SR440 x 10	2
SNL3156	260	460	790	280	105	166	280	320	551	670	160	42	50	16	105	170	M36	260	23156K	H3156		SR460 x 10	2
SNL3160	280	500	830	310	110	180	300	350	591	710	190	42	50	22	110	190	M36	320	23160K	H3160		SR500 x 10	2
SNL3164	300	540	880	330	115	196	320	370	631	750	200	42	50	23	120	200	M36	350	23164K	H3164		SR540 x 10	2


SD200、SD300 系列大孔径



型 号		轴 径		D H8	L	b	c	h h13	g H13	g1 H13	W	H
固定端	自由端	d	d <sub>L</sub>									
SD234G	SD234Z	170	190	310	620	250	60	180	96	86	270	360
SD236G	SD236Z	180	200	320	650	260	60	190	96	86	280	380
SD238G	SD238Z	190	210	340	700	280	65	200	102	92	290	400
SD240G	SD240Z	200	220	360	740	290	65	210	108	98	300	420
SD244G	SD244Z	220	240	400	820	320	70	240	118	108	330	475
SD248G	SD248Z	240	260	440	880	330	85	260	130	120	340	515
SD252G	SD252Z	260	280	480	940	360	85	280	140	130	370	560
SD256G	SD256Z	280	300	500	990	380	100	300	140	130	390	590
SD260G	SD260Z	300	320	540	1060	400	100	325	150	140	410	640
SD264G	SD264Z	320	340	580	1110	430	110	355	160	150	440	690


SD334G	SD334Z	170	190	360	740	290	65	210	130	120	300	420
SD336G	SD336Z	180	200	380	780	310	70	225	136	126	320	450
SD338G	SD338Z	190	210	400	820	320	70	240	142	132	330	475
SD340G	SD340Z	200	220	440	880	330	85	260	148	138	350	500
SD344G	SD344Z	220	240	480	940	360	85	280	155	145	360	550
SD348G	SD348Z	240	260	500	990	380	100	300	165	155	390	590
SD352G	SD352Z	260	280	540	1060	400	100	325	175	165	410	640
SD356G	SD356Z	280	300	580	1110	430	110	355	185A	175	440	690

SD200E、SD300E 系列异孔径



型 号		轴 径		D H8	L	b	c	h h13	g H13	g1 H13	W	H
固定端	自由端	d	d <sub>t</sub>									
SD234EG	SD234EZ	170	190	310	620	250	60	180	96	86	270	360
SD236EG	SD236EZ	180	200	320	650	260	60	190	96	86	280	380
SD238EG	SD238EZ	190	210	340	700	280	65	200	102	92	290	400
SD240EG	SD240EZ	200	220	360	740	290	65	210	108	98	300	420
SD244EG	SD244EZ	220	240	400	820	320	70	240	118	108	330	475
SD248EG	SD248EZ	240	260	440	880	330	85	260	130	120	340	515
SD252EG	SD252EZ	260	280	480	940	360	85	280	140	130	370	560
SD256EG	SD256EZ	280	300	500	990	380	100	300	140	130	390	590
SD260EG	SD260EZ	300	320	540	1060	400	100	325	150	140	410	640
SD264EG	SD264EZ	320	340	580	1110	430	110	355	160	150	440	690


SD334EG	SD334EZ	170	190	360	740	290	65	210	130	120	300	420
SD336EG	SD336EZ	180	200	380	780	310	70	225	136	126	320	450
SD338EG	SD338EZ	190	210	400	820	320	70	240	142	132	330	475
SD340EG	SD340EZ	200	220	440	880	330	85	260	148	138	350	500
SD344EG	SD344EZ	220	240	480	940	360	85	280	155	145	360	550
SD348EG	SD348EZ	240	260	500	990	380	100	300	165	155	390	590
SD352EG	SD352EZ	260	280	540	1060	400	100	325	175	165	410	640
SD356EG	SD356EZ	280	300	580	1110	430	110	355	185A	175	440	690



**SD500 SERIES**  
**SD600 SERIES**  
**SD500 系列**  
**SD500 系列**


带座轴承型号 Bearing Unit NO.	轴径 Shaft Dia d1 (mm)	基本尺寸 Dimension (mm)																	重量 Housing wt. (Kg)	轴承型号 Bearing NO.	紧定套 Adapter Sleeve	定位环 Locating Ring		轴承座型号 Housing No.
		D H8	a	b	c	g	h	L	W	m	n	u	v	S	d2 H12	d3 H12	f1 H12	f2				规格 Number	数量 QTY	
SD534	150	310	620	230	60	106	180	270	360	510	140	36	52	M30	153	183	10	13.8	92	22234K	H3134	SR310×10	2	SD534
SD536	160	320	650	240	60	106	190	280	380	540	150	36	52	M30	163	193	10	13.8	105	22236K	H3136	SR320×10	2	SD536
SD538	170	340	700	260	65	112	200	290	400	570	160	36	55	M30	173	203	10	13.8	125	22238K	H3138	SR340×10	2	SD538
SD540	180	360	740	270	65	118	210	300	420	610	170	36	55	M30	183	213	10	13.8	140	22240K	H3140	SR360×10	2	SD540
SD544	200	400	820	300	70	128	240	330	475	680	190	43	62	M36	203	240	11	15.7	200	22244K	H3144	SR400×10	2	SD544
SD548	220	440	880	310	85	140	260	340	515	740	200	43	62	M36	223	260	11	15.7	230	22248K	H3148	SR440×10	2	SD548
SD552	240	480	940	340	85	150	280	370	560	790	210	43	62	M46	243	286	12	17.4	300	22252K	H3152	SR480×10	2	SD552
SD556	260	500	990	370	100	150	300	390	590	830	230	50	70	M42	263	306	12	17.4	350	22256K	H3156	SR500×10	2	SD556
SD560	280	540	1060	390	100	160	325	410	640	890	250	50	70	M42	283	332	13	19.1	450	22260K	H3160	SR540×10	2	SD560
SD564	300	580	1110	420	110	170	355	440	690	930	270	58	77	M48	303	352	13	19.1	550	22264K	H3164	SR580×10	2	SD564
SD634	150	360	740	270	65	130	210	300	420	610	170	36	55	M30	153	183	10	13.8	140	22234K	H2334	SR320×10	2	SD634
SD636	160	380	780	290	70	136	225	320	450	640	180	43	62	M36	163	193	10	13.8	170	22236K	H2336	SR340×10	2	SD636
SD638	170	400	820	300	70	142	240	330	475	680	190	43	62	M36	173	203	10	13.8	200	22238K	H2338	SR360×10	2	SD638
SD640	180	420	860	320	85	148	250	350	500	710	200	43	62	M36	183	213	10	13.8	230	22240K	H2340	SR400×10	2	SD640
SD644	200	460	920	330	85	155	280	360	550	770	210	43	62	M36	203	240	11	15.7	290	22244K	H2344	SR440×10	2	SD644
SD648	220	500	990	370	100	165	300	390	590	830	230	50	70	M42	223	260	11	15.7	350	22248K	H2348	SR480×10	2	SD648
SD652	240	540	1060	390	100	175	325	410	640	890	250	50	70	M42	243	286	12	17.4	450	22252K	H2352	SR500×10	2	SD652
SD656	260	580	1110	420	110	185	355	440	690	930	270	58	77	M48	263	306	12	17.4	550	22256K	H2356	SR540×10	2	SD656

SN3000 SERIES SN3100 SERIES  
SN3000 系列 SN3100 系列



座轴承型号 Housing NO.	轴径 Shaft Dia $\phi$ (mm)	基本尺寸 Dimension(mm)																	座轴承重量 Housing Wt (kg)	轴承型号 Bearing NO.	固定套 Adapter Sleeve	定位环 Locating Ring		轴承型号 Housing No.	
		D	a	b	c	g	h	L	W	m	n	u	v	f1	f2	s	d2	d3				规格 Number	数量 QTY		
SN3024	110	180	380	110	40	56	112	160	218	320	60	26	32	8	10.7	M24	M16	113	135	17	23024K	H3024	SR180 × 10	1	SN3024
SN3026	115	200	410	120	45	62	125	175	240	350	70	26	32	8	10.7	M24	M16	118	140	20	23026K	H3026	SR200 × 10	1	SN3026
SN3028	125	210	410	120	45	63	140	185	270	350	70	26	32	9	12.2	M24	M16	128	154	25	23028K	H3028	SR210 × 10	1	SN3028
SN3030	135	225	445	130	50	66	150	175	283	380	70	28	36	9	12.22	M24	M20	143	164	30	23030K	H3030	SR225 × 10	1	SN3030
SN3032	140	240	460	130	40	70	150	190	300	390	70	28	38	10	13.7	M24	M20	143	173	37	23032K	H3032	SR240 × 10	1	SN3032
SN3036	150	260	540	160	50	77	160	205	325	450	90	33	42	10	13.7	M30	M20	153	183	47	23036K	H3034	SR260 × 10	1	SN3034
SN3038	160	280	550	160	50	84	170	215	345	470	90	33	42	10	13.7	M30	M20	163	193	55	23038K	H3036	SR280 × 10	1	SN3036
SN3039	170	290	550	160	60	85	170	235	345	470	90	33	42	10	13.7	M30	M24	173	203	53	23039K	H3038	SR290 × 10	1	SN3038


座轴承型号 Housing NO.	轴径 Shaft Dia $\phi$ (mm)	基本尺寸 Dimension(mm)																	座轴承重量 Housing Wt (kg)	轴承型号 Bearing NO.	固定套 Adapter Sleeve	定位环 Locating Ring		轴承型号 Housing No.	
		D	a	b	c	g	h	L	W	m	n	u	v	f1	f2	s	d2	d3				规格 Number	数量 QTY		
SN3122	100	180	380	110	40	66	112	160	218	320	60	26	26	8	10.8	M24	M16	102	125	17	23024K	H3024	SR180 × 10	1	SN3024
SN3124	110	200	410	120	45	72	125	175	240	350	70	26	26	8	10.7	M24	M16	113	135	20	23026K	H3026	SR200 × 10	1	SN3026
SN3126	115	210	410	120	45	74	140	185	270	350	70	26	26	8	10.7	M24	M16	118	140	25	23028K	H3028	SR210 × 10	1	SN3028
SN3128	125	225	445	130	50	78	150	175	285	380	70	28	28	9	12.2	M24	M20	128	154	30	23030K	H3030	SR225 × 10	1	SN3030
SN3130	135	250	500	150	50	90	150	205	305	420	80	33	33	9	12.2	M30	M24	138	164	38	23032K	H3032	SR240 × 10	1	SN3032
SN3132	140	270	530	160	60	96	160	220	325	450	90	33	33	10	13.7	M30	M24	143	173	46	23034K	H3034	SR260 × 10	1	SN3034



**1500 SERIES**  
**1500 系列**


轴承型号 Housing NO.	轴径 Shaft Dia d1 (mm)	基本尺寸 Dimension(mm)																座重量 Housing wt (kg)	轴承型号 Bearing NO.	固定套 Adapter Sleeve
		a	m	h h12	c	L	b	L	L	D H8	g H12	f1 H12	f2	d2 H12	d3 H12	v	u			
1504	17	128	98	31	14	50	34	50	47	1818	2.5	3.2	18.5	28	16	12	0.67	1204K	H204	H304
1505	20	134	104	34	15	57	37	57	52	20	2.5	3.5	21.5	31	16	12	0.78	1205K	H205	H305
1506	25	150	118	39	15	60	40	60	62	23	2.8	3.5	26.5	38	18	12	1	1206K	H206	H306
1507	30	177	140	45	17	69	44	69	72	23	3.2	3.5	31.5	43	20	14	1.6	1207K	H207	H307
1508	35	190	150	48	18	75	53	75	80	23	3.2	4	36.5	48	22	14	1.95	1208K	H208	H308
1509	40	195	157	52	19	77	53	77	85	23	3.5	4	41.5	53	23	14	2.2	1209K	H209	H309
1510	45	206	165	54	21	83	56	83	90	23	3.5	4	46.5	58	23	14	2.8	1210K	H210	H310
1511	50	229	183	62	22	90	67	90	100	25	3.5	4	51.5	67	25	18	3.7	1211K	H211	H311
1512	55	249	205	69	22	92	69	92	110	28	3.5	4	56.5	72	26	18	4.8	1212K	H212	H312
1513	60	266	217	73	26	94	73	94	120	31	4.5	5	62	77	26	18	5.5	1213K	H213	H313
1515	65	280	225	78	26	95	75	95	130	31	4.5	5	67	82	26	18	6	1215K	H215	H315
1516	70	300	240	86	26	110	78	110	140	33	5	6	72	89	28	18	8.2	1216K	H216	H316
1517	75	320	260	92	28	125	88	125	150	36	6	6.5	77	94	30	18	10	1217K	H217	H317
1518	80	360	290	100	30	130	90	130	160	40	6	6.5	82	99	40	22	13	1218K	H218	H318

**1200 SERIES**  
**1200 系列**





座轴承型号 Housing NO.	轴 径 Shaft Dia (mm)	基本尺寸 Dimension(mm)																轴承座型号 Housing Wt (kg)	轴承型号 Bearing No.	
		d1	a	m	h	c	b	L	D	g	f1	f2	d2	d3	v	u				
1205	25	30	134	104	34	15	57	37	52	18	4	5.4	31.5	43	18	12	0.76	1205	2205	
1206	30	35	150	118	39	15	60	40	62	20	4	5.4	36.5	48	18	12	0.98	1206	2206	
1207	35	45	177	140	45	17	69	44	72	23	4	5.4	46.5	58	20	14	1.4	1207	2207	
1208	40	50	190	150	48	18	75	53	80	23	5	6.9	51.5	67	22	14	1.7	1208	2208	
1209	45	55	195	157	52	19	77	53	85	23	5	6.9	56.5	72	22	14	2	1209	2209	
1210	50	60	206	165	54	21	83	56	90	23	5	6.8	62	77	22	14	2.5	1210	2210	
1211	55	65	229	183	62	22	90	67	100	25	5	6.8	67	82	25	18	3.4	1211	2211	
1212	60	70	249	205	69	22	92	69	110	28	6	8.1	72	89	28	18	4.5	1212	2212	
1213	65	75	266	217	73	26	94	73	120	31	6	8.1	77	94	28	18	5.2	1213	2213	
1214	70	80	270	220	75	26	95	73	125	31	6	8.1	82	99	28	18	5.7	1214	2214	
1215	75	85	280	225	78	26	95	75	130	31	6	8.1	87	104	28	18	5.9	1215	2215	
1216	80	90	300	240	86	26	110	78	140	33	7	8.1	92	111	28	18	7.8	1216	2216	
1217	85	95	320	260	92	28	125	88	150	36	7	9.3	97	116	30	18	9.5	1217	2217	
1218	90	100	360	290	100	30	130	90	160	40	8	10.8	102	125	40	22	12	1218	2218	






A type




B type



**722500 SERIES**  
**722500 系列**


座轴承型号 Housing NO.		轴 径 Shaft Dia		基本尺寸 Dimension(mm)														座重量 Housing wt (kg)		轴承型号 Bearing No.		固定套 Adapter Sleeve		定位环 Bearing No.	
A	B	d1 (mm)	Aa	Ab	g	Ba	Bb	D	H1	E	L	S	f1	H12	I2	d2	d3	G	A	B			规格 Number	数量 QTY	
722515A	722515B	65	100	107	25	30	23	168	95	152	190	18	5	6.8	66.5	82	M16	10.55	10.85			H215 H315	FRB8/130 FRB10/130 FRB10/130	2 1 1	
722516A	722516B	70	102	114	25	31	22	176	98	152	196	18	6	8.1	71.5	89	M16	12.3	12.7			H216 H316	FRB8.5/140 FRB10/140 FRB10/140	2 1 1	
722517A	722517B	75	107	115	25	31	24	188	105	170	210	22	6	8.1	76.5	94	M16	14.75	15.5			H217K H317 H317	FRB9/150 FRB10/150 FRB10/150	2 1 1	
722518A	722518B	80	112	119	25	30	25	198	105	170	210	22	6	8.1	81.5	99	M16	16.35	17			H218K H318 H318	FRB10/160 FRB10/160 FRB10/160	2 1 1	
722520A	722520B	90	124	134	30	30	31	224	125	198	250	22	7	9.3	92	111	M20	22.3	22.9			H220 H320 H320	FRB11/180 FRB10/180 FRB10/180	2 1 1	
722522A	722522B	100	134	137	30	30	33	246	135	219	270	22	8	10.8	102	125	M20	28.3	27.8			H222K H322 H322	FRB12.5/200 FRB10/200 FRB10/200	2 1 1	



SAF500 SERIES

SAF500 系列


座轴承型号 Housing NO.	轴 径 Shaft Dia $d_1$ (in)	基本尺寸 Dimension (mm)													座重量 Housing wt (kg)
		D H8	g H12	h h12	w	L	(L1)	a	b	c	e max	e min	n	s	
SAF505	3/4	52	25	38.1	75	70	73	165	45	18	139.7	118		M12 (2)	1.8
SAF506	15/16	62	30	44.5	86	78	83	191	51	18	156	133		M12 (2)	2.2
SAF507	1-3/16	72	33	50.8	97	81	83	191	51	21	156	143		M12 (2)	2.7
SAF509	1-7/16	85	31	57.2	111	87	92	210	61	21	178	159		M12 (2)	3.9
SAF510	1-11/16	90	33	63.5	121	87	99	210	61	24	178	165		M12 (2)	4.3
SAF511	1-3/16	100	33	69.9	133	95	114	245	70	24	200	188		M16 (2)	5
SAF513	2-3/16	120	41	76.2	151	108	114	279/279	80	25	241	206		M16 (2)	7.7
FSAF513	2-3/16	120	41	76.2	151	108	114	286	80	25	241	206	50.8	M12 (4)	7.7
SAF515	2-7/16	130	41	82.6	162	118	121	286	80	29	245	219		M16 (2)	8.7
FSAF515	2-7/16	130	41	82.6	162	118	121	330	80	29	245	219	47.7	M12 (4)	8.7
SAF516	2-11/16	140	43	88.9	175	121	124	330	89	30	279	245		M20 (2)	11.6
FSAF516	2-11/16	140	43	88.9	175	121	124	330	89	30	279	245	54.1	M16 (4)	11.6
SAF517	2-15/16	150	46	95.3	186	122	127	330	89	32	279	251		M20 (2)	12.3
FSAF517	2-15/16	150	46	95.3	186	122	127	330	89	32	279	251	54.1	M16 (4)	12.3
SAF518	3-3/16	160	50	101.6	197	140	146	349	99	33	295	264		M20 (2)	15.4
FSAF518	3-3/16	160	50	101.6	197	140	146	349	99	33	295	264	54.1	M16 (4)	15.4
SAF520	3-7/16	180	58	114.3	222	148	152	387	111	45	333	295		M24 (2)	27.3
FSAF520	3-7/16	180	58	114.3	222	148	152	387	111	45	333	295	60.5	M20 (4)	27.3
SAF522	3-15/16	200	63	125.4	245	164	165	419	121	51	368	321	69.9	M20 (4)	35
SAF524	4-3/16	215	68	133.4	260	181	188	419	121	54	368	337	69.9	M20 (4)	43.2
SAF526	4-7/16	230	74	152.4	292	197	203	467	130	61	406	372	82.6	M24 (4)	58.6
SAF528	4-15/16	250	78	152.4	298	187	194	511	149	61	435	406	85.9	M24 (4)	62
SAF530	5-3/16	270	83	160.4	318	207	213	540	159	64	464	432	95.3	M24 (4)	76.8
SAF532	5-7/16	290	90	169.9	338	216	222	559	159	67	489	442	95.3	M24 (4)	81.3
SAF534	5-15/16	310	96	179.4	360	235	245	629	172	70	549	492	108	M24 (4)	104.5
SAF536	6-7/16	320	96	190.5	378	245	254	680	181	76	600	530	117.6	M24 (4)	117.6
SAF538	6-15/16	340	102	200	398	267	273	711	191	80	619	549	114.3	M30 (4)	135
SAF540	7-3/16	360	108	209.6	419	279	286	749	203	86	635	572	127	M30 (4)	167.5
SAF544	7-15/16	400	118	241.3	473	298	305	832	222	95	708	629	133.4	M30 (4)	230.2



SAF500 SERIES


SAF500 系列

座轴承型号 Housing NO.	紧定套 Adapter Sleeve	定位环 Locating Ring		座轴承型号 Housing NO.
		规格 Number	数量 QTY	
1205K 2205K	HA205 HA305	FR52 × 5 FR52 × 7	2 1	SAF505
1206K 2206K	HA206 HA306	FR62 × 5 FR62 × 10	2 1	SAF506
1207K 2207K	HA207 HA307	FR72 × 8 FR72 × 10	2 1	SAF507
1209K 2209K 22209K	HA209 HA309	FR85 × 6 FR85 × 8 FR85 × 8	2 1 1	SAF509
1210K 2210K 22210K	HA210 HA310 HA310	FR90 × 6.5 FR90 × 10 FR90 × 10	2 1 1	SAF510
1211K 2211K 22211K	HA211 HA311 HA311	FR100 × 6 FR100 × 10 FR100 × 10	2 1 1	SAF511
1213K 2213K 22213K	HA213 HA313 HA313	FR120 × 9 FR120 × 10 FR120 × 10	2 1 1	SAF513 FSAF513
1215K 2215K 22215K	HA215 HA315 HA315	FR130 × 8 FR130 × 10 FR130 × 10	2 1 1	SAF515 FSAF515
1216K 2216K 22216K	HA205 HA305 HA305	FR140 × 8.5 FR140 × 10 FR140 × 10	2 1 1	SAF516 FSAF516
1217K 2217K 22217K	HA216 HA316 HA316	FR150 × 9 FR150 × 10 FR150 × 10	2 1 1	SAF517 FASF517
1218K 2218K 22218K	HA217 HA317 HA317	FR160 × 10 FR160 × 10 FR160 × 10	2 1 1	SAF518 FASF518
1220K 2220K 22220K	HA218 HA318 HA318	FR180 × 11 FR180 × 10 FR180 × 10	2 1 1	SAF520 FSAF520
1222K 2222K 22222K	HA220 HA320 HA320	FR200 × 12.5 FR200 × 10 FR200 × 10	2 1 1	SAF522
22224K	HA3124	FR215 × 10	1	SAF524
22226K	HA3126	FR230 × 10	1	SAF526
22228K	HA3128	FR250 × 10	1	SAF528
22230K	HA3130	FR270 × 10	1	SAF530
22232K	HA3132	FR290 × 10	1	SAF532
22234K	HA3134	FR310 × 10	1	SAF534
22236K	HA3136	FR320 × 10	1	SAF536
22238K	HA3138	FR340 × 10	1	SAF538
22240K	HA3140	FR360 × 10	1	SAF540
22244K	HA3144	FR400 × 10	1	SAF544



**SAF600 SERIES**  
SAF600 系列


座轴承型号 Housing NO.	轴 径 Shaft Dia <sup>d1</sup> (in)	基本尺寸 Dimension (mm)													轴承座号 Housing wt (kg)
		D H8	g H12	h h12	w	L	(L1)	a	b	c	e max	e min	n	s	
SAF609	1-7/16	100	46	69.9	135	105	108	245	70	25	200.2	187.5		M16 (2)	7.2
SAF610	1-11/16	110	51	76.2	148	114	118	270	70	29	228.6	196.9		M16 (2)	9.2
SAF611	1-15/16	120	53	82.6	157	121	124	279	80	30	241.3	206.5		M16 (2)	11
FSAF611	1-15/16	120	53	82.6	157	121	124	279	80	30	241.3	206.5	51	M12 (4)	11
SAF613	2-3/16	140	58	88.9	176	133	137	330	90	32	279.4	244.6		M20 (2)	13.3
FSAF613	2-3/16	140	58	88.9	176	133	137	330	90	32	279.4	244.6	54	M16 (4)	13.3
SAF615	2-7/16	160	65	101.6	197	149	159	349	100	33	295.4	263.7		M20 (2)	21
FSAF615	2-7/16	160	65	101.6	197	149	159	349	100	33	295.4	263.7	54	M16 (4)	21
SAF616	2-11/16	170	68	108	210	156	165	362	100	33	320.8	270		M24 (2)	24
FSAF616	2-11/16	170	68	108	210	156	165	362	100	33	320.8	270	54	M16 (4)	24
SAF617	2-15/16	180	70	114.3	222	165	172	387	111	45	333.5	295.4		M24 (2)	27
FSAF617	2-15/16	180	70	114.3	222	165	172	387	111	45	333.5	295.4	61	M20 (4)	27
SAF618	3-3/16	190	74	120.7	233	168	175	394	111	51	342.9	304.8	57	M20 (4)	29.5
SAF620	3-7/16	215	83	133.3	260	181	187	419	121	54	368.3	336.6	70	M20 (4)	42
SAF622	3-15/16	240	90	152.4	292	197	203	467	130	61	406.4	371.6	83	M20 (4)	50
SAF624	4-3/16	260	96	160.4	318	207	213	540	160	64	463.6	431.8	95	M24 (4)	72
SAF626	4-7/16	280	103	169.9	338	216	222	559	160	67	489	441.5	95	M24 (4)	77.7
SAF628	4-15/16	300	112	179.4	360	235	238	629	172	70	549.4	492.3	108	M24 (4)	95
SAF630	5-3/16	320	118	190.5	378	245	248	680	181	76	600.2	530.4	117.6	M24 (4)	118
SAF632	5-7/16	340	124	200	398	267	270	711	191	80	619.3	549.4	114.3	M30 (4)	128
SAF634	5-15/16	360	130	209.6	419	279	286	749	203	86	635	571.5	127	M30 (4)	150
SAF636	6-7/16	380	136	225.4	451	282	289	794	210	89	676	610	133	M30 (4)	170.2
SAF638	6-15/16	400	142	241.3	473	298	305	832	222	95	708.2	628.7	133.4	M30 (4)	198
SAF640	7-3/16	420	148	250.8	508	299	306	870	229	102	749	667	140	M30 (4)	255



SAF600 SERIES

SAF600 系列

座轴承型号 Housing NO.	紧定套 Adapter Sleeve	定位环 Locating Ring		座轴承型号 Housing NO.
		规格 Number	数量 QTY	
1309K	HA309	FR100 × 10.5	2	
2309K	HA2309	FR100 × 10	1	
21309K	HA309	FR100 × 10.5	2	
22309K	HA2309	FR100 × 10	1	
1310K	HA310	FR110 × 11.5	2	
2310K	HA2310	FR110 × 10	1	
21310K	HA310	FR110 × 11.5	2	
22310K	HA2310	FR110 × 10	1	
1311K	HA311	FR120 × 12	2	
2311K	HA2311	FR120 × 10	1	
21311K	HA311	FR120 × 12	2	
22311K	HA2311	FR120 × 10	1	
1313K	HA313	FR140 × 12.5	2	
2313K	HA2313	FR140 × 10	1	
21313K	HA313	FR140 × 12.5	2	
22313K	HA2313	FR140 × 10	1	
1315K	HA315	FR160 × 14	2	
2315K	HA2315	FR160 × 10	1	
21315K	HA315	FR160 × 14	2	
22315K	HA2315	FR160 × 10	1	
1316K	HA316	FR170 × 14.5	2	
2316K	HA2316	FR170 × 10	1	
21316K	HA316	FR170 × 14.5	2	
22316K	HA2316	FR170 × 10	1	
1317K	HA317	FR180 × 14.5	2	
2317K	HA2317	FR180 × 10	1	
21317K	HA317	FR180 × 14.5	1	
22317K	HA2317	FR180 × 10	1	
1318K	HA318	FR190 × 11.5	2	
2318K	HA2318	FR190 × 10	1	
21318K	HA318	FR190 × 15.5	2	
20318K	HA318	FR190 × 15.5	2	
22318K	HA2318	FR190 × 10	1	
1320K	HA320	FR215 × 18	2	
2320K	HA2320	FR215 × 10	1	
20320K	HA320	FR215 × 18	2	
21320K	HA320	FR215 × 18	2	
22320K	HA2320	FR215 × 10	1	
1322K	HA322	FR240 × 20	2	
2322K	HA2322	FR240 × 20	2	
21322K	HA322	FR240 × 20	2	
22322K	HA2322	FR240 × 10	1	
20324K	HA3124	FR260 × 20.5	2	
22324K	HA2324	FR260 × 10	1	
20326K	HA3126	FR280 × 22.5	2	
22326K	HA2326	FR280 × 10	1	
20328K	HA3128	FR300 × 25	2	
22328K	HA2328	FR300 × 10	1	
20330K	HA3130	FR320 × 26.5	2	
22330K	HA2330	FR320 × 10	1	
20332K	HA3132	FR340 × 20.5	2	
22332K	HA2332	FR340 × 10	1	
22334K	HA2334	FR360 × 10	1	
22336K	HA2336	FR380 × 10	1	
22338K	HA2338	FR400 × 10	1	
22340K	HA2340	FR420 × 10	1	







FCM500 SERIES

FCM500 系列

座轴承型号 Housing NO.	轴 径 Shaft Dia $\phi$ 1 (mm)	基本尺寸 Dimension (mm)									座重量 Housing wt (kg)	适用 轴承型号 Bearing No.	紧定套 Adapter Sleeve	定位环 Locating Ring	
		A	E	C	G	L	L1	X	Y	S				SIZE 规格	QTY 数量
FCM506	25	127	95	90	14	72		51	18	11	2.3	1206K 2206K 22206K	H206 H306 H306	62 x 7 62 x 10 62 x 10	2 1 1
FCM507	30	130	100	97	14	75	85	52	18	11	2.8	1207K 2207K 22207K	H207 H307 H307	72 x 7 72 x 8 72 x 8	2 1 1
FCM508	35	136	105	108	14	77	87	59	18	11	3.2	1208K 2208K 22208K	H208 H308 H308	80 x 7 80 x 10 80 x 10	2 1 1
FCM509	40	136	105	113	14	79	89	62	21	14	3.2	1209K 2209K 22209K	H209 H309 H309	85 x 6 85 x 8 85 x 8	2 1 1
FCM510	45	142	108	118	15	83	93	60	21	14	3.7	1210K 2210K 22210K	H210 H310 H310	90 x 6.5 90 x 10 90 x 10	2 1 1
FCM511	50	160	124	130	15	89	99	67	26	18	5.2	1211K 2211K 22211K	H211 H311 H311	100 x 6 100 x 8 100 x 8	2 1 1
FCM512	55	170	130	144	18	93	103	71	25	18	6.2	1212K 2212K 22212K	H212 H312 H312	110 x 8 110 x 10 110 x 10	2 1 1
FCM513	60	180	140	154	20	96	106	76	23	18	7.6	1213K 2213K 22213K	H213 H313 H313	120 x 10 120 x 12 120 x 12	2 1 1
FCM515	65	188	152	167	20	102	112	78	29	18	9	1215K 2215K 22215K	H215 H315 H315	130 x 8 130 x 10 130 x 10	2 1 1
FCM516	70	198	152	176	22	107	117	82	28	18	9.2	1216K 2216K 22216K	H216 H316 H316	140 x 8.5 140 x 10 140 x 10	2 1 1
FCM517	75	210	170	188	22	111	121	88	29	18	12	1217K 2217K 22217K	H217 H317 H317	150 x 9 150 x 10 150 x 10	2 1 1
FCM518	80	210	170	200	22	129.4	144.4	112	31	18	15	1218K 2218K 22218K 22218K	H218 H318 H318 H2318	160 x 17 160 x 12 160 x 12 160 x 11.5	2 2 2 1
FCM520	90	250	198	224	25	147	162	123	33	22	20.3	1220K 2220K 22220K 22220K	H220 H320 H320 H2320	180 x 18.1 180 x 12.1 180 x 12.1 180 x 10	2 2 2 1
FCM522	100	270	219	246	25	156	171	133	32	22	25.8	1222K 2222K 22222K 23222K	H222 H322 H322 H2322	200 x 21 200 x 13.5 200 x 13.5 200 x 10.2	2 2 2 1
FCM524	110	280	230	260	28	165	183	141	35	26	29	2224K 23224K	H324 H2324	215 x 14 215 x 10	2 1
FCM526	115	305	250	284	30	174	192	150	39	26	35	2226K 23226K	H326 H2326	230 x 14 230 x 10	2 1
FCM528	125	330	270	300	30	186	204	162	43	26	42	2228K 23228K	H328 H2328	250 x 15 250 x 10	2 1
FCM530	135	350	290	320	40	183	201	170	39	32	48.4	22230K 23230K	H330 H2330	270 x 16.5 270 x 10	2 1
FCM532	140	370	300	340	42	197	215	180	38	32	56.4	22232K 23232K	H332 H2324	290 x 17 290 x 10	2 1

注:表中座重量不包括端盖和迷宫重量




THM500 SERIES  
THM500 系列

座轴承型号 Housing NO.	轴 径 Shaft D1ad1 (in)	基本尺寸 Dimension(mm)													座重量 Housing wt (kg)	适用 轴承型号 Bearing No.	紧定套 Adapter Sleeve	定位环 Locating Ring	
		E	K	A	L	H	Y	G	B	Q	R	L1	L2	S				SIZE 规格	QTY 数量
THM508	35	104	54	124	74	76	30	51	89	25	56	75	84	21	3.7	1208K 2208K 22208K	H210 H310 H310	90 x 6.5 90 x 10 90 x 10	2 1 1
THM509	40	104	54	124	74	76	30	51	89	25	56	75	84	21	3.5	1209K 2209K 22209K	H210 H310 H310	90 x 6.5 90 x 10 90 x 10	2 1 1
THM510	45	120	53	140	73	90	30	51	100	25	63.5	95	115	21	5.5	1210K 2210K 22210K	H210 H310 H310	90 x 6.5 90 x 10 90 x 10	2 1 1
THM511	50	120	53	140	73	90	30	51	100	25	63.5	95	15	21	4.5	1211K 2211K 22211K	H211 H311 H311	100 x 6 100 x 8 100 x 8	2 1 1
THM512	55	150	67	170	87	110	30	55	115	25	76	105	125	21	7.8	1212K 2212K 22202K	H212 H312 H312	110 x 8 110 x 10 110 x 10	2 1 1
THM513	60	150	67	170	87	110	30	55	115	25	76	105	125	21	7.5	1213K 2213K 22213K	H213 H313 H313	120 x 10 120 x 12 120 x 12	2 1 1
THM515	65	165	67	185	91	120	30	62	115	30	83.5	114	134	21	9.1	1215K 2215K 22216K	H215 H315 H315	130 x 8 130 x 10 130 x 10	2 1 1
THM516	70	195	78	220	102	135	41	73	140	30	93.5	124	144	21	13.5	1216K 2216K 22216K	H216 H316 H316	140 x 8.5 140 x 10 140 x 10	2 1 1
THM517	75	195	78	220	102	135	41	73	140	30	93.5	124	144	21	13.8	1217K 2217K 22217K	H217 H317 H317	150 x 9 150 x 10 150 x 10	2 1 1
THM518	80	195	78	220	105	140	41	73	150	30	98.5	134	164	21	14	1218K 2218K 22218K 22218K	H218 H318 H318 H2318	160 x 17 160 x 12 160 x 12 160 x 11.5	2 2 2 1
THM520	90	210	93	250	123	165	45	87	150	35	112	147	177	25	18	1220K 2220K 22220K 22220K	H220 H320 H320 H2320	180 x 18.1 180 x 12.1 180 x 12.1 180 x 10	2 2 2 1
THM522	100	240	93	280	129	180	45	87	150	40	122	157	187	25	21	1222K 2222K 22222K 23222K	H222 H322 H322 H2322	200 x 21 200 x 13.5 200 x 13.5 200 x 10.2	2 2 2 1
THM524	110	255	97	292	133	200	45	91	209	40	129.5	163	199	36	28	22224K 23224K	H324 H2324	215 x 14 215 x 10	2 1
THM526	115	270	102	300	142	210	45	91	230	50	137	173	209	40	34	22226K 23226K	H326 H2326	230 x 13 230 x 10	2 1
THM528	125	305	103	330	143	220	50	96	222	50	149	186	222	40	37.5	22228K 23228K	H3128 H2328	250 x 15 250 x 10	2 1
THM530	135	330	93	370	149	235	51	103	280	55	169	190	226	50	58	22230K 23230K	H3130 H2330	270 x 16.5 270 x 10	2 1
THM532	140	340	93	370	149	235	51	103	280	55	169	190	226	50	55	22232K 23232K	H3132 H2332	290 x 17 290 x 10	2 1

注:表中座重量不包括端盖和迷宫重量

H2 系列对开式二螺柱正滑动轴承座


H2000 SERIES H2000 系列  
JB/T2561-91



型号 Unit No	d H8	D	W	h h12	b	a	m	C	H	J	e	t	d1	r	s	重量 W.t (kg)
H2030	30	48	34	35	22	140	115	15	70	60	10	M8	M10×1	1.5	M8	0.8
H2035	35	55	45	42	28	165	135	18	87	75	12	M10	M10×1	2.0	M10	1.2
H2040	40	60	50	45	35	170	140	20	90	80	14.5	M10	M10×1	2.0	M12	1.8
H2045	45	65	55	50	40	175	145	20	100	85	14.5	M10	M10×1	2.0	M12	2.3
H2050	50	70	60	50	40	200	160	25	105	90	18.5	M12	M10×1	2.0	M16	2.9
H2060	60	80	70	60	50	240	190	25	125	100	24	M16	M14×1.5	2.5	M20	4.6
H2070	70	95	80	70	60	260	210	30	140	120	28	M16	M14×1.5	2.5	M20	7.0
H2080	80	110	95	80	70	290	240	35	160	140	28	M20	M14×1.5	3.0	M24	10.5
H2090	90	120	105	85	80	300	250	35	170	150	35	M20	M14×1.5	3.0	M30	12.5
H2100	100	130	115	90	90	340	280	40	185	160	35	M24	M14×1.5	3.0	M30	17.5
H2110	110	140	125	95	100	350	290	40	190	170	35	M24	M14×1.5	3.0	M30	19.5
H2120	120	150	140	105	110	370	310	45	205	190	35	M24	M14×1.5	3.0	M30	25.0
H2140	140	175	160	120	120	390	330	50	230	210	35	M24	M14×1.5	4.0	M30	33.5
H2160	160	200	180	130	140	410	350	50	250	230	35	M24	M14×1.5	4.0	M30	45.5


H4 系列对开式四螺柱正滑动轴承座

H4000 SERIES H4000 系列  
JB/T2562-91



型号 Unit No	d H8	D	W	h h12	b	a	m	C	H	J	e	t	d1	r	s	重量 W.t (kg)
H4050	50	70	75	50	60	200	160	25	105	90	14.5	M10	M10×1	2.5	M12	4.2
H4060	60	80	90	60	75	240	190	25	125	100	18.5	M12	M10×1	2.5	M16	6.5
H4070	70	95	105	70	90	260	210	30	140	120	24	M12	M14×1.5	2.5	M16	9.5
H4080	80	110	120	80	100	290	240	35	160	140	24	M16	M14×1.5	2.5	M20	14.5
H4090	90	120	135	85	115	300	250	35	170	150	24	M16	M14×1.5	3.0	M20	18
H4100	100	130	150	90	130	340	280	40	185	160	24	M16	M14×1.5	3.0	M20	23
H4110	110	140	165	95	140	350	290	40	190	170	24	M20	M14×1.5	3.0	M20	30
H4120	120	150	180	105	155	370	310	40	205	190	28	M20	M14×1.5	3.0	M24	41.5
H4140	140	175	210	120	170	390	330	45	230	210	28	M20	M14×1.5	4.0	M24	51
H4160	160	200	240	130	200	410	350	50	250	230	28	M20	M14×1.5	4.0	M20	59.5
H4180	180	220	270	140	220	460	400	50	260	260	35	M24	M14×1.5	4.0	M30	73
H4200	200	250	300	160	245	520	440	55	295	300	42	M30	M14×1.5	5.0	M36	98
H4220	220	270	320	170	265	550	470	60	360	330	42	M30	M14×1.5	5.0	M36	125


ZHC<sub>2</sub> 系列对开式四螺柱正滑动轴承座



ZHC<sub>2</sub> SERIES  
ZHC<sub>2</sub> 系列  
Q/ZB80-73

代号 Code Name	型号 Unit No	d	D	D1	m	J	B	B1	U	B2	H	H1	L	V	c	t	s	重量 W,t (kg)
Q/ZB80.1.00	ZHC <sub>2</sub> -30	30	40	50	140	65	50	40	13	60	50	85	180	17	25	M10	M12	2.5
Q/ZB80.2.00	ZHC <sub>2</sub> -35	35	45	55	160	75	50	40	18	60	60	100	210	24	30	M12	M16	3.3
Q/ZB80.3.00	ZHC <sub>2</sub> -40	40	50	60	160	75	60	50	18	70	60	102	210	24	30	M12	M16	4.0
Q/ZB80.4.00	ZHC <sub>2</sub> -45	45	55	65	180	80	60	50	18	70	70	118	240	24	35	M12	M16	5.7
Q/ZB80.5.00	ZHC <sub>2</sub> -50	50	60	70	180	85	65	55	18	80	70	118	240	24	35	M12	M16	6.5
Q/ZB80.6.00	ZHC <sub>2</sub> -55	55	65	75	210	100	65	55	22	80	80	140	270	30	35	M16	M20	8.9
Q/ZB80.7.00	ZHC <sub>2</sub> -60	60	70	80	210	100	65	55	22	80	80	140	270	30	35	M16	M20	8.9
Q/ZB80.8.00	ZHC <sub>2</sub> -65	65	80	95	240	115	65	55	22	80	90	150	300	30	45	M16	M20	10.8
Q/ZB80.9.00	ZHC <sub>2</sub> -70	70	85	100	240	120	75	65	22	90	90	155	300	30	45	M16	M20	12.0
Q/ZB80.10.00	ZHC <sub>2</sub> -75	75	90	105	270	130	75	65	26	90	100	168	330	35	45	M20	M24	14.0
Q/ZB80.11.00	ZHC <sub>2</sub> -80	80	95	110	270	135	75	65	26	90	100	172	330	35	45	M20	M24	14.0
Q/ZB80.12.00	ZHC <sub>2</sub> -85	85	100	115	300	140	85	75	26	100	100	175	360	35	45	M20	M24	18.5
Q/ZB80.13.00	ZHC <sub>2</sub> -90	90	105	120	300	150	85	75	26	100	100	178	360	35	45	M20	M24	19.5
Q/ZB80.14.00	ZHC <sub>2</sub> -95	95	115	130	310	160	90	80	26	110	110	188	380	36	50	M24	M24	23.2
Q/ZB80.15.00	ZHC <sub>2</sub> -100	100	120	140	310	170	90	80	26	110	110	195	380	36	50	M24	M24	23.8
Q/ZB80.16.00	ZHC <sub>2</sub> -110	110	130	150	330	180	100	90	26	120	110	200	400	36	50	M24	M24	27.3
Q/ZB80.17.00	ZHC <sub>2</sub> -120	120	140	160	340	190	110	100	26	130	120	215	430	36	55	M24	M24	39.7
Q/ZB80.18.00	ZHC <sub>2</sub> -130	130	150	175	360	200	120	100	27	140	120	220	460	39	55	M24	M24	42.6
Q/ZB80.19.00	ZHC <sub>2</sub> -140	140	165	190	380	220	130	110	33	150	130	250	480	48	60	M30	M30	56.3
Q/ZB80.20.00	ZHC <sub>2</sub> -160	160	185	210	460	250	150	130	39	170	150	288	590	59	70	M36	M36	98.3


ZHC<sub>4</sub> 系列对开式四螺柱正滑动轴承座



ZHC<sub>4</sub> SERIES ZHC<sub>4</sub> 系列  
Q/ZB81-73

代号 Code Name	型号 Unit No	d H8	D	W	h h12	b	a	m	n	H	C	U	V	J	t	r	s	重量 W.t (kg)
Q/ZB81.1.00	ZHC <sub>r</sub> -80	80	110	140	100	110	300	240	70	185	45	22	30	125	M16	4	M20	24.5
Q/ZB81.2.00	ZHC <sub>r</sub> -90	90	120	160	100	130	330	270	80	192	50	22	30	150	M16	4	M20	32.0
Q/ZB81.3.00	ZHC <sub>r</sub> -100	100	140	180	110	150	360	300	90	212	55	26	34	165	M20	4	M24	44.0
Q/ZB81.4.00	ZHC <sub>r</sub> -110	110	150	180	110	150	360	300	90	220	55	26	34	165	M20	5	M24	44.9
Q/ZB81.5.00	ZHC <sub>r</sub> -120	120	160	200	125	170	400	330	100	245	60	26	36	190	M24	5	M24	63.4
Q/ZB81.6.00	ZHC <sub>r</sub> -130	130	175	220	140	190	440	360	110	268	65	32	44	195	M24	5	M30	82.9
Q/ZB81.7.00	ZHC <sub>r</sub> -140	140	190	220	140	190	440	360	110	272	65	32	44	210	M24	5	M30	92.4
Q/ZB81.8.00	ZHC <sub>r</sub> -150	150	200	240	160	210	480	400	130	305	70	32	44	220	M24	5	M30	119.2
Q/ZB81.9.00	ZHC <sub>r</sub> -160	160	210	240	160	210	480	400	130	305	70	32	44	220	M24	5	M30	129.2
Q/ZB81.10.00	ZHC <sub>r</sub> -180	180	240	270	180	220	510	430	130	350	70	32	44	250	M24	6	M30	147.0
Q/ZB81.11.00	ZHC <sub>r</sub> -200	200	260	300	200	250	570	470	140	385	75	38	50	280	M30	6	M36	196.5
Q/ZB81.12.00	ZHC <sub>r</sub> -220	220	280	300	220	250	610	510	140	420	80	38	50	310	M30	6	M36	225.3


HX 系列对开式四螺柱斜滑动轴承座



HX000 SERIES HX000 系列  
JB/T2563-91

型号 Unit No	d H8	D	W	h h12	b	a	m	n	c	H ≈	J	e	d1	r	s	重量 W.t (kg)
HX050	50	70	75	65	60	200	160	30	25	140	90	14.5	M10×1	2.5	M12	5.1
HX060	60	80	90	75	75	240	190	40	25	160	100	18.5	M10×1	2.5	M16	8.1
HX070	70	95	105	90	90	260	210	45	30	185	120	18.5	M14×1.5	2.5	M16	12.5
HX080	80	110	120	100	100	290	240	55	35	215	140	24	M14×1.5	2.5	M20	17.5
HX090	90	120	135	105	115	300	250	70	35	225	150	24	M14×1.5	3.0	M20	21.0
HX100	100	130	150	115	130	340	280	80	40	250	160	24	M14×1.5	3.0	M20	29.5
HX110	110	140	165	120	140	350	290	85	40	260	170	24	M14×1.5	3.0	M20	32.5
HX120	120	150	180	130	155	370	310	90	40	275	190	28	M14×1.5	3.0	M24	40.5
HX140	140	175	210	140	170	390	330	100	45	300	210	28	M14×1.5	4.0	M24	53.5
HX160	160	200	240	150	200	410	350	120	50	335	230	35	M14×1.5	4.0	M20	76.5
HX180	180	220	270	170	220	460	400	140	50	375	260	35	M14×1.5	4.0	M30	94.0
HX200	200	250	300	190	245	520	440	160	55	425	300	42	M14×1.5	5.0	M36	120.0
HX220	220	270	320	205	265	550	470	180	60	440	330	42	M14×1.5	5.0	M36	140.0


XHC<sub>2</sub> 系列对开式二螺柱斜滑动轴承座



轴承座型号	d	D	D1	L1	B	H	L	B2	B1	H1	d1	d2	重量
XHC2-30	30	40	50	140	60	55	180	50	40	25	M10	M12	2.9
XHC2-35	35	45	55	160	60	65	210	50	40	30	M12	M16	3.9
XHC2-40	40	50	60	180	70	70	240	60	50	30	M12	M16	5
XHC2-45	45	55	65	200	70	80	260	60	50	35	M12	M16	6.9
XHC2-50	50	60	70	210	80	80	270	65	55	35	M12	M16	7.5
XHC2-55	55	65	75	230	80	90	290	65	55	35	M16	M20	10
XHC2-60	60	70	80	230	80	90	290	65	55	35	M16	M20	10.5
XHC2-65	65	80	95	240	80	100	300	65	55	45	M16	M20	12.3
XHC2-70	70	85	100	240	90	100	300	75	65	45	M16	M20	14.2
XHC2-75	75	90	105	270	90	110	330	75	65	45	M20	M22	16.7
XHC2-80	80	95	110	270	90	110	330	75	65	45	M20	M22	17
XHC2-85	85	100	115	300	100	120	360	85	75	45	M20	M22	21.4
XHC2-90	90	105	120	300	100	120	360	85	75	45	M20	M22	22.6
XHC2-95	95	115	130	320	110	130	380	90	80	50	M22	M24	27.52
XHC2-100	100	120	140	320	110	140	380	90	80	50	M22	M24	28.4
XHC2-110	110	130	150	330	120	140	400	100	90	50	M22	M24	33
XHC2-120	120	140	160	340	130	150	430	110	100	55	M22	M24	46.7
XHC2-130	130	150	175	340	140	150	440	120	100	55	M24	M27	49.5

剖分式轴承座  
PLUMMER BLOCKS

HZ000 系列  
HZ000 Series




JB/T2560-91

mm

型 号	d H8	W	h h12	b	a	m	e	c	H	d1	c1	s	重量 (公斤)
HZ020	20	30	30	25	105	80	12	14	50	M10×1	1.5	M10	0.6
HZ025	25	40	35	35	125	95	14.5	16	60	M10×1	1.5	M12	0.9
HZ030	30	50	35	40	150	110	18.5	20	70	M10×1	1.5	M16	1.7
HZ035	35	55	42	45	160	120	18.5	20	84	M10×1	2	M16	1.9
HZ040	40	60	45	50	165	125	18.5	20	88	M10×1	2	M16	2.4
HZ045	45	70	50	60	185	140	24	25	90	M10×1	2	M20	3.6
HZ050	50	75	50	65	185	140	24	25	100	M10×1	2	M20	3.8
HZ060	60	80	60	70	225	170	28	30	120	M14×1.5	2.5	M24	6.5
HZ070	70	100	70	80	245	190	28	30	140	M14×1.5	2.5	M24	9.0
HZ080	80	100	80	80	255	200	28	30	155	M14×1.5	2.5	M24	10.0
HZ090	90	120	85	90	285	220	35	40	165	M14×1.5	3	M30	13.2
HZ100	100	120	90	90	305	240	35	40	180	M14×1.5	3	M30	15.5
HZ110	110	140	95	100	315	250	35	40	190	M14×1.5	3	M30	21.0
HZ120	120	150	105	110	370	290	42	45	210	M14×1.5	3	M36	27.0
HZ140	140	170	120	130	400	320	42	45	240	M14×1.5	3	M36	38.0

## 剖分式轴承座 PLUMMER BLOCKS


Q/ZB86 系列  
Q/ZB86 Series



Q/ZB86-73


代号	d H8	W	h h12	F	b	a	m	e	c	H	M	N	S	C1	重量 (公斤)
Q/ZB86.1.00	25	50	50	65	45	160	120	13	25	90	45	20	M12	1.5	2.2
Q/ZB86.2.00	30	60	50	65	45	160	120	13	25	90	45	20	M12	1.5	2.5
Q/ZB86.3.00	35	70	60	85	50	190	140	18	30	110	50	25	M16	2.0	4.7
Q/ZB86.4.00	40	70	60	85	50	190	140	18	30	110	50	25	M16	2.0	4.5
Q/ZB86.5.00	45	80	70	90	60	220	160	22	35	125	55	30	M20	2.0	6.1
Q/ZB86.6.00	50	80	70	90	60	220	160	22	35	125	55	30	M20	2.0	5.9
Q/ZB86.7.00	60	90	80	110	70	240	180	22	35	145	60	35	M20	2.5	9.1
Q/ZB86.8.00	70	100	90	120	80	270	210	22	45	165	65	35	M20	2.5	14.2
Q/ZB86.9.00	80	100	100	140	80	300	240	26	45	185	70	40	M24	2.5	17.4
Q/ZB86.10.00	90	120	100	160	90	330	260	26	45	195	80	40	M24	3.0	24.5
Q/ZB86.11.00	100	120	110	180	100	360	280	26	50	215	90	50	M24	3.0	28.8
Q/ZB86.12.00	110	120	110	180	100	360	280	26	50	215	90	50	M24	3.0	27
Q/ZB86.13.00	120	140	120	200	100	400	320	29	55	235	95	60	M27	3.0	38.9

## XHC<sub>4</sub> 系列对开式四螺柱斜滑动轴承座




XHC<sub>4</sub> SERIES  
XHC<sub>4</sub> 系列  
Q/ZB82-73

型号 Unit No	d H8	D	W	h h12	b	a	m	n	H	e	c	j	S	r	重量 (公斤)
XHC <sub>4</sub> -80	80	110	140	110	110	340	280	70	245	22	45	125	M20	4	25.9
XHC <sub>4</sub> -90	90	120	160	120	130	360	300	80	265	22	50	150	M20	4	35.4
XHC <sub>4</sub> -100	100	140	180	140	150	380	320	90	305	26	55	165	M24	4	49.0
XHC <sub>4</sub> -110	110	150	180	140	150	400	330	90	310	26	55	165	M24	5	53.2
XHC <sub>4</sub> -120	120	160	200	150	170	420	350	100	340	26	60	190	M24	5	72.4
XHC <sub>4</sub> -130	130	175	220	160	190	460	380	110	370	34	65	195	M30	5	93.4
XHC <sub>4</sub> -140	140	190	220	170	190	480	400	110	385	34	65	210	M30	5	105.9
XHC <sub>4</sub> -150	150	200	240	180	210	500	420	130	410	34	70	220	M30	5	128.7
XHC <sub>4</sub> -160	160	210	240	190	210	500	420	130	420	34	70	220	M30	5	130.7




UC200 SERIES  
UC200 系列

座轴承型号 Housing NO.	轴径 Shaft Dia d1		基本尺寸 Dimension (mm)									额定动载荷 Basic Load Rating (kg)	额定静负荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)
	(in)	(mm)	D	Bi	Be	r	n	m	G	ds	T			
UCW201-8 202-10 203-11 UCW201 202 203	1/2 5/8 11/16	12 15 17	40	26	15	1	10	16	4	10-32UHF M5 x 0.8	4	900	580	0.19 0.18 0.17 0.15 0.20 0.18
UC201-8 202-10 203-11 204-12 UC201 202 203 204	1/2 5/8 11/16 3/4	12 15 17 20	47	31	17	1	12.7	18.3	4.5	1/4-28 M6 x 0.75	3.7	1000	630	0.20 0.19 0.18 0.16 0.21 0.19 0.18 0.16
UC205-14 205-15 205-16 UC205	7/8 15/16 1	25	52	34.1	17	1.5	14.3	19.8	5	1/4-28 M6 x 0.75	3.9	1100	710	0.22 0.20 0.19 0.19
UC206-17 206-18 206-19 206-20 UC206	1-1/16 1-1/8 1-3/16 1-1/4	30	62	38.1	19	1.5	15.9	22.2	5	5/16-24 M8 x 1	5	1540	1020	0.36 0.34 0.32 0.31 0.31
UC207-20 207-21 207-22 207-23 UC207	1-1/4 1-5/16 1-3/8 1-7/16	35	72	42.9	20	2	17.5	25.4	6	5/16-24 M8 x 1	5.7	2030	1400	0.52 0.50 0.48 0.46 0.46
UC208-24 208-25 UC208	1-1/2 1-9/16	40	80	49.2	21	2	19.0	30.2	8	5/16-24 M8 x 1	6.2	2300	1600	0.68 0.64 0.63
UC209-26 209-27 209-28 UC209	1-5/8 1-11/16 1-3/4	45	85	49.2	22	2	19.0	30.2	8	5/16-24 M8 x 1	6.4	2560	1810	0.78 0.74 0.70 0.68
UC210-30 210-31 UC210	1-7/8 1-15/16	50	90	51.6	24	2	19.0	32.6	10	3/8-24 M10 x 1.25	6.5	2750	2020	0.85 0.80 0.78
UC211-32 211-34 211-35 UC211	2 2-1/8 2-3/16	55	100	55.6	25	2.5	22.2	33.4	10	3/8-24 M10 x 1.25	7	3400	2550	1.22 1.10 1.05 1.07
UC212-36 212-38 212-39 UC212	2-1/4 2-3/8 2-7/16	60	110	65.1	27	2.5	25.4	39.7	10	3/8-24 M10 x 1.25	7.6	4100	3150	1.65 1.49 1.42 1.52
UC213-40 UC213	2-1/2	65	120	65.1	28	2.5	25.4	39.7	10	3/8-24 M10 x 1.25	8.9	4480	3470	1.88 1.80
UC214-44 UC214	2-3/4	70	125	74.6	30	2.5	30.2	44.4	12	7/16-20 M12 x 1.5	8.9	4870	3810	2.07 2.06
UC215-47 215-48 UC215	2-15/16 3	75	130	77.8	32	2.5	33.3	44.5	12	7/16-20 M12 x 1.5	8.9	5200	4200	2.21 2.11 2.19
UC216-50 UC216	3-1/8	80	140	82.6	33	3	33.3	49.3	14	7/16-20 M12 x 1.5	9.6	5700	4550	2.90 2.82
UC217-52 UC217	3-1/4	85	150	85.7	35	3	34.1	51.6	14	7/16-20 M12 x 1.5	10	6600	5320	3.56 3.46
UC218-56 UC218	3-1/2	90	160	96.0	37	3	39.7	56.3	15	7/16-20 M12 x 1.5	11	7550	6170	4.62 4.53




UC300 SERIES  
UC300 系列

座轴承型号 Housing NO.	轴 径 Shaft Diad1		基本尺寸 Dimension (mm)									额定动载荷 Basic Load Rating (kg)	额定静负荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)
	(in)	(mm)	D	Bi	Be	r	n	m	G	ds	T			
UC305-14 305-15 305-16 UC305	1/8 15/16 1	25	62	38	21	2	15	23	6	1/4-28 M6 x 0.75	6.1	1760	1160	0.39 0.37 0.35 0.35
UC306-18 306-19 UC306	1-1/8 1-3/16	30	72	43	23	2	17	26	6	1/4-28 M6 x 0.75	6.7	2119	1445	0.60 0.54 0.56
UC307-20 307-21 307-22 UC307	1-1/4 1-5/16 1-3/8	35	80	48	25	2.5	19	29	8	5/16-24 M8 x 1	7.4	2620	1830	0.81 0.79 0.75 0.75
UC308-24 308-25 UC308	1-1/2 1-9/16	40	90	52	27	2.5	19	33	10	3/8-24 M10 x 1.25	8.2	3200	2280	1.07 1 1
UC309-26 309-27 309-28 UC309	1-5/8 1-11/16 1-3/4	45	100	57	30	2.5	22	35	10	3/8-24 M10 x 1.25	9	4150	3060	1.39 1.33 1.28 1.26
UC310-30 310-31 UC310	1-7/8 1-15/16	50	110	61	32	3	22	39	12	7/16-20 M12 x 1.5	10	4850	3640	1.75 1.67 1.65
UC311-32 311-34 311-35 UC311	2 2-1/2 2-3/16	55	120	66	34	3	25	41	12	7/16-20 M12 x 1.5	10.7	5620	4280	2.3 2.2 2 2.1
UC312-36 312-38 312-39 UC312	2-1/4 2-3/8 2-7/16	60	130	71	36	3.5	26	45	12	7/16-20 M12 x 1.5	11.5	6420	4960	2.8 2.6 2.6 2.5
UC313-40 UC313	2-1/2	65	140	75	38	3.5	30	45	12	7/16-20 M12 x 1.5	12.2	7370	5780	3.46 3.32
UC314-44 UC314	2-3/4	70	150	78	40	3.5	33	45	12	7/16-20 M12 x 1.5	13	8170	6180	3.9 3.9
UC315-48 UC315	3	75	160	82	42	3.5	32	50	14	1/2-20 M14 x 1.5	13.8	8900	7310	4.33 4.18
UC316-50 UC316	3-1/8	80	170	86	44	3.5	34	52	14	1/2-20 M14 x 1.5	14.5	9650	8330	5.25
UC317-52 UC317	3-1/4	85	180	96	46	4	40	56	16	5/8-20 M16 x 1.5	15	10410	9130	7 6.7
UC318-56 UC318	3-1/2	90	190	96	48	4	40	56	16	5/8-20 M16 x 1.5	15.9	11300	10300	7.65 7.60
UC319-60 UC319	3-3/4	95	200	103	50	4	41	62	16	5/8-20 M16 x 1.5	16.7	12300	11600	8.75 8.75
UC320-64 UC320	4	100	215	108	54	4	42	66	18	3/4-16 M18 x 1.5	18	14300	12800	10.03 10.28
UC321		105	225	112	56	4	44	68	18	M18 x 1.5	19	18700	16300	12.3
UC322		110	240	117	60	4	46	71	18	M18 x 1.5	21	20900	18300	14.5
UC324		120	260	126	64	4	51	75	18	M18 x 1.5	22	21100	18400	18.7
UC326		130	280	135	68	5	54	81	20	M20 x 1.5	23	23400	20400	23.3
UC328		140	300	145	73	5	59	86	20	M20 x 1.5	25	26000	22700	28.9




UCX00 SERIES  
UCX00 系列

座轴承型号 Housing NO.	轴径 Shaft Diad <sup>1</sup>		基本尺寸 Dimension (mm)									额定动载荷 Basic Load Rating (kg)	额定静载荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)
	(in)	(mm)	D	Bi	Be	r	n	m	G	ds	T			
UCX05-13 05-14 05-15 05-16 UCX05	13/16 7/8 15/16 1	25	62	38.1	19	1.5	15.9	22.2	5	1/4-28 M6 x 0.75	5	1540	1020	0.39 0.38 0.36 0.34 0.35
UCX06-17 06-18 06-19 06-20 UCX06	1-1/16 1-1/8 1-3/16 1-1/4	30	72	42.9	20	2	17.5	25.4	6	5/16-24 M8 x 1	5.7	2030	1400	0.59 0.57 0.54 0.52 0.54
UCX07-20 07-21 07-22 07-23 UCX07	1-1/4 1-5/16 1-3/8 1-7/16	35	80	49.2	21	2	19	30.2	8	5/16-24 M8 x 1	6.2	2300	1600	0.77 0.74 0.7 0.67 0.7
UCX08-24 08-25 UCX08	1-1/2 1-9/16	40	85	49.2	22	2	19	30.2	8	5/16-24 M8 x 1	6.4	2560	1810	0.92 0.88 0.88
UCX09-26 09-27 09-28 UCX09	1-5/8 1-11/16 1-3/4	45	90	51.06	24	2	19	32.6	10	3/8-24 M10 x 1.25	6.5	2750	2020	1.13 1.09 1.05 1.03
UCX10-29 10-30 10-31 10-32 UCX10	1-13/16 1-7/8 1-15/16 2	50	100	55.6	25	2.5	22.2	33.4	10	3/8-24 M10 x 1.25	7	3400	2550	1.14 1.36 1.31 1.26 1.28
UCX11-32 11-33 11-34 11-35 UCX11	2 2-1/16 2-1/8 2-3/16	55	110	65.1	27	2.5	25.4	39.7	10	3/8-24 M10 x 1.25	7.6	4100	3150	1.90 1.84 1.77 1.70 1.73
UCX12-36 12-37 12-38 12-39 UCX12	2-1/4 2-5/16 2-3/8 2-7/16	60	120	65.1	28	2.5	25.4	39.7	10	3/8-24 M10 x 1.25	8.9	4480	3470	2 1.93 1.85 1.78 1.87
UCX13-40 13-41 UCX13	2-1/2 2-9/16	65	125	74.6	30	2.5	30.2	44.4	12	7/16-20 M12 x 1.5	8.9	4870	3810	2.32 2.23 2.23
UCX14-42 14-43 14-44 UCX14	2-5/8 2-11/16 1-3/4	70	130	77.8	32	2.5	33.3	44.5	12	7/16-20 M12 x 1.5	8.9	5200	4200	2.61 2.50 2.40 2.39
UCX15-45 15-46 15-47 15-48 UCX15	2-13/16 2-7/8 2-15/16 3	75	140	82.6	33	3	33.3	49.5	14	7/16-20 M12 x 1.5	9.6	5700	4550	3.59 3.47 3.36 3.23 3.33
UCX16-50 UCX16	3-1/8	80	150	85.7	35	3	34.1	51.6	14	7/16-20 M12 x 1.5	10	6600	5320	4.16 4.11
UCX17-52 UCX17	3-1/4	85	160	96	37	3	39.7	56.3	15	7/16-20 M12 x 1.5	11	7550	6170	5.01 4.77
UCX18-56 UCX18	3-1/2	90	170	104	38	3	42.9	61.1	14	1/2-20 M14 x 1.5	11.9	11122	8449	5.50 5.60
UCX20-63 20-64 UCX20	3-15/16 4	100	190	117.5	42	3.5	49.2	68.3	16	5/8-18 M16 x 1.5	13	13570	10714	9.0 9.10 9.20



HC200 SERIES  
HC200 系列


座轴承型号 Housing NO.	轴 径 Shaft Diad1		基本尺寸 Dimension (mm)										额定动载荷 Basic Load Rating (kg)	额定静负荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)
	(in)	(mm)	D	Bi	Be	n	m	T	W	K	G	ds			
HC201-8 202-9 202-10 203-11 204-12 HC201 202 203 204	1/2 9/16 5/8 11/16 3/4	12 15 17 20	47	43.7	17	17.1	17.1	3.7	33.3	13.5	5	1/4-28 M6 x 0.75	1000	630	0.27 0.26 0.23 0.26 0.27 0.24 0.23 0.21
HC205-13 205-14 205-15 205-16 HC205	13/16 7/8 15/16 1	25	52	44.4	17	17.5	17.4	3.9	38.1	13.5	5	1/4-28 M6 x 0.75	1100	710	0.31 0.29 0.27 0.25 0.25
HC206-17 206-18 206-19 206-20 HC206	1-1/16 1-1/8 1-3/16 1-1/4	30	62	48.4	19	18.3	18.2	5	44.5	15.9	6	5/16-24 M8 x 1	1540	1020	0.40 0.38 0.35 0.32 0.36
HC207-20 207-21 207-22 207-23 HC207	1-1/4 1-5/16 1-3/8 1-7/8	35	72	51.1	20	18.8	18.8	5.7	55.6	17.5	6.5	5/16-24 M8 x 1	2030	1400	0.65 0.62 0.59 0.55 0.59
HC208-24 208-25 HC208	1-1/2 1-9/16	40	80	56.3	21	21.4	21.4	6.2	60.3	18.3	6.5	5/16-24 M8 x 1	2300	1600	0.74 0.75 0.74
HC209-26 209-27 209-28 HC209	1-5/8 1-11/16 1-3/4	45	85	56.3	22	21.4	21.4	6.4	63.5	18.3	6.5	5/16-24 M8 x 1	2560	1810	0.93 0.88 0.84 0.82
HC210-29 210-30 210-31 210-32 HC210	1-13/16 1-7/8 1-15/16 2	50	90	62.7	24	24.6	24.6	6.5	69.9	18.3	6.5	5/16-24 M8 x 1	2750	2020	1.22 1.17 1.11 1.05 1.08
HC211-32 211-33 211-34 211-35 HC211	2 2-1/16 2-1/8 2-3/16	55	100	71.4	25	27.8	27.7	7	76.2	20.7	8	3/8-24 M10 x 1.25	3400	2550	1.59 1.52 1.45 1.37 1.4
HC212-36 212-37 212-38 212-39 HC212	2-1/4 2-5/16 2-3/8 2-7/16	60	110	77.8	24	31	30.9	7.6	84.2	22.3	8	3/8-24 M10 x 1.25	4100	3150	1.95 1.86 1.77 1.68 1.7
HC213-40 213-41 HC213	2-1/2 2-9/16	65	120	85.7	28	34.1	34.1	8.9	86	23.5	8.5	3/8-24 M10 x 1.25	4480	3470	2.14 2.04 2.05
HC214-42 214-43 214-44 HC214			125	85.7	30	34.1	34.1	8.9	90	23.5	8.5	3/8-24 M10 x 1.25	4870	3810	2.38 2.27 2.15 2.14
HC215-45 215-46 215-47 215-48 HC215			130	92.1	32	37.3	37.3	8.9	102	23.5	8.5	3/8-24 M10 x 1.25	5200	4200	2.83 2.7 2.56 2.43 2.53



UK200+H SERIES


UK200+H 系列

座轴承型号 Housing NO.	轴 径 Shaft Dia d1		基本尺寸 Dimension (mm)								额定动载荷 Basic Load Rating (kg)	额定静载荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)
	(in)	(mm)	D	L	d	Bi	Be	T	Y	W			
UK205+HE2305 205+HA2305 UK205+H2305	3/4 13/16	20	52	35	25	23	17	4.5	8	38	1100	710	0.25 0.24 0.24
UK206+HE2306 206+HA2306 206+HS2306 UK206+H2306	7/8 15/16 1	25	62	38	30	26	19	5.1	8	45	1540	1020	0.42 0.41 0.37 0.4
UK207+HE2307 207+HA2307 UK207+H2307	1-1/8 1-3/16	30	72	43	35	27	20	5.8	9	52	2030	1400	0.57 0.55 0.55
UK208+HE2308 208+HA2308 208+HS2308 UK208+H2308	1-1/4 1-5/16 1-3/8	35	80	46	40	29	21	6.2	10	58	2300	1600	0.78 0.75 0.72 0.72
UK209+HA2309 209+HE2309 209+HS2309 UK209+H2309	1-7/16 1-1/2 1-5/8	40	85	50	45	30	22	6.5	11	65	2560	1810	0.89 0.84 0.77 0.8
UK210+HA2310 210+HE2310 UK210+H2310	1-11/16 1-3/4	45	90	55	50	31	23	6.5	12	70	2750	2020	0.98 0.95 0.93
UK211+HS2311 211+HA2311 211+HE2311 UK211+H2311	1-7/8 1-15/16 2	50	100	59	55	33	24	7.3	12	75	3400	2550	1.28 1.22 1.17 1.19
UK212+HA2312 212+HS2312 UK212+H2312	2-1/16 2-1/8	55	110	62	60	36	26	7.7	13	80	4100	3150	1.62 1.56 1.52
UK213+HA2313 213+HE2313 213+HS2313 UK213+H2313	2-3/16 2-1/4 2-3/8	60	120	65	65	38	27	8.3	14	85	4480	3470	2.1 2.04 1.89 1.91
UK215+HA2315 UK215+H2315	2-1/2	65	130	73	75	41	30	9.2	15	98	5200	4200	2.65 2.56
UK216+HE2316 UK216+H2316	2-3/4	70	140	78	80	44	32	9.6	17	105	5700	4550	3.24 3.23
UK217+HE2317 UK217+H2317	3	75	150	82	85	46	34	10.5	18	110	6600	5320	3.84 3.93
UK218+HS2318 UK218+H2318	3-1/8	80	160	86	90	49	36	11.1	18	120	7550	6170	4.8 4.75



UK300+H SERIES  
UK300+H 系列



座轴承型号 Housing NO.	轴 径 Shaft Diad1		基本尺寸 Dimension (mm)								额定动载荷 Basic Load Rating (kg)	额定静负荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)
	(in)	(mm)	D	L	d	Bi	Be	T	Y	W			
UK305+HE2305 UK305+H2305	3/4	20	62	35	25	26	21	6.1	8	38	2170	1120	1.07
UK306+HE2306 UK306+H2306	1	25	72	38	30	29	23	6.7	8	45	2730	1530	1.32
UK307+HS2307 UK307+H2307	1-1/8	30	80	43	35	31	25	7.4	9	52	3400	1960	1.65
UK308+HE2308 308+HS2308 UK308+H2308	1-1/2 1-5/8	35	90	46	40	34	27	8.2	10	58	4150	2440	2.25
UK309+HE2309 309+HS2309 UK309+H2309	1-7/8 2	40	100	50	45	37	30	9	11	65	5250	3000	2.92
UK310+HE2310 UK310+H2310	1-3/4	45	110	55	50	40	32	10	12	70	6300	3900	3.75
UK311+HS2311 311+HE2311 UK311+H2311	1-7/8 2	50	120	59	55	43	34	10.7	12	75	7300	4600	4.59
UK312+HA2312 UK312+H2312	2-1/8	55	130	62	60	46	36	11.5	13	80	8300	5300	5.64
UK313+HE2313 313+HS2313 UK313+H2313	2-1/4 2-3/8	60	140	65	65	48	38	12.2	14	85	9450	6100	6.85
UK315+HE2315 UK315+H2315	2-1/2	65	160	73	75	54	42	13.8	15	98	11600	7800	10.6
UK316+HE2316 UK316+H2316	2-3/4	70	170	78	80	57	44	14.5	17	105	12500	8800	12.6
UK317+HE2317 UK317+H2317	3	75	180	82	85	60	46	15	18	110	13500	9800	14.7
UK318+HS2318 UK318+H2318	3-1/8	80	190	86	90	63	48	15.9	18	120	14600	10900	16.8
UK319+HE2319 UK319+H2319	3-1/4	85	200	90	95	66	50	16.7	19	125	15600	12100	19.5
UK320+HE2320 UK320+H2320	3-1/2	90	215	97	100	72	54	18	20	130	17700	14300	24.1
UK322+HE2322 UK322+H2322	4	100	240	105	110	80	60	21	21	145	20900	18200	32.1
UK324+H2324		110	260	112	120	86	64	22	22	155	21100	18900	40.2
UK326+H2326		115	280	121	130	92	68	23	23	165	23400	21900	52
UK328+H2328		125	300	131	140	98	73	25	24	180	26000	25100	64.2



UKX00+H SERIES

UKX00+H 系列



座轴承型号 Housing NO.	轴径 Shaft Dia $\phi$		基本尺寸 Dimension (mm)								额定动载荷 Basic Load Rating (kg)	额定静载荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)
	(in)	(mm)	D	L	d	Bi	Be	T	Y	W			
UKX05+HE2035 X05+HA2305 UKX05+H2305	3/4 13/16	20	62	35	25	26	19	5.1	8	38	2000	1100	0.83
UKX06+HS2036 X06+HA2306 X06+HE2306 UKX06+H2306	7/8 15/16 1	25	72	38	30	27	20	5.8	8	45	2640	1570	1.2
UKX07+HS2037 X07+HA2307 UKX07+H2307	1-1/8 1-3/16	30	80	43	35	29	21	6.2	9	52	2990	1830	1.56
UKX08+HE2308 X08+HA2308 X08+HS2308 UKX08+H2308	1-1/4 1-5/16 1-3/8	35	85	46	40	30	22	6.5	10	58	3350	2090	1.81
UKX09+HA2309 X09+HE2309 X09+HS2309 UKX09+H2309	1-7/16 1-1/2 1-5/8	40	90	50	45	31	23	6.5	11	65	3600	2370	2.1
UKX10+HA2310 X10+HE2310 UKX10+H2310	1-11/16 1-3/4	45	100	55	50	33	24	7.3	12	70	4400	3000	2.72
UKX11+HS2311 X11+HA2311 X11+HE2311 UKX11+H2311	1-7/8 1-15/16 2	50	110	59	55	36	26	7.7	12	75	5350	3700	3.43
UKX12+HA2312 X12+HS2312 UKX12+H2312	2-1/16 2-1/8	55	120	62	60	38	27	8.3	13	80	5850	4100	4.21
UKX13+HA2313 X13+HE2313 X13+HS2313 UKX13+H2313	2-3/16 2-1/4 2-3/8	60	125	65	65	40	29	8.7	14	85	6350	4500	4.66
UKX15+HE2315 UKX15+H2315	2-1/2	65	140	73	75	44	32	9.6	15	98	7400	5400	7.25
UKX16+HE2316 UKX16+H2316	2-3/4	70	150	78	80	46	34	10.5	17	105	8500	6300	8.61
UKX17+HE2317 UKX17+H2317	3	75	160	82	85	49	36	11.1	18	110	9750	7300	10.6
UKX18+HS2318 UKX18+H2318	3-1/8	80	170	86	90	52	38	11.9	18	120	11100	8350	11.4
UKX20+HA2320 X20+HE2320 UKX20+H2320	3-7/16 3-1/2	90	190	97	100	58	42	13	20	130	13700	10700	18.1



SA200 SERIES  
SA200 系列

CSA200 SERIES  
CSA200 系列


座轴承型号 Housing NO.		轴径 Shaft Dia d1		基本尺寸 Dimension (mm)										额定动载荷 Basic Load Rating (kg)	额定静载荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)	
		(in)	(mm)	Be	D	Bi	r	n	m	L	W	K	G				ds
SA201-8 202-9 202-10 203-11 SA201 202 203	CSA201-8 202-9 202-10 203-11 CSA201 202 203	1/2 6/16 5/8 11/16	12 15 17	12	40	19.1	0.8	6	13.4	28.6	28.6	13.5	5	1/4-28 M6 × 0.75	780	454	0.14 0.13 0.12 0.11 0.10 0.09
SA204-12 SA204	CSA204-12 CSA204	3/4	20	14	47	21.5	1.5	7	14.5	31	33.3	13.5	5	1/4-28 M6 × 0.75	1010	630	0.15 0.16
SA205-14 205-15 205-16 SA205	CSA205-14 205-15 205-16 CSA205	7/8 15/16 1	25	15	52	21.5	1.5	7.5	14	31	38.1	13.5	5	1/4-28 M6 × 0.75	1100	710	0.21 0.19 0.18 0.18
SA206-17 206-18 206-19 206-20 SA206	CSA206-17 206-18 206-19 206-20 CSA206	1-1/16 1-1/8 1-3/16 1-1/4	30	16	62	23.8	1.5	8	15.8	35.7	44.5	15.9	6	5/16-24 M8 × 1	1550	1020	0.34 0.32 0.3 0.29 0.3
SA207-20 207-21 207-22 207-23 SA207	CSA207-20 207-21 207-22 207-23 CSA207	1-1/4 1-5/16 1-3/8 1-7/16	35	17	72	25.4	2	8.5	16.9	38.9	55.6	17.5	6.5	5/16-24 M8 × 1	2030	1400	0.55 0.53 0.5 0.47 0.5
SA208-24 208-25 SA208	CSA208-24 208-25 CSA208	1-1/2 1-9/16	40	18	80	30.2	2	9	21.2	43.7	60.3	18.3	6.5	5/16-24 M8 × 1	2300	1600	0.67 0.65 0.63
SA209-26 209-27 209-28 SA209	CSA209-26 209-27 209-28 CSA209	1-5/8 1-11/16 1-3/4	45	19	85	30.2	2	9.5	20.7	43.7	63.5	18.3	6.5	5/16-24 M8 × 1	2570	1810	0.74 0.72 0.67 0.66
SA210-29 210-30 210-31 210-32 SA210	CSA210-29 210-30 210-31 210-32 CSA210	1-3/16 1-7/8 1-15/16 2	50	20	90	30.2	2	10	20.2	43.7	69.9	18.3	6.5	5/16-24 M8 × 1	2760	2010	0.9 0.86 0.83 0.79 0.80
SA211-32 211-33 211-34 211-35 SA211	CSA211-32 211-33 211-34 211-35 CSA211	2 2-1/16 2-1/8 2-3/16	55	21	100	32.5	2.5	10.5	22	48.4	76.2	20.7	8	5/16-24 M8 × 1	3400	2550	0.95 0.91 0.86 0.81 0.77
SA212-36 212-39 SA212	CSA212-36 212-39 CSA212	2-1/4 2-7/16	60	22	110	37.1	2.5	11	26.1	53.1	84.2	22.3	8	3/8-24 M10 × 1.25	4100	3150	1 0.98 0.99



**SB200 SERIES**  
SB200 系列

**CSB200 SERIES**  
CSB200 系列

座轴承型号 Housing NO.		轴 径 Shaft Dia d1		基本尺寸 Dimension (mm)							额定动载荷 Basic Load Rating (kg)	额定静负荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)	
		(in)	(mm)	Be	D	Bi	r	n	m	G				ds
SB201-8 202-9 202-10 203-11 SB201 202 203	CSB201-8 202-9 202-10 203-11 CSB201 202 203	1/2 6/16 5/8 11/16	12 15 17	12	40	22	1	6	16	4.5	10-32UHF M5 x 0.8	780	454	0.09 0.08 0.08 0.07 0.09 0.08 0.07
SB204-12 SB204	CSB204-12 CSB204	3/4	20	14	47	25	1.5	7	18	4.5	1/4-28 M6 x 0.75	1010	630	0.12
SB205-14 205-15 205-16 SB205	CSB205-14 205-15 205-16 CSB205	7/8 15/16 1	25	15	52	27	1.5	7.5	19.5	5	1/4-28 M6 x 0.75	1100	710	0.18 0.17 0.16 0.17
SB206-17 206-18 206-19 206-20 SB206	CSB206-17 206-18 206-19 206-20 CSB206	1-1/16 1-1/8 1-3/16 1-1/4	30	16	62	30	1.5	8	22	5.5	5/16-24 M8 x 1	1550	1020	0.28 0.26 0.25 0.23 0.25
SB207-20 207-21 207-22 207-23 SB207	CSB207-20 207-21 207-22 207-23 CSA207	1-1/4 1-5/16 1-3/8 1-7/16	35	17	72	32	2	8.5	23.5	6	5/16-24 M8 x 1	2030	1400	0.41 0.39 0.37 0.35 0.37
SB208-24 208-25 SB208	CSB208-24 208-25 CSB208	1-1/2 1-9/16	40	18	80	34	2	9	25	8	5/16-24 M8 x 1	2300	1600	0.48 0.45 0.45
SB209-26 209-27 209-28 SB209	CSB209-26 209-27 209-28 CSB209	1-5/8 1-11/16 1-3/4	45	119	85	41.2	2	10.2	31	8	5/16-24 M8 x 1	2570	1810	0.8
SB210-29 210-30 210-31 210-32 SB210	CSB210-29 210-30 210-31 210-32 CSB210	1-3/16 1-7/8 1-15/16 2	50	20	90	43.5	2	10.9	32.6	9	5/16-24 M8 x 1	2760	2010	0.87
SB211-32 211-33 211-34 211-35 SB211	CSB211-32 211-33 211-34 211-35 CSB211	2 2-1/16 2-1/8 2-3/16	55	21	100	45.3	2.5	11.8	33.5	10	5/16-24 M8 x 1	3400	2550	1.1
SB212-36 212-39 SB212	CSB212-36 212-39 CSB212	2-1/4 2-7/16	60	22	110	53.7	2.5	14.9	38.8	10	3/8-24 M10 x 1.25	4100	3150	1.3




**SER200 SERIES**  
SER200 系列

**SC200 SERIES**  
SC200 系列

座轴承型号 Housing NO.	轴 径 Shaft Diad1		基本尺寸 Dimension (mm)											额定动载荷 Basic Load Rating (kg)	额定静负荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)	
	(in)	(mm)	D	Bi	Be	n	m	T	O	X	an	y	G				ds
SER201-8 202-10 204-12 SER201 202 203 204	1/2 5/8 3/4	12 15 17 20	47	31	15.9	11.5	19.5	1.07	4	15.8	2.46	52.7	5	1/4-28 M6 x 0.75	1010	630	0.27 0.24 0.22 0.27 0.25 0.23 0.2
SER205-14 205-15 205-16 SER205	7/8 15/16 1	25	52	34.9	19.1	13.1	21.8	1.07	5.2	15.78	2.46	57.9	5.5	1/4-28 M6 x 0.75	1100	710	0.23 0.22 0.20 0.20 0.21
SER206-18 206-19 206-20 SER206	1-1/8 1-3/16 1-1/4	30	62	38.1	22.2	15.9	22.2	1.65	5.6	15.93	3.18	67.7	5.5	1/4-28 M6 x 0.75	1540	1020	0.37 0.35 0.35 0.35
SER207-20 207-21 207-22 207-23 SER207	1-1/4 1-5/16 1-3/8 1-7/16	35	72	42.9	23.8	17.5	25.4	1.65	5.6	18.32	3.18	78.6	6.5	5/16-24 M8 x 1	2030	1400	0.56 0.54 0.52 0.48 0.51
SER208-24 208-25 SER208	1-1/2 1-9/16	40	80	49.2	27.8	19	30.2	1.65	6.4	21.1	3.18	86.6	8	5/16-24 M8 x 1	2300	1600	0.72 0.68 0.68
SER209-26 209-27 209-28 SER209	1-5/8 1-11/16 1-3/4	45	85	49.2	27.8	19	30.2	1.65	6.4	21.1	3.18	91.6	8	5/16-24 M8 x 1	2570	1810	0.90 0.80 0.82 0.81
SER210-30 210-31 SER210	1-7/8 1-15/16	50	90	51.6	28.6	19	32.6	2.41	7.5	23.84	3.18	96.5	9	3/8-24 M10 x 1.25	2760	2010	0.92 0.87 0.86
SER211-32 211-34 211-35 SER211	2 2-1/8 2-3/16	55	100	55.6	30.2	22.2	33.4	2.41	7.5	23.84	3.18	105.5	9	3/8-24 M10 x 1.25	3400	2550	1.28 1.18 1.12 1.15
SER212-36 212-38 212-39 SER212	2-1/4 2-3/8 2-7/16	60	110	65.1	31.8	25.4	39.7	2.41	7.5	29.4	3.18	116.6	10.5	3/8-24 M10 x 1.25	4100	3150	1.70 1.56 1.48 1.58


座轴承型号 Housing NO.	轴 径 Shaft Diad1		基本尺寸 Dimension (mm)		额定动载荷 Basic Load Rating (kg)	额定静负荷 Basic Static Load Rating (kg)	座重量 Housing wt (kg)
	(in)	(mm)	D	Be=Bi			
SC203	11/16	17	40	12	780	454	0.065
SC204	13/16	20	47	14	1010	630	0.11
SC205	1	25	52	15	1100	710	0.18
SC206	1-3/16	30	62	16	1550	1020	0.2
SC207	1-3/8	35	72	17	2030	1400	0.3
SC208	1-9/16	40	80	18	2300	1600	0.37
SC209	1-3/4	45	85	19	2570	1810	0.43
SC210	1-15/16	50	90	20	2760	2010	0.46
SC211	2-3/16	55	100	21	3400	2550	0.62
SC212	2-3/8	60	110	22	4100	3150	0.8



H200 SERIES H200 系列


H300 SERIES H300 系列

紧定套型号 Adapter Sleeve	轴 径 Shaft Dia <sub>d1</sub> (in)				基本尺寸 Dimension (mm)					重量 Weight (kg)	组合件 Composition		
	HS in	HA in	HE in	H mm	d	d2	B1	B2	G		衬套 Sleeve	螺母 Locknut	锁紧圈 Lockwasher
H204	5/8			17	20	32	24	7	M20 × 1	0.041	A204	KM4	MB04
H205		11/16	3/4	20	25	38	26	8	M25 × 1.5	0.07	A205	KM5	MB05
H206	7/8	15/16	1	25	30	45	27	8	M30 × 1.5	0.1	A206	KM6	MB06
H207	1-1/8	1-3/16		30	35	52	29	9	M35 × 1.5	0.13	A207	KM7	MB07
H208	1-3/8	1-5/16	1-1/4	35	40	58	31	10	M40 × 1.5	0.17	A208	KM8	MB08
H209		1-7/16	1-1/2	40	45	65	33	11	M45 × 1.5	0.23	A209	KM9	MB09
H210	1-5/8	1-11/16	1-3/4	45	50	70	35	12	M50 × 1.5	0.27	A210	KM10	MB10
H211	1-7/8	1-15/16	2	50	55	75	37	12	M55 × 1.5	0.31	A211	KM11	MB11
H212	2-1/8	2-1/16		55	60	80	38	13	M60 × 2	0.35	A212	KM12	MB12
H213	2-3/8	2-3/16	2-1/4	60	65	85	40	14	M65 × 2	0.4	A213	KM13	MB13
H214				60	70	92	41	14	M70 × 2	0.6	A214	KM14	MB14
H215	2-5/8	2-7/16	2-1/2	65	75	98	43	15	M75 × 2	0.71	A215	KM15	MB15
H216	2-7/8	2-11/16	2-3/4	70	80	105	46	17	M80 × 2	0.88	A216	KM16	MB16
H217		2-15/16	3	75	85	110	50	18	M85 × 2	1.02	A217	KM17	MB17
H218	3-1/8	3-3/16	3-1/4	80	90	120	52	18	M90 × 2	1.2	A218	KM18	MB18
H219		3-5/16	3-1/4	85	95	125	55	19	M95 × 2	1.35	A219	KM19	MB19
H220		3-7/16	3-1/2	90	100	130	58	20	M100 × 2	1.5	A220	KM20	MB20
H221				95	105	140	60	20	M105 × 2	1.7	A221	KM21	MB21
H222		3-15/16	4	100	110	145	63	21	M110 × 2	1.9	A222	KM22	MB22
H304	5/8			17	20	32	28	7	M20 × 1	0.045	A304	KM4	MB04
H305		11/16	3/4	20	25	38	29	8	M25 × 1.5	0.075	A305	KM5	MB05
H306	7/8	15/16	1	25	30	45	31	8	M30 × 1.5	0.11	A306	KM6	MB06
H307	1-1/8	1-3/16		30	35	52	35	9	M35 × 1.5	0.14	A307	KM7	MB07
H308	1-3/8	1-5/16	1-1/4	35	40	58	36	10	M40 × 1.5	0.19	A308	KM8	MB08
H309		1-7/16	1-1/2	40	45	65	39	11	M45 × 1.5	0.25	A309	KM9	MB09
H310	1-5/8	1-11/16	1-3/4	45	50	70	42	12	M50 × 1.5	0.3	A310	KM10	MB10
H311	1-7/8	1-15/16	2	50	55	75	45	12	M55 × 2	0.35	A311	KM11	MB11
H312	2-1/8	2-1/16		55	60	80	47	13	M60 × 2	0.39	A312	KM12	MB12
H313	2-3/8	2-3/16	2-1/4	60	65	85	50	14	M65 × 2	0.46	A313	KM13	MB13
H314				60	70	92	52	14	M70 × 2	0.72	A314	KM14	MB14
H315	2-5/8	2-7/16	2-1/2	65	75	98	55	15	M75 × 2	0.83	A315	KM15	MB15
H316	2-7/8	2-11/16	2-3/4	70	80	105	59	17	M80 × 2	1	A316	KM16	MB16
H317		2-15/16	3	75	85	110	63	18	M85 × 2	1.2	A317	KM17	MB17
H318	3-1/8	3-3/16	3-1/4	80	90	120	65	18	M90 × 2	1.35	A318	KM18	MB18
H319		3-5/16	3-1/4	85	95	125	68	19	M95 × 2	1.55	A319	KM19	MB19
H320		3-7/16	3-1/2	90	100	130	71	20	M100 × 2	1.7	A320	KM20	MB20
H321				95	105	140	74	20	M105 × 2	1.95	A321	KM21	MB21
H322		3-15/16	4	100	110	145	77	21	M110 × 2	2.2	A322	KM22	MB22




H2300 SERIES  
H2300 系列

紧定套型号 Adapter Sleeve	轴 径 Shaft Diad1 (in)				基本尺寸 Dimension (mm)					重量 Weight (kg)	组合件 Composition			
	H mm	HE in	HS in	HA in	d	d2	B1	B2	G		衬套 Sleeve	螺母 Locknut	垫圈 Lockwasher	锁紧卡 Lockcard
H2304	17		5/8		20	32	31	7	M20 x 1	0.049	A2304	KM04	MB05	
H2305	20	3/4		11/16	25	38	35	8	M25 x 1.5	0.087	A2305	KM05	MB05	
H2306	25	1	7/8	15/16	30	45	38	8	M30 x 1.5	0.126	A2306	KM06	MB06	
H2307	30		1-1/8	1-3/16	35	52	43	9	M35 x 1.5	0.17	A2307	KM07	MB07	
H2308	35	1-1/4	1-3/8	1-5/16	40	58	46	10	M40 x 1.5	0.224	A2308	KM08	MB08	
H2309	40	1-1/2		1-7/16	45	65	50	11	M45 x 1.5	0.28	A2309	KM09	MB09	
H2310	45	1-3/4	1-5/8	1-11/16	50	70	55	12	M50 x 1.5	0.362	A2310	KM10	MB10	
H2311	50	2	1-7/8	1-15/16	55	75	59	12	M55 x 2	0.42	A2311	KM11	MB11	
H2312	55		2-1/8	2-1/16	60	80	62	13	M60 x 2	481	A2312	KM12	MB12	
H2313	60	2-1/4	2-3/8	2-3/16	65	85	65	14	M65 x 2	0.557	A2313	KM13	MB13	
H2314	60				70	92	68	14	M70 x 2	0.9	A2314	KM14	MB14	
H2315	65	2-1/2	2-5/8	2-7/16	75	98	73	15	M75 x 2	1.05	A2315	KM15	MB15	
H2316	70	2-3/4	2-7/8	2-11/16	80	105	78	17	M80 x 2	1.28	A2316	KM16	MB16	
H2317	75	3		2-15/16	85	110	82	18	M85 x 2	1.45	A2317	KM17	MB17	
H2318	80	3-1/4	3-1/8	3-3/16	90	120	86	18	M90 x 2	1.69	A2318	KM18	MB18	
H2319	85	3-1/4		3-5/16	95	125	90	19	M95 x 2	1.92	A2319	KM19	MB19	
H2320	90	3-1/2		3-7/16	100	130	97	20	M100 x 2	2.15	A2320	KM20	MB20	
H2321	95				105	140	101	20	M105 x 2	2.46	A2321	KM21	MB21	
H2322	100	4		3-15/16	110	145	105	21	M110 x 2	2.75	A2322	KM22	MB22	
H2324	110	4-1/4		4-3/16	120	155	112	22	M120 x 2	3.2	A2324	KM24	MB24	
H2326	115	4-1/2		4-7/16	130	165	121	23	M130 x 2	4.6	A2326	KM26	MB26	
H2328	125	5		4-15/16	140	180	131	24	M140 x 2	5.55	A2328	KM28	MB28	
H2330	135	5-1/4		5-3/16	150	195	139	26	M150 x 2	6.63	A2330	KM30	MB30	
H2332	140	5-1/2		5-7/16	160	210	147	28	M160 x 3	9.15	A2332	KM32	MB32	
H2334	150	6		5-15/16	170	220	154	29	M170 x 3	10.2	A2334	KM34	MB34	
H2336	160	6-1/2		6-7/16	180	230	161	30	M180 x 3	11.3	A2336	KM36	MB36	
H2338	170	6-3/4		6-15/16	190	240	169	31	M190 x 3	12.6	A2338	KM38	MB38	
H2340	180	7		7-3/16	200	250	176	32	M200 x 3	14	A2340	KM40	MB40	
H2344	200				220	280	186	44	M220 x 4	16.7	A2344	KM44		MS44
H2348	220				240	300	199	46	M240 x 4	29.7	A2348	KM48		MS48
H2352	240				260	330	211	49	M260 x 4	24.2	A2352	KM52		MS52
H2356	260				280	350	224	51	M280 x 4	27.8	A2356	KM56		MS56



H3100 SERIES H3100 系列  
H3000 SERIES H3000 系列


紧定套型号 Adapter Sleeve	轴 径 Shaft Diad1 (in)			基本尺寸 Dimension (mm)					重量 Weight (kg)	组合件 Composition			
	H mm	HE in	HA in	d	d2	B1	B2	G		衬套 Sleeve	螺母 Locknut	垫圈 Lockwasher	锁紧卡 Lockcard
H3120	90	3-1/2	3-7/16	100	130	76	20	M100 x 2	1.8	A3120	KM20	MB20	
H3122	100	4	3-15/16	110	145	81	21	M110 x 2	2.4	A3122	KM22	MB22	
H3124	110	4-1/4	4-3/16	120	155	88	22	M120 x 2	2.65	A3124	KM24	MB24	
H3126	115	4-1/2	4-7/16	130	165	92	23	M130 x 2	3.65	A3126	KM26	MB26	
H3128	125	5	4-15/16	140	180	97	24	M140 x 2	4.35	A3128	KM28	MB28	
H3130	135	5-1/4	5-3/16	150	195	111	26	M150 x 2	5.5	A3130	KM30	MB30	
H3132	140	5-1/2	5-7/16	160	210	119	28	M160 x 2	7.65	A3132	KM32	MB32	
H3134	150	6	5-15/16	170	220	122	29	M170 x 2	8.4	A3134	KM34	MB34	
H3136	160	6-1/2	6-7/16	180	230	131	30	M180 x 2	9.5	A3136	KM36	MB36	
H3138	170	6-3/4	6-15/16	190	240	141	31	M190 x 2	11	A3138	KM38	MB38	
H3140	180	7	7-3/16	200	250	150	32	M200 x 2	12	A3140	KM40	MB40	
H3144	200		7-15/16	220	280	161	44	T220 x 4	15	A3144	KM44		MS44
H3148	220			240	300	172	46	T240 x 4	18	A3148	KM48		MS48
H3152	240			260	330	190	49	T260 x 4	22.5	A3152	KM52		MS52
H3156	260			280	350	195	51	T280 x 4	25	A3156	KM56		MS56
H3160	280			300	380	208	53	T300 x 4	30.0	A3160	KM60		MS60
H3164	300			320	400	226	56	T320 x 5	35.0	A3164	KM64		MS64
H3168	320			340	440	254	72	T340 x 5		A3168	KM68		MS68
H3172	340			360	460	259	75	T360 x 5		A3172	KM72		MS72
H3176	360			380	490	264	77	T380 x 5		A3176	KM76		MS76
H3180	380			400	520	272	82	T400 x 5		A3180	KM80		MS80
H3184	400			420	540	304	90	T420 x 5		A3184	KM84		MS84
H3188	410			440	560	307	90	T440 x 5		A3188	KM88		MS88
H3192	430			460	580	326	95	T460 x 5		A3192	KM92		MS92
H3196	450			480	620	335	95	T480 x 5		A3196	KM96		MS96
H3024	110	4-1/4	4-3/16	120	145	72	22	M120 x 2	1.95	A3024	KML24	MBL24	
H3026	115	4-1/2	4-7/16	130	155	80	23	M130 x 2	2.85	A3026	KML26	MBL26	
H3028	125	5	4-15/16	140	165	82	24	M140 x 2	3.15	A3028	KML28	MBL28	
H3030	135	5-1/4	5-3/16	150	180	87	26	M150 x 2	3.9	A3030	KML30	MBL30	
H3032	140	5-1/2	5-7/16	160	190	93	28	M160 x 3	5.2	A3032	KML32	MBL32	
H3034	150	6	5-15/16	170	200	101	29	M170 x 3	6	A3034	KML34	MBL34	
H3036	160	6-1/2	6-7/16	180	210	109	30	M180 x 3	6.85	A3036	KML36	MBL36	
H3038	170	6-3/4	6-15/16	190	220	112	31	M190 x 3	7.45	A3038	KML38	MBL38	
H3040	180	7	7-3/16	200	240	120	32	M200 x 3	9.2	A3040	KML40	MBL40	
H3044	200		7-15/16	220	260	126	41	T220 x 4	10.5	A3044	KML44		MSL44
H3048	220		8-15/16	240	290	133	46	T240 x 4	13	A3048	KML48		MSL48
H3052	240		9-7/16	260	310	145	46	T260 x 4	15.5	A3052	KML52		MSL52
H3056	260		10-7/16	280	330	152	50	T280 x 4	17.5	A3056	KML56		MSL56
H3060	280		10-15/16	300	360	168	54	T300 x 4	23	A3060	KML60		MSL60
H3064	300		11-15/16	320	380	171	55	T320 x 5	24.5	A3064	KML64		MSL64
H3068	320		12-7/16	340	400	187	58	T340 x 5	28.5	A3068	KML68		MSL68
H3072	340		13-7/16	360	420	188	58	T360 x 5	30.5	A3072	KML72		MSL72
H3076	360		13-15/16	380	450	193	62	T380 x 5	36	A3076	KML76		MSL76
H3080	380			400	470	210	66	T400 x 5	41.5	A3080	KML80		MSL80
H3084	400			420	490	212	66	T420 x 5	43.5	A3084	KML84		MSL84
H3088	410			440	520	228	77	T440 x 5	65.2	A3088	KML88		MSL88
H3092	430			460	540	234	77	T460 x 5	69.5	A3092	KML92		MSL92
H3096	450			480	560	237	77	T480 x 5	73.5	A3096	KML96		MSL96



H3200 SERIES


H3200 系列

紧定套型号 Adapter Sleeve	基本尺寸 Dimension (mm)						重量 Weight (kg)	组合件 Composition		
	d1	d	d2	B1	B2	G		衬套 Sleeve	螺母 Locknut	锁紧卡 Lockcard
H3260	280	300	380	240	53	T300 × 4	34.1	A3260	HM60	MS60
H3264	300	320	400	258	56	T320 × 5	39.3	A3264	HM64	MS64
H3268	320	340	440	288	72	T340 × 5	54.6	A3268	HM68	MS68
H3272	340	360	460	299	75	T360 × 5	60.2	A3272	HM72	MS72
H3276	360	380	490	310	77	T380 × 5	69.6	A3276	HM76	MS76
H3280	380	400	520	328	82	T400 × 5	81	A3280	HM80	MS80
H3284	400	420	540	352	90	T420 × 5	94	A3284	HM84	MS84
H3288	410	440	560	361	90	T440 × 5	118	3288	HM88	MS88
H3292	430	460	580	382	95	T460 × 5	132	3292	HM92	MS92
H3296	450	480	620	397	95	T480 × 5	152	3296	HM96	MS96




AH200 SERIES AH200 系列  
AH300 SERIES AH300 系列

退卸套型号 Adapter Sleeve	基本尺寸 Dimension (mm)										重量 Weight (kg)	螺母 Locknut
	d <sub>1</sub>	d	B <sub>3</sub>	B <sub>4</sub>	D <sub>1</sub>	D <sub>2</sub>	a	b	f	G		
AH208	35	40	25	27	41.50	41	9	6	2	M45 × 1.5	0.081	KM09
AH209	40	45	26	29	46.67	46	9	6	2	M50 × 1.5	0.095	KM10
AH210	45	50	28	31	51.15	51	10	7	2	M55 × 2	0.115	KM11
AH211	50	55	29	32	56.83	56	10	7	3	M60 × 2	0.133	KM12
AH212	55	60	32	35	62.00	61.5	11	8	3	M65 × 2	0.162	KM13
AH213	60	65	32.5	36	67.08	66.5	11	8	3	M75 × 2	0.215	KM15
AH214	65	70	33.5	37	72.17	71.5	11	8	3	M80 × 2	0.25	KM16
AH215	70	75	34.5	38	77.25	76.5	11	8	3	M85 × 2	0.26	KM17
AH216	75	80	35.5	39	82.33	81.5	11	8	3	M90 × 2	0.285	KM18
AH217	80	85	38.5	42	87.50	87	12	9	4	M95 × 2	0.316	KM19
AH218	85	90	40	44	92.67	92	12	9	4	M100 × 2	0.352	KM20
AH219	90	95	43	47	97.83	97	13	10	4	M105 × 2	0.405	KM21
AH220	95	100	45	49	103.00	102.5	13	10	4	M110 × 2	0.483	KM22
AH222	105	110	50	54	113.33	112.5	14	11	4	M120 × 2	0.548	KM24
AH224	115	120	53	57	123.50	123	15	12	4	M130 × 2	0.62	KM26
AH226	125	130	53	57	133.50	133	15	12	4	M140 × 2	0.69	KM28
AH228	135	140	56	61	143.75	143	16	13	4	M150 × 2	0.76	KM30
AH230	145	150	60	65	154.00	153.5	17	14	4	M160 × 2	0.84	KM32
AH232	150	160	64	69	164.25	163	18	15	5	M170 × 3	0.93	KM34
AH234	160	170	69	74	174.58	173	19	16	5	M180 × 3	1.56	KM36
AH236	170	180	69	74	184.58	183	19	16	5	M190 × 3	2.21	KM38
AH238	180	190	73	78	194.58	193	23	17	5	T205 × 4	2.91	KML41
AH240	190	200	77	82	204.83	203	24	18	5	T215 × 4	3.72	KML43
AH244	200	220	85	91	225.58	224	24	18	5	T235 × 4	4.65	KML47
AH248	220	240	96	102	246.17	245	28	22	5	T260 × 4	5.34	KML52
AH252	240	260	105	111	266.83	265	29	23	6	T280 × 4	6.22	KML56
AH256	260	280	105	113	287.00	286	29	23	6	T300 × 4	7.18	KML60
AH308	35	40	29	32	41.92	41	9	6	2	M45 × 1.5	0.09	KM09
AH309	40	45	31	34	47.08	46.5	9	6	2	M50 × 1.5	0.109	KM10
AH310	45	50	35	38	52.33	51.5	10	7	2	M55 × 2	0.137	KM11
AH311	50	55	37	40	57.50	56.5	10	7	3	M60 × 2	0.161	KM12
AH312	55	60	40	43	62.67	61.5	11	8	3	M65 × 2	0.189	KM13
AH313	60	65	42	45	67.83	67	11	8	3	M75 × 2	0.253	KM15
AH314	65	70	43	47	73.00	72.5	11	8	3	M80 × 2	0.28	KM16
AH315	70	75	45	49	78.17	77.5	11	8	3	M85 × 2	0.313	KM17
AH316	75	80	48	52	83.42	82.5	11	8	3	M90 × 2	0.365	KM18
AH317	80	85	52	56	88.67	88	12	9	3	M95 × 2	0.429	KM19
AH318	85	90	53	57	93.75	93	12	9	3	M100 × 2	0.461	KM20
AH319	90	95	57	61	99.00	98.5	13	10	4	M105 × 2	0.532	KM21
AH320	95	100	59	63	104.17	103.5	13	10	4	M110 × 2	0.582	KM22
AH322	105	110	63	67	114.33	113.5	15	12	4	M120 × 2	0.663	KM24
AH324	115	120	69	73	124.75	124	16	13	4	M130 × 2	0.875	KM26
AH326	125	130	74	78	135.08	134.5	17	14	4	M140 × 2	1.03	KM28
AH328	135	140	77	82	145.42	144.5	17	14	4	M150 × 2	1.15	KM30
AH330	145	150	83	88	155.83	155	18	15	4	M160 × 2	1.55	KM32
AH332	150	160	88	93	166.17	165	19	16	5	M170 × 3	2.73	KM34
AH334	160	170	93	98	176.50	175	20	17	5	M180 × 3	3.2	KM36




AH2300 SERIES AH2300 系列  
AH3200 SERIES AH3200 系列

退卸套型号 Adapter Sleeve	基本尺寸 Dimension (mm)										重量 Weight (kg)	螺母 Locknut
	d <sub>1</sub>	d	B <sub>3</sub>	B <sub>4</sub>	D <sub>1</sub>	D <sub>2</sub>	a	b	f	G		
AH2308	35	40	40	43	42.76	42	10	7	2	M45 × 1.5	0.128	KM09
AH2309	40	45	44	47	48.08	47.5	10	7	2	M50 × 1.5	0.164	KM10
AH2310	45	50	50	53	53.50	52	12	9	2	M55 × 2	0.209	KM11
AH2311	50	55	54	57	58.67	57	13	10	3	M60 × 2	0.253	KM12
AH2312	55	60	58	61	63.92	62	14	11	3	M65 × 2	0.297	KM13
AH2313	60	65	61	64	69.08	68.5	15	12	3	M75 × 2	0.395	KM15
AH2314	65	70	64	68	74.42	73.5	15	12	3	M80 × 2	0.466	KM16
AH2315	70	75	68	72	79.75	79	15	12	3	M85 × 2	0.534	KM17
AH2316	75	80	71	75	85.00	84.5	15	12	3	M90 × 2	0.597	KM18
AH2317	80	85	74	78	90.17	89.5	16	13	3	M95 × 2	0.69	KM19
AH2318	85	90	79	83	95.50	95	17	14	4	M100 × 2	0.779	KM20
AH2319	90	95	85	89	100.83	100	19	16	4	M105 × 2	0.886	KM21
AH2320	95	100	90	94	106.25	105.5	19	16	4	M110 × 2	0.998	KM22
AH2322	105	110	98	102	116.42	116	19	16	4	M125 × 2	1.35	KM25
AH2324	115	120	105	109	127.42	126.5	20	17	4	M135 × 2	1.6	KM27
AH2326	125	130	115	119	138.08	137.5	22	19	4	M145 × 2	1.97	KM29
AH2328	135	140	125	130	148.92	148	23	20	4	M155 × 3	2.33	KM31
AH2330	145	150	135	140	159.42	158.5	27	24	4	M165 × 3	2.82	KM33
AH2332	150	160	140	146	169.92	168	27	24	5	M180 × 3	4.72	KM36
AH2334	160	170	146	152	180.42	179	27	24	5	M190 × 3	5.25	KM38
AH2336	170	180	154	160	189.92	189	29	26	5	M200 × 3	5.83	KM40
AH2338	180	190	160	167	201.25	200	32	26	5	T210 × 4	6.63	KM42
AH2340	190	200	170	177	211.75	210	36	30	5	T220 × 4	7.54	KM44
AH2344	200	220	181	189	232.75	231	36	30	5	T240 × 4	13.5	KM48
AH2348	220	240	189	197	253.42	252	36	30	5	T260 × 4	15.5	KM52
AH2352	240	260	205	213	274.75	273	36	30	6	T290 × 4	19.6	KM58
AH2356	260	280	212	220	295.33	294	36	30	6	T310 × 5	21.6	KM62
AH3218	85	90	63	67	94.50	94	13	10	3	M100 × 2	0.576	KM20
AH3219	90	95	67	71	99.75	99	14	11	4	M105 × 2	0.65	KM21
AH3220	95	100	73	77	105.25	104.5	14	11	4	M110 × 2	0.767	KM22
AH3222	105	110	82	86	116.00	115.5	14	11	4	M125 × 2	0.88	KM25
AH3224	115	120	90	94	126.50	126	16	13	4	M135 × 2	1.11	KM27
AH3226	125	130	98	102	137.00	136.5	18	15	4	M145 × 2	1.58	KM29
AH3228	135	140	104	109	147.58	147	18	15	4	M155 × 3	1.84	KM31
AH3230	145	150	114	119	158.25	157.5	20	17	4	M165 × 3	2.22	KM33
AH3232	150	160	124	130	168.92	167	23	20	5	M180 × 3	4.08	KM36
AH3234	160	170	134	140	179.42	178	27	24	5	M190 × 3	4.80	KM38
AH3236	170	180	140	146	189.92	188	27	24	5	M200 × 3	5.32	KM40
AH3238	180	190	145	152	200.08	199	31	25	5	T210 × 4	5.90	HM42
AH3240	190	200	153	160	210.75	209	31	25	5	T220 × 4	6.68	KM44
AH3260	280	300	228	236	316.33	315	40	34	6	T330 × 5	26.00	HM66
AH3264	300	320	246	254	337.67	336	42	36	6	T350 × 5	30.60	HM70
AH3268	320	340	264	273	359.08	358	44	38	6	T370 × 5	35.40	HM74
AH3272	340	360	274	283	379.95	378	46	40	6	T400 × 5	41.50	HM80
AH3276	360	380	284	294	400.50	399	48.0	42	6	T420 × 5	45.60	HM84
AH3280	380	400	302	312	421.83	420	50.0	44	6	T440 × 5	51.70	HM88
AH3284	400	420	321	331	443.25	442	52.0	46	8	T460 × 5	58.90	HM92
AH3288	420	440	330	341	463.92	462	54	48	8	T480 × 5	63.80	HM96
AH3292	440	460	349	360	485.33	484	56	50	8	T510 × 6	74.50	HM102
AH3296	460	480	364	376	506.50	505	58	52	8	T530 × 6	82.10	HM106





AH3000 SERIES AH3000 系列  
AH3100 SERIES AH3100 系列

退卸套型号 Adapter Sleeve	基本尺寸 Dimension(mm)										重量 Weight (kg)	螺母 Looknut
	d <sub>i</sub>	d	B <sub>3</sub>	B <sub>4</sub>	D <sub>1</sub>	D <sub>2</sub>	a	b	f	G		
AH3120	95	100	64	68	104.50	104	14	11	4	M110 x 2	0.65	KM22
AH3122	105	110	68	72	114.83	114	14	11	4	M120 x 2	0.76	KM24
AH3124	115	120	75	79	125.33	124	15	12	4	M130 x 2	0.95	KM26
AH3126	125	130	78	82	135.58	135	15	12	4	M140 x 2	1.08	KM28
AH3128	135	140	83	88	145.92	145	17	14	4	M150 x 2	1.28	KM30
AH3130	145	150	96	101	156.92	156	18	15	4	M165 x 3	1.79	KM33
AH3132	150	160	103	108	167.42	166	19	16	5	M180 x 3	2.87	KM36
AH3134	160	170	104	109	177.00	176	19	16	5	M190 x 3	3.04	KM38
AH3136	170	180	116	122	188.33	187	22	19	5	M200 x 3	3.76	KM40
AH3138	180	190	125	131	198.75	197	26	20	5	T210 x 4	4.89	HM42
AH3140	190	200	134	140	209.42	208	27	21	5	T220 x 4	5.49	HM44
AH3144	200	220	145	151	230.17	229	29	23	5	T240 x 4	10.40	HM48
AH3148	220	240	154	161	250.83	249	31	25	5	T260 x 4	12.00	HM52
AH3152	240	260	172	179	272.25	271	32	26	6	T290 x 4	16.20	HM58
AH3156	260	280	175	183	292.42	291	34	28	6	T310 x 5	17.50	HM62
AH3160	280	300	192	200	313.67	312	36.0	30	6	T330 x 5	20.80	HM66
AH3164	300	320	209	217	335.00	334	37.0	31	6	T350 x 5	24.50	HM70
AH3168	320	340	225	234	356.25	355	39.0	33	6	T370 x 5	29.00	HM74
AH3172	340	360	226	238	376.42	375	41	35	6	T400 x 5	33.00	HM80
AH3176	360	380	232	242	396.67	395	42	36	6	T420 x 5	35.70	HM84
AH3180	380	400	240	250	417.17	416	44	38	6	T440 x 5	39.50	HM88
AH3192	440	460	285	296	480.58	479.5	49	43	8	T510 x 6	57.90	HM102
AH3196	460	480	295	307	501.33	500	51	45	8	T530 x 6	63.10	HM106
AH3024	115	120	60	64	124.00	123.5	16	13	4	M130 x 2	0.75	KM26
AH3026	125	130	67	71	134.50	134	17	14	4	M140 x 2	0.93	KM28
AH3028	135	140	68	73	144.67	144	17	14	4	M150 x 2	1.01	KM30
AH3030	145	150	72	77	154.92	154	18	15	4	M160 x 3	1.15	KM32
AH3032	150	160	77	82	165.25	164	19	16	5	M170 x 3	2.06	KM34
AH3034	160	170	85	90	175.83	174	20	17	5	M180 x 3	2.43	KM36
AH3036	170	180	92	98	186.25	185	23	17	5	M190 x 3	2.80	KM38
AH3038	180	190	96	102	196.50	195	24	18	5	T205 x 4	3.32	HM41
AH3040	190	200	102	108	206.92	205	25	19	5	T215 x 4	3.80	HM43
AH3044	200	220	111	117	227.58	226	26	20	5	T235 x 4	7.40	HM47
AH3048	220	240	116	123	248.00	247	27	21	5	T260 x 4	8.75	HM52
AH3052	240	260	128	135	268.83	267	29	23	6	T280 x 4	10.70	HM56
AH3056	260	280	131	139	289.08	288	30	24	6	T300 x 4	12.00	HM60
AH3060	280	300	145	153	310.08	309	32	26	6	T320 x 5	14.40	HM64
AH3064	300	320	149	157	330.00	329	33	27	6	T345 x 5	16.00	HM69
AH3068	320	340	162	171	351.42	350	34	28	6	T365 x 5	19.50	HM73
AH3072	340	360	167	176	371.67	370	36	30	6	T385 x 5	21.00	HM77
AH3076	360	380	170	180	391.92	390	37	31	6	T410 x 5	23.20	HM82
AH3080	380	400	183	193	412.83	411	33	33	6	T430 x 5	27.30	HM86
AH3084	400	420	186	196	433.00	432	40	34	8	T450 x 5	29.00	HM90
AH3088	420	440	194	205	453.67	452	41	35	8	T470 x 5	32.00	HM94
AH3092	440	460	202	213	474.17	473	43	37	8	T490 x 5	35.20	HM98
AH3096	460	480	205	217	494.42	493	44	38	8	T520 x 6	39.20	HM104





OH3100 SERIES 系列  
OH3000 SERIES 系列  
OH2300 SERIES 系列

紧定套型号 Adapter Sleeve	轴径 Shaft d <sub>i</sub>	基本尺寸 Dimensions (mm)							重量 Weight (kg)	组合件 Composition		
	H mm	d	d <sub>2</sub>	B <sub>1</sub>	B <sub>2</sub>	G1	A	G		衬套 Sleeve	螺母 Looknut	锁紧卡 Lookcard
OH3144	200	220	280	161	44	M6	4.2	T220 × 4	15	A3144	KM44	MS44
OH3148	220	240	300	172	46	M6	4.2	T240 × 4	18	A3148	KM48	MS48
OH3152	240	260	330	190	49	M6	4.2	T260 × 4	22.5	A3152	KM52	MS52
OH3156	260	280	350	195	51	M6	4.2	T280 × 4	25	A3156	KM56	MS56
OH3160	280	300	380	208	53	M6	4.2	T300 × 4	30.0	A3160	KM60	MS60
OH3164	300	320	400	226	56	M6	4	T320 × 5	35.0	A3164	KM64	MS64
OH3168	320	340	440	254	72	M6	4	T340 × 5		A3168	KM68	MS68
OH3172	340	360	460	259	75	M6	4	T360 × 5		A3172	KM72	MS72
OH3176	360	380	490	264	77	M6	4	T380 × 5		A3176	KM76	MS76
OH3180	380	400	520	272	82	M6	4	T400 × 5		A3180	KM80	MS80
OH3184	400	420	540	304	90	M6	4	T420 × 5		A3184	KM84	MS84
OH3188	410	440	560	307	90	M8	6.5	T440 × 5		A3188	KM88	MS88
OH3192	430	460	580	326	95	M8	6.5	T460 × 5		A3192	KM92	MS92
OH3196	450	480	620	335	95	M8	6.5	T480 × 5		A3196	KM96	MS96
OH3044	200	220	260	126	41	M6	4.2	T220 × 4	10.5	A3044	KML44	MSL44
OH3048	220	240	290	133	46	M6	4.2	T240 × 4	13	A3048	KML48	MSL48
OH3052	240	260	310	145	46	M6	4.2	T260 × 4	15.5	A3052	KML52	MSL52
OH3056	260	280	330	152	50	M6	4.2	T280 × 4	17.5	A3056	KML56	MSL56
OH3060	280	300	360	168	54	M6	4.2	T300 × 4	23	A3060	KML60	MSL60
OH3064	300	320	380	171	55	M6	4	T320 × 5	24.5	A3064	KML64	MSL64
OH3068	320	340	400	187	58	M6	4	T340 × 5	28.5	A3068	KML68	MSL68
OH3072	340	360	420	188	58	M6	4	T360 × 5	30.5	A3072	KML72	MSL72
OH3076	360	380	450	193	62	M6	4	T380 × 5	36	A3076	KML76	MSL76
OH3080	380	400	470	210	66	M6	4	T400 × 5	41.5	A3080	KML80	MSL80
OH3084	400	420	490	212	66	M6	4	T420 × 5	43.5	A3084	KML84	MSL84
OH3088	410	440	520	228	77	M8	6.5	T440 × 5	65.2	A3088	KML88	MSL88
OH3092	430	460	540	234	77	M8	6.5	T460 × 5	68.5	A3092	KML92	MSL92
OH3096	450	480	560	237	77	M8	6.5	T480 × 5	73.5	A3096	KML96	MSL96
OH2344	200	220	280	186	44	M6	4.2	T220 × 4	16.7	A2344	HM44	MS44
OH2348	220	240	300	199	46	M6	4.2	T240 × 4	29.7	A2348	HM48	MS48
OH2352	240	260	330	211	49	M6	4.2	T260 × 4	24.2	A2352	HM52	MS52
OH2356	260	280	350	224	51	M6	4.2	T280 × 4	27.8	A2356	HM56	MS56



AOH2300 SERIES 系列  
AOH3100 SERIES 系列

退卸套型号 Adapter Sleeve	基本尺寸 Dimensions(mm)							重量 Weight (kg)	螺母 Locknut
	$d_1$	L	b	$R_o$	e	t	$D_1$		
AOH2332	150	140	24	M6	4.5	7	M180 × 3	4.72	KM36
AOH2334	160	146	24	M6	4.5	7	M190 × 3	5.25	KM38
AOH2336	170	154	26	M6	4.5	7	M200 × 3	5.83	KM40
AOH2338	180	160	26	M6	4.5	7	T210 × 4	6.63	HM42
AOH2340	190	170	30	M6	4.5	7	T220 × 4	7.54	HM44
AOH2344	200	181	30	PT1/8	8	12	T240 × 4	13.5	HM48
AOH2348	220	189	30	PT1/8	8	12	T260 × 4	15.5	HM52
AOH2352	240	205	30	PT1/8	8	12	T290 × 4	19.6	HM58
AOH2356	260	212	30	PT1/8	8	12	T310 × 5	21.6	HM62
AOH3132	150	103	16	M6	4.5	7	M180 × 3	3.21	KM36
AOH3134	160	104	16	M6	4.5	7	M190 × 3	3.4	KM38
AOH3136	170	116	19	M6	4.5	7	M200 × 3	4.22	KM40
AOH3138	180	125	20	M6	4.5	7	T210 × 4	4.89	HM42
AOH3140	190	134	21	M6	4.5	7	T220 × 4	5.49	HM44
AOH3144	200	145	23	PT1/8	8	12	T240 × 4	10.4	HM48
AOH3148	220	154	25	PT1/8	8	12	T260 × 4	12	HM52
AOH3152	240	172	26	PT1/8	8	12	T290 × 4	16.2	HM58
AOH3156	260	175	28	PT1/8	8	12	T310 × 4	17.5	HM62
AOH3160	280	192	30	PT1/8	8	12	T330 × 5	20.8	HM66
AOH3164	300	209	31	PT1/8	8	12	T350 × 5	24.5	HM70
AOH3168	320	225	33	PT1/8	8	12	T370 × 5	29	HM74
AOH3172	340	229	35	PT1/8	8	12	T400 × 5	33	HM80
AOH3176	360	232	36	PT1/8	8	12	T420 × 5	35.7	HM84
AOH3180	380	240	38	PT1/8	8	12	T440 × 5	39.5	HM88
AOH3184	400	266	40	PT1/8	8	12	T460 × 5	46.5	HM92
AOH3188	420	270	42	PT1/8	8	12	T480 × 5	49.8	HM96
AOH3192	440	285	43	PT1/8	8	12	T510 × 6	57.9	HM102
AOH3196	460	295	45	PT1/8	8	12	T530 × 6	63.1	HM106



AOH3000 SERIES 系列  
AOH3200 SERIES 系列

退卸套型号 Adapter Sleeve	基本尺寸 Dimensions (mm)							重量 Weight (kg)	螺母 Looknut
	d <sub>1</sub>	L	b	Ro	e	t	D1		
AOH3032	150	77	16	M6	4	7	M170 × 3	2.06	KM34
AOH3034	160	85	17	M6	4	7	M180 × 3	2.43	KM36
AOH3036	170	92	17	M6	4	7	M190 × 3	2.81	KM38
AOH3038	180	96	18	M6	4	7	T205 × 4	3.32	HM41
AOH3040	190	102	19	M6	4	7	T215 × 4	3.8	HM43
AOH3044	200	111	20	PT1/8	8	12	T235 × 4	7.4	HM47
AOH3048	220	116	21	PT1/8	8	12	T260 × 4	8.75	HM52
AOH3052	240	128	23	PT1/8	8	12	T280 × 4	10.7	HM56
AOH3056	260	131	24	PT1/8	8	12	T300 × 4	12	HM60
AOH3060	280	145	26	PT1/8	8	12	T320 × 5	14.4	HM64
AOH3064	300	149	27	PT1/8	8	12	T345 × 5	16	HM69
AOH3068	320	162	28	PT1/8	8	12	T365 × 5	19.5	HM73
AOH3072	340	167	30	PT1/8	8	12	T385 × 5	21	HM77
AOH3076	360	170	31	PT1/8	8	12	T410 × 5	23.2	HM82
AOH3080	380	183	33	PT1/8	8	12	T430 × 5	27.3	HM86
AOH3084	400	186	34	PT1/8	8	12	T450 × 5	29	HM90
AOH3088	420	194	35	PT1/8	8	12	T470 × 5	32	HM94
AOH3092	440	202	37	PT1/8	8	12	T490 × 5	35.2	HM98
AOH3096	460	205	38	PT1/8	8	12	T520 × 5	39.2	HM104
AOH3232	150	124	20	M6	4.5	7	M180 × 3	4.08	KM36
AOH3234	160	134	24	M6	4.5	7	M190 × 3	4.8	KM38
AOH3236	170	140	24	M6	4.5	7	M200 × 3	5.32	KM40
AOH3238	180	145	25	M6	4.5	7	T210 × 4	5.9	HM42
AOH3240	190	153	25	M6	4.5	7	T220 × 4	6.68	HM44
AOH3260	280	228	34	PT1/8	8	12	T330 × 5	26	HM66
AOH3264	300	246	36	PT1/8	8	12	T350 × 5	30	HM70
AOH3268	320	264	38	PT1/8	8	12	T370 × 5	35.8	HM74
AOH3272	340	274	40	PT1/8	8	12	T400 × 5	41.6	HM80
AOH3276	360	284	42	PT1/8	8	12	T420 × 5	46.3	HM84
AOH3280	380	302	44	PT1/8	8	12	T440 × 5	52.5	HM88
AOH3284	400	321	46	PT1/8	8	12	T460 × 5	59.7	HM92
AOH3288	420	330	48	PT1/8	8	12	T480 × 5	64.8	HM98
AOH3292	440	349	50	PT1/8	8	12	T510 × 5	75.2	HM102
AOH3296	460	364	52	PT1/8	8	12	T530 × 5	83.1	HM106

1.Tolerance in Common Use(Table 1) 公差配合 (表 1)

Table 1  
表 1

Unit: um  
单位: um

基本尺寸 Dimensions (mm)		H6		H7		H8		H12		h7		h8		h12		J6		J7		K6		K7	
over	inel	hijh	low	hijh	low	hijh	low	hijh	low	hijh	low												
18	30	+13	0	+21	0	+33	0	+210	0	0	-21	0	-33	0	-210	+8	-5	+12	-9	+2	-11	+6	-15
30	50	+16	0	+25	0	+39	0	+250	0	0	-25	0	-39	0	-250	+10	-6	+14	-11	+3	-13	+7	-18
50	80	+19	0	+30	0	+46	0	+300	0	0	-30	0	-46	0	-300	+13	-6	+18	-12	+4	-15	+9	-21
80	120	+22	0	+35	0	+54	0	+350	0	0	-35	0	-54	0	-350	+16	-6	+22	-13	+4	-18	+10	-25
120	180	+25	0	+40	0	+63	0	+400	0	0	-40	0	-63	0	-400	+18	-7	+26	-14	+4	-21	+12	-28
180	250	+29	0	+46	0	+72	0	+460	0	0	-46	0	-72	0	-460	+22	-7	+30	-16	+5	-24	+13	-33
250	315	+32	0	+52	0	+81	0	+520	0	0	-52	0	-81	0	-520	+25	-7	+36	-16	+5	-27	+16	-36
315	400	+36	0	+57	0	+89	0	+570	0	0	-57	0	-89	0	-570	+29	-7	+39	-18	+7	-29	+17	-40
400	500	+40	0	+63	0	+97	0	+630	0	0	-63	0	-97	0	-630	+33	-7	+43	-20	+8	-32	+18	-45

2.Technical requirement of Take-up housing(Table 2) 滑块座技术要求 (表 2)




Table 2  
表 2

Unit: mm  
单位: mm

轴承座型号 Housing No					K		C	
T		ST	NST		higt	low	higt	low
204			204	204	+0.2	0	0	-0.5
205	305	X05	205	205				
206	306	X06	206	206				
207	307	X07	207	207				
208	308	X08	208	208				
209	309	X09	209	209				
210	310	X10	210	210				
211	311	X11	211	211				
212	312	X12	212	212				
213	313	X13	213					
214	314	X14						
215	315	X15						
216	316	X16						
217	317	X17						
218	318				+0.3	0	0	-0.8
	319							
	320							
	321							
	322							
	324							
	326							
	328							

3. Technical requirement of Flange housing(表 3)

法兰座技术要求(表 3)




表 3  
Table 3

Unit:mm  
单位:mm

轴承座型号 Housings No			i		e		安装孔位置度 Tolerances of position for mounting bolt holes
F FL FT FLU FS LFL FW LF FC FA FB	F FL FS	F FL FC	上偏差 high	下偏差 low	上偏差 high	下偏差 low	X≤
203 204 205 206 207 208 209 210	305 306 307 308 309 310	X05 X06 X07 X08 X09	+0.50	-0.50	+0.70	-0.7	0.6
211 212 213 214 215 216 217 218	311 312 313 314 315 316 317 318 319 320 321 322 324 326 328	X10 X11 X12 X13 X14 X15 X16 X17 X18 X20	+0.80	-0.80	+1.0	-1	0.8

4. Technical requirement of Pillow Block (Table 4)  
立式座技术要求 (表 4)




表 4

Table 4

单位:mm

Unit:mm

轴承座型号 Housng No	公差 Tolerance H
P203-210 P305-P310 PX05-PX09 AK203-210 LP203-210 PE203-210 SB205-21 LLP3-7 PA203-20 PG203-210 PW204-210 TB204-210 CP204-10 PSD203-210	± 0.15
P211-218 P311-319 PX10-X18 AK211-212 LP211-213 PE211-215 SB211-218 PG211-212 PA211-213 CP211-218	± 0.20
PX20 P320-328 SBX20	± 0.30

5. Technical requirement of Ring like Housing (Table 5)  
环形座技术要求 (表 5)




表 5

Table 5

单位:mm

Unit:mm

轴承座型号 Housng No	公差 Tolerance H
C204 LC204 C305 CX05	± .020
C205 LC205 C306 CX06	
C206 LC206 C307 CX07	
C207 LC207 C308 CX08	
C208 LC208 C309 CX09	
C209 LC209 C310 CX10	
C210 LC210 C311 CX11	
C211 LC211 C312 CX12	
C212 LC212 C313	
C213 LC213 C314	
C315	
C316	
C317	
C318	
C319	
C320	
C322	
C324	
C326	
C328	

6. Technical requirement of Punching Housing  
冲压座技术要求

Table 6 表 6		Unit: $\mu\text{m}$ 单位: $\mu\text{m}$
Housing No	Deviations	
	e	s
PP203	$\pm 400$	$\pm 500$
PP204		
PP205		
PP206		
PP207		







Table 7 表 7		Unit: $\mu\text{m}$ 单位: $\mu\text{m}$
Housing No	Deviations	
	e	s
PF203 PFL203 PFT203	$\pm 400$	$\pm 250$
PF204 PFL204 PFT204		
PF205 PFL205 PFT205		
PF206 PFL206 PFT206		
PF207 PFL207 PFT207		


7. Seal type of Plummer Block 密封形式




FELT SEALING  
毡圈密封




ZF SEALING  
ZF 密封




TS SEALING  
TS 密封




TSU SEALING  
TSU 密封




TSA SEALING  
TSA 密封




TAC TACONITE SEALING  
TAC 端盖密封




LS SEALING  
LS 密封




LS TACONITE SEALING  
LS 端盖密封




TST TACONITE SEALING  
TST 端盖密封



U-LOCK SEALING  
U-LOCK 密封



TA SEALING  
TA 密封



ASNA END PLATE  
ASNA 端盖