




About us 关于我们

瓦房店金锐轴承制造有限公司是一家轴承设计集研发、生产、销售为一体的高端轴承制造企业。采用全自动数控生产线，先进的检测仪器全程跟踪，系统检查严格控制生产过程，保证了轴承质量的稳定性和一致性。公司拥有专业的技术与服务团队，技术人员比例达30%以上，能生产内径50mm至内径340mm范围内的轴承3000多种，其中包括N，NU，NJ，NUP，NF，RN，RNU，NCL等系列轴承，可生产黄铜，钢板冲压，铁卡，尼龙等保持器轴承。以及大型、特大型和非标准轴承，公司已通过ISO9001：2000质量管理体系认证和ISO14001:2004环境管理体系认证。为了更进一步的提升公司产品的竞争力，我公司所生产的产品全部采用贝氏体淬火工艺，从根本上提高了产品的质量，为客户提供了更具竞争力的精品轴承。

公司将始终坚持“质量第一，信誉第一”的宗旨，以科学的管理手段，雄厚的技术力量，将不断深化改革，创新机制，适应市场，全面发展，欢迎各界朋友莅临参观、指导和业务洽谈。

Wafangdian Jinrui bearing manufacturing factory is a high-end bearing manufacturing enterprise with bearing design, R & D, production and sales. It adopts full-automatic numerical control production line, advanced testing instruments to track the whole process, system inspection to strictly control the production process, ensuring the stability and consistency of bearing quality. The company has a professional technical and service team with more than 30% technicians. It can produce more than 3000 kinds of bearings with an inner diameter of 50mm to 340mm, including N, Nu, NJ, NUP, NF, RN, rnu, NCL and other series bearings. It can produce brass, steel plate stamping, iron card, nylon and other retainer bearings. As well as large, extra large and non-standard bearings, the company has passed ISO9001:2000 quality management system certification and ISO14001:2004 environmental management system certification. In order to further enhance the competitiveness of the company's products, all the products produced by our company are made of bainite quenching technology, which fundamentally improves the quality of the products and provides more competitive quality bearings for a wide range of customers.

The company will always adhere to the tenet of "quality first, reputation first". With scientific management means and strong technical force, it will continue to deepen reform, innovate mechanism, adapt to the market and develop in an all-round way. Friends from all walks of life are welcome to visit, guide and discuss business.



JRZC®
金锐轴承

小摩擦 大承载



黄铜保持架

钢保持架

尼龙保持器




[企业文化] 成就客户，为自己创造价值
corporate culture ACHIEVING CUSTOMERS AND CREATING VALUE FOR YOURSELF

诚信 创新 共赢 传递价值


TRUSTWORTHINESS,
INNOVATION
WIN-WIN TRANSFER VALUE





瓦房店金锐轴承制造有限公司



轴承型号 Bearing Model	基本尺寸 Basic Size			重量 weight		轴承型号 Bearing Model	基本尺寸 Basic Size			重量 weight	
	d	D	T				d	D	T		
1004EM	20	42	12	0.079		202EM	15	35	11		
1005EM	25	47	12	0.1		203EM	17	40	12	0.07	
1006EM	30	55	13	0.12		204EM	20	47	14	0.14	
1007EM	35	62	14	0.16		205EM	25	52	215	0.16	
1008EM	60	65	15	0.22		206EM	30	62	15	0.24	
1009EM	45	75	16	0.26		207EM	35	72	17	0.31	
1010EM	50	80	16			208EM	40	80	18	0.39	
1011EM	55	90	18	0.45		209EM	45	85	19	0.45	
1012EM	60	95	18	0.48		210EM	50	90	20	0.5	
1013EM	65	100	18	0.51		211EM	55	100	21	0.68	
1014EM	70	110	20	0.71		212EM	60	110	22	0.86	
1015EM	75	115	20	0.74		213EM	65	120	23	1.08	
1016EM	80	125	22	1		214EM	70	125	24	1.2	
1017EM	85	130	22	1.05		215EM	75	130	25	1.32	
1018EM	90	140	24	1.36		216EM	80	140	26	1.58	
1019EM	95	145	24	1.4		217EM	85	150	28	2	
1020EM	100	150	24	1.5		218EM	90	160	30	2.44	
1021EM	105	160	26	1.9		219EM	95	170	32	2.96	
1022EM	110	170	28	2.3		220EM	105	190	34	3.5	
1024EM	120	180	28	2.96		221EM	110	200	38	4.86	
1026EM	130	200	33	3.7		224EM	120	215	40	6.11	
1028EM	140	210	33	4		226EM	130	230	40	7	
1030EM	150	225	35	4.8		228EM	140	250	42	9.1	
1032EM	160	240	38	6		230EM	150	270	45	11	
1034EM	170	260	42	8.14		232EM	160	290	48	13.5	
1036EM	180	280	46	10.1		234EM	170	310	52	17.1	
1038EM	190	290	46	11		236EM	180	320	52	18	
1040EM	200	310	51	14.3		238EM	190	340	55	23	
1044EM	200	340	56	19.6		240EM	200	360	58	26	
1048EM	240	360	56	21		244EM	220	400	65	36	
1052EM	240	400	65	31		248EM	240	440	72	48.2	
1056EM	280	420	65	33		252EM	260	480	80	70.3	
1060EM	300	460	74	44.4		256EM	280	500	80		
						260EM	300	540	85	87.2	



轴承型号 Bearing Model	基本尺寸 Basic Size			重量 weight		轴承型号 Bearing Model	基本尺寸 Basic Size			重量 weight	
	d	D	T				d	D	T		
303EM	17	47	14	0.15		403EM	17	60	17		
304EM	20	52	15	0.2		405EM	25	80	21	0.64	
305EM	25	62	17			406EM	30	90	23	0.73	
306EM	30	72	19	0.38		407EM	35	100	25	0.94	
307EM	35	80	21	0.5		408EM	40	110	27	1.25	
308EM	40	90	23	0.68		409EM	45	120	29	1.8	
309EM	45	100	25	0.93		410EM	50	130	31	2.3	
310EM	50	110	27	1.2		411EM	55	140	33	2.8	
311EM	55	120	29	1.53		412EM	60	150	35	3.4	
312EM	60	130	31	1.87		413EM	65	160	37	4	
313EM	65	140	33	2.31		414EM	70	180	42	5.9	
314EM	70	150	35	2.86		415EM	75	190	45	7.1	
315EM	75	160	37	3.43		416EM	80	200	48	8.3	
316EM	80	170	39	4.05		417EM	85	210	52	9.8	
317EM	85	180	41	4.82		418EM	90	225	54	11	
318EM	90	190	43	5.6		419EM	95	240	55	14	
319EM	95	200	45	6.52		420EM	100	250	58	16	
320EM	100	215	47	7.89		421EM	105	260	60		
322EM	110	240	50	11		422EM	110	280	65	22	
324EM	120	260	55	14		424EM	120	310	72	30	
326EM	130	280	58	18		426EM	130	340	78	39	
328EM	140	300	62	22		428EM	140	360	82		
330EM	150	320	65	26		430EM	150	380	85	53	
332EM	160	340	68	31.6							
334EM	170	360	72	36							
336EM	180	380	75	42							
338EM	190	400	78	50							
340EM	200	420	80								
344EM	220	460	88	75							
348EM	240	500	95	97.1							



轴承型号 Bearing Model	基本尺寸 Basic Size			重量 weight		轴承型号 Bearing Model	基本尺寸 Basic Size			重量 weight	
	d	D	T				d	D	T		
2203EM	17	40	16	0.09		2303EM	17	47	19		
2204EM	20	40	16	0.15		2304EM	20	52	21	0.22	
2205EM	25	62	18	0.17		2305EM	25	62	24	0.38	
2206EM	30	62	20	0.33		2306EM	30	72	27	0.54	
2207EM	35	72	23	0.41		2307EM	35	80	31	0.74	
2208EM	40	80	23	0.5		2308EM	40	90	33	0.97	
2209EM	45	85	23	0.55		2309EM	45	100	36	1.34	
2210EM	50	90	23	0.59		2310EM	50	110	40	1.79	
2211EM	55	100	25	0.81		2311EM	55	120	43	2.28	
2212EM	60	110	28	1.12		2312EM	60	130	46	2.81	
2213EM	65	120	31	1.48		2313EM	65	140	48	3.34	
2214EM	70	125	31	1.56		2314EM	70	150	51	4.1	
2215EM	75	130	31	1.64		2315EM	75	160	55	5.4	
2216EM	80	140	33	2.05		2316EM	80	170	58	6.4	
2217EM	85	150	36	2.58		2317EM	85	180	60	7.4	
2218EM	90	160	40	3.26		2318EM	90	190	64	8.4	
2219EM	95	170	43	3.97		2319EM	95	200	67	10.4	
2220EM	100	180	46	4.86		2320EM	100	215	73	13.5	
2222EM	110	200	53	7.5		2322EM	110	240	80	17.5	
2224EM	120	215	58	9.5		2324EM	120	260	86	22.5	
2226EM	130	230	64	11.5		2326EM	130	280	93	28.5	
2228EM	140	250	68	15		2328EM	140	300	102	37	
2230EM	150	270	73	17		2330EM	150	320	108	45	
2232EM	160	290	80	25		2332EM	160	340	114	55.8	
2234EM	170	310	86	30		2334EM	170	360	120	63	
2236EM	180	320	86	31		2336EM	180	380	126	71.2	
2238EM	190	340	92	38.5		2338EM	190	400	132	85	
2240EM	200	360	98	42.2		2340EM	200	420	135	94.5	
2244EM	220	400	108	62		2344EM	220	460	145	114	
2248EM	240	440	120	85.9		2348EM	240	500	155	157	
2252EM	260	480	130	113							
2256EM	280	500	130	117							

轴承型号 Bearing Model	基本尺寸 Basic Size			重量 weight
	d	D	T	
RN307M	35	68.2	21	0.32
RN309M	45	86.5	25	0.61
RN312EM	60	130	21	
RN313EM	65	121.5	33	
RN314EM	70	130	35	
RN324EM	120	226	55	
RN204M	20	40	14	0.08
RN205M	25	45	15	0.09
RN206M	30	53.5	16	0.11
RN219M	95	151.5	32	2.3
RN222M	110	178.5	38	3.3
RN228M	140	221	42	
RN328M	140	260	62	
42724QT	120	240	80	
42726QT	130	250	80	

投资 交流 合作 共赢

WIN WIN INVESTMENT EXCHANGE AND COOPERATION

