

圆柱滚子轴承是由轴承内圈和外圈与挡边引导的圆柱滚子带保持架组成的完整单元。圆柱滚子轴承通常以挡边不同来区分，本公司生产的圆柱滚子轴承有N、NU、NJ、NUP、NF型和带止动环的NUP..N、NUP..NR型圆柱滚子轴承。

该类轴承具有高刚度，一般只用来承受径向负荷、载荷容量大。除满装滚子轴承外，均采用高刚性保持架，能够正确的引导滚子平行于轴线。



圆柱滚子轴承 Cylindrical Roller Bearing

The cylindrical roller bearing is composed of inner ring and roller guided by shoulder and with cage. The cylindrical roller is generally differentiated in accordance with the different shoulders. The cylindrical roller bearings made by our company include Model N, NU, NJ, NUP, NF and Model NUP..N, NUP..NR with snap ring.

This kind of bearings has a high rigidity and high load carrying capacity, generally only withstanding the radial load. Except the full complement needle roller bearing, the bearings are equipped with high rigid cage correctly to guide the roller parallel to axis line.

圆柱滚子轴承的各种结构是以挡边的不同来区分的。NU型圆柱滚子轴承，其外圈上有两个挡边和一个无挡边的内圈。N型圆柱滚子轴承，其内圈有两个挡边而外圈无挡边。NU、N型圆柱滚子轴承都是游动轴承，内外圈是可以分离的，方便于安装和拆卸。NJ型轴承外圈上有双挡边，内圈上有单挡边；NF型轴承则是内圈上有双挡边，外圈上有单挡边，它们可以承受单向的轴向力。NUP型圆柱滚子轴承作为固定轴承，可以承受交变方向的轴向力，这种轴承外圈有双挡边和一个挡圈。



圆柱滚子轴承 Cylindrical Roller Bearing

The structure of cylindrical roller bearing is distinguished in accordance with the different shoulders. Model NU cylindrical roller bearing has the outer ring with two shoulders and one inner ring without shoulder. As for Model N cylindrical roller bearing, the inner ring has two shoulders and the outer ring has no shoulder. Model NU, N cylindrical roller bearings are running bearings. The inner ring and outer ring can be separated conveniently for mounting and dismounting. As for Model NJ cylindrical roller bearing, the outer ring has double shoulders and the inner ring has single shoulder. As for Model NF cylindrical roller bearing, the inner ring has double shoulder and the outer has single shoulder, they can withstand the single-directional axial force. Model NUP cylindrical roller bearing is used as fixing bearing, withstanding the alternate directional axial force. The outer ring of it has double shoulder and one baffle ring.


带止动环圆柱滚子轴承NUP…N、NUP…NR型。外圈有止动槽，内圈有单挡边带平挡圈的圆柱滚子轴承，是NUP型轴承在外圈上加一个止动环槽的变型，可简化轴承在外壳孔内的轴向紧固，外壳孔可做成通孔，从而缩小了部件的轴向尺寸。




带止动环圆柱滚子轴承 Cylindrical Roller Bearings With Snap Ring

Model NUP...N, NUP...NR cylindrical roller bearings with snap ring,


The cylindrical roller bearing with the outer ring with a stop slot in the inner ring and single-shoulder and flat baffle ring in the inner ring is the modified type with Model NUP bearing adding a stop slot. It can simplify the axial fastening of bearing in housing bore. Because of through hole in outer housing, the axial size can be reduced.




| 轴径 Shaft Diameter (mm) | 轴承型号 Bearing Designation | | 重量 Mass 近似 Approx | 外形尺寸 Boundary Dimensions | | | 基本额定负荷 Basic Load Rating | | 极限转速 Limiting Speed | | |
|---------------------------------|-----------------------------|----------------------|----------------------------|-----------------------------|----|----|-----------------------------|-------------|------------------------|------------|--|
| | 现型号 Current Code | 原型号 Original Code | | d | D | B | 动 Dynamic | 静 Static | 脂润滑 Grease | 油润滑 Oil | |
| | | | | | | | | | | | |
| 15 | NU202EP | | 0.060 | 15 | 35 | 11 | 7960 | 6640 | | | |
| | NJ202ECP | | | 15 | 35 | 11 | 7960 | 6640 | | | |
| 17 | NJ203 | | | 17 | 40 | 12 | 17300 | 12900 | | | |
| | NJ203ECP | | | 17 | 40 | 12 | 17300 | 12900 | | | |
| | NJ203TVP3 | | | 17 | 40 | 12 | 17300 | 12900 | | | |
| | NJ203ECP(K) | | | 17 | 40 | 12 | 17300 | 12900 | | | |
| | NU303ECP | | | 17 | 47 | 14 | 22400 | 18000 | | | |
| 20 | NJ204 | | | 20 | 47 | 14 | 16600 | 13900 | 17000 | 20000 | |
| | NJ204ECP | | 0.135 | 20 | 47 | 14 | 16600 | 13900 | 17000 | 20000 | |
| | NU204E | | 0.122 | 20 | 47 | 14 | 16600 | 13900 | 17000 | 20000 | |
| | NUP204ECP | | 0.140 | 20 | 47 | 14 | 16600 | 13900 | 17000 | 20000 | |
| | NJ204EM | 42204EH | | 20 | 47 | 14 | 16600 | 13900 | 17000 | 20000 | |
| | NJ204ETVP3 | | | 20 | 47 | 14 | 16600 | 13900 | 17000 | 20000 | |
| | NJ2204E | | 0.158 | 20 | 47 | 18 | 30500 | 28300 | 14000 | 16000 | |
| 25 | N205E | 2205E | 0.148 | 25 | 52 | 15 | 27500 | 26800 | 11000 | 14000 | |
| | N205EM | 2205EH | 0.155 | 25 | 52 | 15 | 27500 | 26800 | 11000 | 14000 | |
| | NF205E | 12205E | 0.148 | 25 | 52 | 15 | 27500 | 26800 | 11000 | 14000 | |
| | NF205EM | 12205EH | 0.155 | 25 | 52 | 15 | 27500 | 26800 | 11000 | 14000 | |
| | NU205E | 32205E | 0.148 | 25 | 52 | 15 | 27500 | 26800 | 11000 | 14000 | |
| | NU2025EM | 32205EH | 0.155 | 25 | 52 | 15 | 27500 | 26800 | 11000 | 14000 | |
| | NJ205ECP | | 0.148 | 25 | 52 | 15 | 27500 | 26800 | 11000 | 14000 | |
| | NJ205EM | 42205EH | 0.155 | 25 | 52 | 15 | 27500 | 26800 | 11000 | 14000 | |
| | NUP205E | 92205E | 0.148 | 25 | 52 | 15 | 27500 | 26800 | 11000 | 14000 | |
| | NUP205EM | 92205EH | 0.155 | 25 | 52 | 15 | 27500 | 26800 | 11000 | 14000 | |
| | NU205EV | 32205EK | 0.151 | 25 | 52 | 15 | 3000 | 33800 | 9000 | 11000 | |
| | N2205EM | 2505EH | 0.168 | 25 | 52 | 18 | 23700 | 22800 | 10000 | 14000 | |
| | NF2205EM | 2505EH | 0.168 | 25 | 52 | 18 | 23700 | 22800 | 10000 | 14000 | |
| | NJ2205EP | | 0.168 | 25 | 52 | 18 | 23700 | 22800 | 10000 | 14000 | |
| | NJ2205E | 42505E | 0.168 | 25 | 52 | 18 | 23700 | 22800 | 10000 | 14000 | |
| | NJ2205EJ | | 0.168 | 25 | 52 | 18 | 23700 | 22800 | 10000 | 14000 | |
| 30 | NF305EM | 12305 | | 25 | 62 | 17 | | | | | |
| | NUP305EN | 192305E | | 25 | 62 | 17 | | | | | |
| | NJ2305EM | 42605EH | 0.4 | 25 | 62 | 24 | 42700 | 40900 | 9000 | 12000 | |
| | N206E | 2206E | 0.22 | 30 | 62 | 16 | 3600 | 35600 | 8500 | 11000 | |
| | N206EM | 2206EH | 0.24 | 30 | 62 | 16 | 3600 | 35600 | 8500 | 11000 | |
| | NF206E | 12206E | 0.22 | 30 | 62 | 16 | 3600 | 35600 | 8500 | 11000 | |
| | NF206EM | 12206EH | 0.24 | 30 | 62 | 16 | 3600 | 35600 | 8500 | 11000 | |
| | NU206E | 32206E | 0.22 | 30 | 62 | 16 | 3600 | 35600 | 8500 | 11000 | |
| | NU206EM | 32206EH | 0.24 | 30 | 62 | 16 | 3600 | 35600 | 8500 | 11000 | |




| 轴径 Shaft Diameter (mm) | 轴承型号 Bearing Designation | | 重量 Mass 近似 Approx | 外形尺寸 Boundary Dimensions | | | 基本额定负荷 Basic Load Rating | | 极限转速 Limiting Speed | | |
|---------------------------------|-----------------------------|----------------------|----------------------------|-----------------------------|-----|----|-----------------------------|-------------|------------------------|------------|--|
| | 现型号 Current Code | 原型号 Original Code | | d | D | B | 动 Dynamic | 静 Static | 脂润滑 Grease | 油润滑 Oil | |
| | | | | | | | N | rpm | | | |
| 40 | NF2208EM | 12508EH | 0.49 | 40 | 80 | 23 | 58.3 | 62 | 6000 | 9000 | |
| | NU2208M | 32508H | 0.53 | 40 | 80 | 23 | 58.3 | 62 | 6000 | 9000 | |
| | NJ2208EM | 42508EH | 0.49 | 40 | 80 | 23 | 58.3 | 62 | 6000 | 9000 | |
| | NUP2208EM | 92508EH | 0.49 | 40 | 80 | 23 | 58.3 | 62 | 6000 | 9000 | |
| | NUP2208EV | 92508EK | | 40 | 80 | 23 | 84.7 | 95 | 6000 | 7400 | |
| | NU2308EM | 32606EH | 1.1 | 40 | 90 | 33 | 82.2 | 88 | 6300 | 8000 | |
| | NJ2308EM | 42606EH | 1.1 | 40 | 90 | 33 | 82.2 | 88 | 6300 | 8000 | |
| | NUP2308EM | 92606EH | 1.1 | 40 | 90 | 33 | 82.2 | 88 | 6300 | 8000 | |
| 45 | NJ1009ECM | | | 45 | 75 | 16 | | | | | |
| | NU209N | | 0.44 | 45 | 85 | 19 | 58.5 | 63.8 | 6300 | 8000 | |
| | NF209E | 12209E | 0.52 | 45 | 85 | 19 | 58.8 | 63.8 | 6300 | 8000 | |
| | NF209EM | 12209EH | 0.53 | 45 | 85 | 19 | 58.5 | 63.8 | 6300 | 8000 | |
| | NU209E | 32209E | 0.52 | 45 | 85 | 19 | 58.5 | 63.8 | 6300 | 8000 | |
| | NU209EM | 32209EH | 0.53 | 45 | 85 | 19 | 58.5 | 63.8 | 6300 | 8000 | |
| | NJ209ECP | | | 45 | 85 | 19 | 58.5 | 63.8 | 6300 | 8000 | |
| | NJ209EM | 42209EH | 0.53 | 45 | 85 | 19 | 58.5 | 63.8 | 6300 | 8000 | |
| | NU2209ECP | | 0.567 | 45 | 85 | 23 | | | | | |
| | NJ2209ECP | | | 45 | 85 | 23 | | | | | |
| | NU309ECP | | 0.938 | 45 | 100 | 25 | | | | | |
| | NU309EN | | 0.95 | 45 | 100 | 25 | | | | | |
| | NF309E | 12309E | 0.95 | 45 | 100 | 45 | 93 | 98 | 5600 | 7000 | |
| | NF309EM | 12309EH | 0.98 | 45 | 100 | 45 | 93 | 98 | 5600 | 7000 | |
| | NU309E | 32309E | 0.95 | 45 | 100 | 45 | 93 | 98 | 5600 | 7000 | |
| | NU309EM | 32309EH | 0.98 | 45 | 100 | 45 | 93 | 98 | 5600 | 7000 | |
| | NJ309E | 42309E | 0.95 | 45 | 100 | 45 | 93 | 98 | 5600 | 7000 | |
| | NJ309EM | 42309EH | 0.98 | 45 | 100 | 45 | 93 | 98 | 5600 | 7000 | |
| | NUP309E | 92309E | 0.95 | 45 | 100 | 45 | 93 | 98 | 5600 | 7000 | |
| | NUP309EM | 92309EH | 0.98 | 45 | 100 | 45 | 93 | 98 | 5600 | 7000 | |
| | NUP309EN | 192309E | 0.95 | 45 | 100 | 45 | 93 | 98 | 5600 | 7000 | |
| | NUP309ENV | 192309EK | 0.97 | 45 | 100 | 45 | 104 | 121 | 5000 | 6100 | |
| | NJ309EV | 42309EK | 0.97 | 45 | 100 | 45 | 104 | 121 | 5000 | 6100 | |
| | N2209EM | 2509EH | 0.54 | 45 | 85 | 23 | 61.4 | 67.8 | 5300 | 8000 | |
| | NF2209EM | 12509EH | 0.54 | 45 | 85 | 23 | 61.4 | 67.8 | 5300 | 8000 | |
| | NU2209EM | 32509EH | 0.54 | 45 | 85 | 23 | 61.4 | 67.8 | 5300 | 8000 | |
| | NJ2209EM | 42509EH | 0.54 | 45 | 85 | 23 | 61.4 | 67.8 | 5300 | 8000 | |
| | NUP2209EM | 92509EH | 0.54 | 45 | 85 | 23 | 61.4 | 67.8 | 5300 | 8000 | |
| | N2309EM | 2609EH | 0.51 | 45 | 100 | 36 | 106 | 113 | 5600 | 7000 | |
| | NU2309EM | 32609EH | 1.51 | 45 | 100 | 36 | 106 | 113 | 5600 | 7000 | |
| | NJ2309EM | 42609EH | 1.51 | 45 | 100 | 36 | 106 | 113 | 5600 | 7000 | |




| 轴径 Shaft Diameter (mm) | 轴承型号 Bearing Designation | | 重量 Mass 近似 Approx | 外形尺寸 Boundary Dimensions | | | 基本额定负荷 Basic Load Rating | | 极限转速 Limiting Speed | | |
|---------------------------------|-----------------------------|----------------------|----------------------------|-----------------------------|-----|----|-----------------------------|-------------|------------------------|------------|--|
| | 现型号 Current Code | 原型号 Original Code | | d | D | B | 动 Dynamic | 静 Static | 脂润滑 Grease | 油润滑 Oil | |
| | | | | | | | kg | mm | N | rpm | |
| 45 | NUP2309EM | 92609EH | 1.51 | 45 | 100 | 36 | 106 | 113 | 5600 | 7000 | |
| 50 | N210E | 2210E | 0.56 | 50 | 90 | 20 | 61.2 | 69.2 | 6000 | 7500 | |
| | N210EM | 2210EH | 0.58 | 50 | 90 | 20 | 61.2 | 69.2 | 6000 | 7500 | |
| | NF210E | 12210E | 0.56 | 50 | 90 | 20 | 61.2 | 69.2 | 6000 | 7500 | |
| | NF210EM | 12210EH | 0.58 | 50 | 90 | 20 | 61.2 | 69.2 | 6000 | 7500 | |
| | NU210E | 32210E | 0.56 | 50 | 90 | 20 | 61.2 | 69.2 | 6000 | 7500 | |
| | NU210EM | 32210EH | 0.58 | 50 | 90 | 20 | 61.2 | 69.2 | 6000 | 7500 | |
| | NJ210E/C3 | | 1.53 | 50 | 90 | 20 | | | | | |
| | NJ210ECP | | | 50 | 90 | 20 | | | | | |
| | NUP210E | 92210E | 0.56 | 50 | 90 | 20 | 61.2 | 69.2 | 6000 | 7500 | |
| | NUP210EM | 92210EH | 0.58 | 50 | 90 | 20 | 61.2 | 69.2 | 6000 | 7500 | |
| | NUP210EN | 192210E | 0.56 | 50 | 90 | 20 | 61.2 | 69.2 | 6000 | 7500 | |
| | N310E | 2310E | 1.2 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | N310EM | 2310EH | 1.31 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | NF310E | 12310E | 1.2 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | NF310EM | 12310EH | 1.31 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | NU310E | 32310E | 1.2 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | NU310EM | 32310EH | 1.31 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | NJ310E | 42310E | 1.2 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | NJ310EM | 42310EH | 1.31 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | NUP210E | 92310E | 1.2 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | NUP210EM | 92310EH | 1.31 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | NJ310EV | 42310EK | 1.21 | 50 | 110 | 27 | 128 | 144 | 5000 | 6000 | |
| | NUP310EN | 192310E | 1.2 | 50 | 110 | 27 | 105 | 112 | 5300 | 6700 | |
| | NUP310ENV | 192310EK | 1.21 | 50 | 110 | 27 | 128 | 144 | 5000 | 6000 | |
| | N2210EM | 2510EH | 0.65 | 50 | 90 | 23 | 64.2 | 73.6 | 5000 | 7500 | |
| | NF2210EM | 12510EH | 0.65 | 50 | 90 | 23 | 64.2 | 73.6 | 5000 | 7500 | |
| | NU2210EM | 32510EH | 0.65 | 50 | 90 | 23 | 64.2 | 73.6 | 5000 | 7500 | |
| | NJ2210EM | 42510EH | 0.65 | 50 | 90 | 23 | 64.2 | 73.6 | 5000 | 7500 | |
| | NUP2210EM | 92510EH | 0.65 | 50 | 90 | 23 | 64.2 | 73.6 | 5000 | 7500 | |
| | N2301 EM | 2610EH | 2.01 | 50 | 110 | 40 | 128 | 142 | 5300 | 6700 | |
| | NU2310EM | 32610EH | 2.01 | 50 | 110 | 40 | 128 | 142 | 5300 | 6700 | |
| | NJ2310EM | 42610EH | 2.01 | 50 | 110 | 40 | 128 | 142 | 5300 | 6700 | |
| | NUP211ECP | | | 50 | 100 | 21 | | | | | |
| 55 | NJ1011ECP | | | 55 | 90 | 18 | | | | | |
| | N211E | 2211E | 0.62 | 55 | 100 | 21 | 80.2 | 95.5 | 5300 | 6700 | |
| | NF211E | 12211E | 0.62 | 55 | 100 | 21 | 80.2 | 95.5 | 5300 | 6700 | |
| | NF211EM | 12211EH | 0.63 | 55 | 100 | 21 | 80.2 | 95.5 | 5300 | 6700 | |
| | NU21E | 32211E | 0.62 | 55 | 100 | 21 | 80.2 | 95.5 | 5300 | 6700 | |



| 轴径 Shaft Diameter (mm) | 轴承型号 Bearing Designation | | 重量 Mass 近似 Approx | 外形尺寸 Boundary Dimensions | | | 基本额定负荷 Basic Load Rating | | 极限转速 Limiting Speed | | |
|---------------------------------|-----------------------------|----------------------|----------------------------|-----------------------------|-----|----|-----------------------------|-------------|------------------------|------------|--|
| | 现型号 Current Code | 原型号 Original Code | | d | D | B | 动 Dynamic | 静 Static | 脂润滑 Grease | 油润滑 Oil | |
| | | | | | | | N | rpm | | | |
| 55 | NU211EM | 32211EH | 0.63 | 55 | 100 | 21 | 80.2 | 95.5 | 5300 | 6700 | |
| | NJ211 E | 42211E | 0.62 | 55 | 100 | 21 | 80.2 | 95.5 | 5300 | 6700 | |
| | NJ211 EM | 42211EH | 0.63 | 55 | 100 | 21 | 80.2 | 95.5 | 5300 | 6700 | |
| | NUP211E | 92211E | 0.62 | 55 | 100 | 21 | 80.2 | 95.5 | 5300 | 6700 | |
| | NUP211EM | 92211EH | 0.63 | 55 | 100 | 21 | 80.2 | 95.5 | 5300 | 6700 | |
| | N311E | 2311E | 1.61 | 55 | 120 | 29 | 128 | 138 | 4800 | 6700 | |
| | N311EM | 2311EH | 1.7 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NF311E | 12311E | 1.61 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NF311EM | 12311EH | 1.7 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NU311E | 32311E | 1.61 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NU311EM | 32311EH | 1.7 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NJ311ECP | | 1.725 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NJ311 E | 42311E | 1.61 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NJ311EM | 42311EH | 1.7 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NUP311E | 92311E | 1.61 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NUP311EM | 92311EH | 1.7 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NUP311EN | 192311E | 1.61 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| | NUP311ENV | 192311EV | 1.69 | 55 | 120 | 29 | 163 | 175 | 4300 | 5000 | |
| | NUP311ENM | 192311EH | 1.7 | 55 | 120 | 29 | 128 | 138 | 4800 | 6000 | |
| 60 | N2211 EM | 2511EH | 0.77 | 55 | 100 | 25 | 75.3 | 87.2 | 4300 | 6700 | |
| | NF2211EM | 12511EH | 0.77 | 55 | 100 | 25 | 75.3 | 87.2 | 4300 | 6700 | |
| | NU2211EM | 32511EH | 0.77 | 55 | 100 | 25 | 75.3 | 87.2 | 4300 | 6700 | |
| | NJ2211 | | 0.91 | 55 | 100 | 25 | | | | | |
| | NU2211M | | 0.916 | 55 | 100 | 25 | | | | | |
| | NU2311EM | 32611EH | 2.8 | 55 | 120 | 43 | 148 | 162 | 4800 | 6000 | |
| | NJ2311EM | 42611EH | 2.8 | 55 | 120 | 43 | 148 | 162 | 4800 | 6000 | |
| | NUP2311EM | 92611EH | 2.8 | 55 | 120 | 43 | 148 | 162 | 4800 | 6000 | |
| | N212E | 2212E | 0.84 | 60 | 110 | 22 | 89.8 | 102 | 5000 | 6300 | |
| | N212EM | 2212EH | 0.95 | 60 | 110 | 22 | 89.8 | 102 | 5000 | 6300 | |
| | NF212E | 12212E | 0.84 | 60 | 110 | 22 | 89.8 | 102 | 5000 | 6300 | |
| | NF212EM | 12212EH | 0.95 | 60 | 110 | 22 | 89.8 | 102 | 5000 | 6300 | |
| | NU212E | 32212E | 0.84 | 60 | 110 | 22 | 89.8 | 102 | 5000 | 6300 | |
| | NU121EM | 32212EH | 0.95 | 60 | 110 | 22 | 89.8 | 102 | 5000 | 6300 | |
| | NJ212E | 42212E | 0.84 | 60 | 110 | 22 | 89.8 | 102 | 5000 | 6300 | |
| | NJ212EM | 42212EH | 0.95 | 60 | 110 | 22 | 89.8 | 102 | 5000 | 6300 | |
| | NUP212E | 92212E | 0.84 | 60 | 110 | 22 | 89.8 | 102 | 5000 | 6300 | |
| | NUP212EM | 92212EH | 0.95 | 60 | 110 | 22 | 89.8 | 102 | 5000 | 6300 | |
| | N312E | 2312E | 1.94 | 60 | 130 | 31 | 142 | 155 | 4500 | 5600 | |
| | N312EM | 2312EH | 2.07 | 60 | 130 | 31 | 142 | 155 | 4500 | 5600 | |



| 轴径 Shaft Diameter (mm) | 轴承型号 Bearing Designation | | 重量 Mass 近似 Approx | 外形尺寸 Boundary Dimensions | | | 基本额定负荷 Basic Load Rating | | 极限转速 Limiting Speed | |
|---------------------------------|-----------------------------|----------------------|----------------------------|-----------------------------|-----|----|-----------------------------|-------------|------------------------|------------|
| | 现型号 Current Code | 原型号 Original Code | | d | D | B | 动 Dynamic | 静 Static | 脂润滑 Grease | 油润滑 Oil |
| | kg | mm | | | | | N | | rpm | |
| 60 | NF312E | 12312E | 1.94 | 60 | 130 | 31 | 142 | 155 | 4500 | 5600 |
| | NF312EM | 12312EH | 2.07 | 60 | 130 | 31 | 142 | 155 | 4500 | 5600 |
| | NU312E | 32312E | 1.94 | 60 | 130 | 31 | 142 | 155 | 4500 | 5600 |
| | NU312EM | 32312EH | 2.07 | 60 | 130 | 31 | 142 | 155 | 4500 | 5600 |
| | NJ312ECP | | 1.98 | 60 | 130 | 31 | 142 | 155 | 4500 | 5600 |
| | NJ312EM | 42312EH | 2.07 | 60 | 130 | 31 | 142 | 155 | 4500 | 5600 |
| | NUP312E | 92312E | 1.94 | 60 | 130 | 31 | 142 | 155 | 4500 | 5600 |
| | NUP312EM | 92312EH | 2.07 | 60 | 130 | 31 | 142 | 155 | 4500 | 5600 |
| | NUP312EV | 92312EK | 1.96 | 60 | 130 | 31 | 185 | 195 | 4000 | 4700 |
| | N2212EM | 2512EH | 1.09 | 60 | 110 | 28 | 101 | 123 | 4000 | 6300 |
| | NF2212EM | 12512EH | 1.09 | 60 | 110 | 28 | 101 | 123 | 4000 | 6300 |
| | NU2212EM | 32512EH | 1.09 | 60 | 110 | 28 | 101 | 123 | 4000 | 6300 |
| | NJ2212EM | 42512EH | 1.09 | 60 | 110 | 28 | 101 | 123 | 4000 | 6300 |
| | NUP2212EM | 92512EH | 1.09 | 60 | 110 | 28 | 101 | 123 | 4000 | 6300 |
| | N2312EM | 2612EH | 3.38 | 60 | 130 | 46 | 168 | 188 | 4500 | 5600 |
| 65 | NU2312EM | 32612EH | 3.38 | 60 | 130 | 46 | 168 | 188 | 4500 | 5600 |
| | NJ2312EM | 42612EH | 3.38 | 60 | 130 | 46 | 168 | 188 | 4500 | 5600 |
| | N313E | 2312E | 2.42 | 65 | 140 | 33 | 170 | 188 | 4000 | 5000 |
| | N313EM | 2313EH | 2.58 | 65 | 140 | 33 | 170 | 188 | 4000 | 5000 |
| | NF313E | 12313E | 2.42 | 65 | 140 | 33 | 170 | 188 | 4000 | 5000 |
| | NF313EM | 12313EH | 2.58 | 65 | 140 | 33 | 170 | 188 | 4000 | 5000 |
| | NU131E | 32313E | 2.42 | 65 | 140 | 33 | 170 | 188 | 4000 | 5000 |
| | NU131EM | 32313EH | 2.58 | 65 | 140 | 33 | 170 | 188 | 4000 | 5000 |
| | NJ313E | 42313E | 2.42 | 65 | 140 | 33 | 170 | 188 | 4000 | 5000 |
| | NJ313EM | 42313EH | 2.58 | 65 | 140 | 33 | 170 | 188 | 4000 | 5000 |
| 70 | NUP313E | 92313E | 2.42 | 65 | 140 | 33 | 170 | 188 | 4000 | 5000 |
| | NUP313EM | 92313EH | 2.58 | 65 | 140 | 33 | 170 | 188 | 4000 | 5000 |
| | NUP131EV | 92313EK | 2.51 | 65 | 140 | 33 | 210 | 240 | 3700 | 4200 |
| | N314E | 2314E | 2.9 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |
| | N314EM | 2314EH | 3.04 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |
| | NF314E | 12314E | 2.9 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |
| | NF314EM | 12314EH | 3.04 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |
| | NU314E | 32314E | 2.9 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |
| | NU314EM | 32314EH | 3.04 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |
| | NJ314E | 42314E | 2.9 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |
| 70 | NJ314EM | 42314EH | 3.04 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |
| | NUP314E | 92314E | 2.9 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |
| | NUP314EM | 92314EH | 3.04 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |
| | NUP314ENM | 192314EH | 3.04 | 70 | 150 | 35 | 195 | 220 | 3800 | 4800 |



| 轴径 Shaft Diameter (mm) | 轴承型号 Bearing Designation | | 重量 Mass 近似 Approx | 外形尺寸 Boundary Dimensions | | | 基本额定负荷 Basic Load Rating | | 极限转速 Limiting Speed | | |
|---------------------------------|-----------------------------|----------------------|----------------------------|-----------------------------|-----|----|-----------------------------|-------------|------------------------|------------|--|
| | 现型号 Current Code | 原型号 Original Code | | d | D | B | 动 Dynamic | 静 Static | 脂润滑 Grease | 油润滑 Oil | |
| | | | | | | | kg | mm | N | rpm | |
| 75 | N315E | 2315E | 3.59 | 75 | 160 | 37 | 228 | 260 | 3600 | 4500 | |
| | N315EM | 2315EH | 3.88 | 75 | 160 | 37 | 228 | 260 | 3600 | 4500 | |
| | NF315E | 12315E | 3.59 | 75 | 160 | 37 | 228 | 260 | 3600 | 4500 | |
| | NF315EM | 12315EH | 3.88 | 75 | 160 | 37 | 228 | 260 | 3600 | 4500 | |
| | NU315E | 32315E | 3.59 | 75 | 160 | 37 | 228 | 260 | 3600 | 4500 | |
| | NU315EM | 32315EH | 3.88 | 75 | 160 | 37 | 228 | 260 | 3600 | 4500 | |
| | NJ315E | 42315E | 3.59 | 75 | 160 | 37 | 228 | 260 | 3600 | 4500 | |
| | NJ315EM | 42315EH | 3.88 | 75 | 160 | 37 | 228 | 260 | 3600 | 4500 | |
| | NUP315E | 92315E | 3.59 | 75 | 160 | 37 | 228 | 260 | 3600 | 4500 | |
| | NUP315EM | 92315EH | 3.88 | 75 | 160 | 37 | 228 | 260 | 3600 | 4500 | |
| 80 | NUP315ENM | 192315EH | 3.84 | 75 | 160 | 37 | 228 | 260 | 3100 | 3700 | |
| | NU1016M | 32116H | 1.21 | 80 | 125 | 22 | 72.5 | 90.5 | 5700 | 6700 | |
| | NJ216EM | 42216 | 1.67 | 80 | 140 | 26 | 111 | 130 | 4800 | 5700 | |
| | NUP216E | 92216E | 1.58 | 80 | 140 | 26 | 139 | 167 | 4400 | 5100 | |
| 85 | N216 | 2216 | 1.72 | 80 | 140 | 26 | 111 | 130 | 4800 | 5700 | |
| | N217 | 2217 | 2.16 | 85 | 150 | 28 | 126 | 149 | 4500 | 5300 | |
| | NU217 | 32217 | 2 | 85 | 150 | 28 | 126 | 149 | 4500 | 5300 | |
| | NJ217 | 42217 | 2 | 85 | 150 | 28 | 126 | 149 | 4500 | 5300 | |
| 90 | NU217E | 32217E | 2.08 | 85 | 150 | 28 | 167 | 199 | 4100 | 4800 | |
| | NU218 | 32218 | 2.44 | 90 | 160 | 30 | 152 | 178 | 4300 | 5000 | |
| | NJ218 | 42218 | 2.44 | 90 | 160 | 30 | 152 | 178 | 4300 | 5000 | |
| | NJ218E | 42218E | 2.54 | 90 | 160 | 30 | 182 | 217 | 3900 | 4600 | |
| | NUP218M | 92218H | 2.5 | 90 | 160 | 30 | 182 | 217 | 4300 | 5000 | |
| | NJ218EUP(K) | | 2.4 | 90 | 160 | 30 | | | | | |
| | NJ218EC(K) | | 2.43 | 90 | 160 | 30 | | | | | |